



# THE PRODUCTION ENGINEER

THE JOURNAL OF THE INSTITUTION OF PRODUCTION ENGINEERS

JULY 1960

# THE PRODUCTION ENGINEER

VOL. 39 - No. 7

PRICE 10/-

JULY 1960

## CONTENTS

"THE MANAGEMENT BURDEN" by Harold Wilmot, C.B.E.	391
"AN INTRODUCTION TO PRODUCTION ENGINEERING ADMINISTRATION"	
A Thesis by R. G. Mockler, A.M.I.Prod.E.	399
THE 1959 VISCOUNT NUFFIELD PAPER	
Report and Discussion	403
"BATCH PRODUCTION: New Approaches to Problems of Factory Control" by I. M. L. Ward, B.Sc.(Hons.), Stud.I.Prod.E.	
	409
"BUSINESS SIMULATION EXERCISES"	
by R. J. Sury, A.M.Mech.E., A.M.I.Prod.E., A.M.I.W.M.	419
SIXTH CONFERENCE OF STANDARDS ENGINEERS	427
ELECTIONS AND TRANSFERS	429
THE PRINCIPAL OFFICERS — 1960 - 61	430
REPORT OF THE MEETING OF COUNCIL — 28th April, 1960	432
COUNCIL ELECTIONS — 1960 - 61	435
INSTITUTION NOTES	436
NEWS OF MEMBERS	438
DIARY FOR 1960 - 61	439
HAZLETON MEMORIAL LIBRARY — Additions	439

THE JOURNAL OF  
THE INSTITUTION OF  
PRODUCTION ENGINEERS

10 Chesterfield Street  
Mayfair : London : W.1  
Telephone GROsvenor 5254-9

EDITORIAL COMMITTEE  
*B. E. Stokes — Chairman*  
*G. Ronald Pryor — President  
of the Institution*  
*R. H. S. Turner — Chairman  
of Council*  
*John Mitford Brice*  
*J. L. Gwyther*  
*H. Peter Jost*  
*J. C. Z. Martin*  
*J. J. Peck*  
*R. V. Rider*  
*M. J. Sargeant*

EDITOR  
*M. S. C. Brenner*

SECRETARY OF THE  
INSTITUTION  
*W. F. S. Woodford*

*The Institution of Production Engineers does not accept  
responsibility for any statements made or opinions expressed in any  
Papers published in the Journal of the Institution*





TO

M

S



1

*There*


**CHA**  
**COV**

TAS/CC


# TO MAKE PRODUCTION

# MEET DEMAND


# SEE . . .




1




2



4



3



5

## FAMOUS NAMES ON THE CHURCHILL LIST INCLUDE:

CHURCHILL GEAR MACHINES LTD.

CHURCHILL-REDMAN LTD. (1)

VERTIMAX LTD. (3)

THE CHURCHILL MACHINE TOOL CO. LTD. (4)

GINGINATI MILLING MACHINES LTD.

CONE AUTOMATIC MACHINE CO. LTD. (2)

FRORIEP GmbH.

GOSS & DE LEEUW MACHINE CO.

ERNST GROB.

S. A. JOS. PETERMANN. (5)

SCHARMANN & CO. GmbH.

When demand increases, production problems frequently arise. New methods and new and replacement machines will be needed to overcome them.

Before making any decision about new machines get in touch with Charles Churchill, who sell a comprehensive range of fine machine tools by famous British, Continental and American makers.

From this one source you will be able to cover your entire requirement, ensuring co-ordinated deliveries and the soundest technical advice.

*There are Churchill branches at London, Glasgow, Newcastle, Manchester.*

**CHARLES CHURCHILL & COMPANY LIMITED**  
**COVENTRY ROAD • SOUTH YARDLEY • BIRMINGHAM 25**



**INTERNATIONAL  
MACHINE TOOL  
EXHIBITION  
1960**

Stand No. 213  
Empire Hall  
Stand No. 403  
National Hall  
Gallery

the most  
widely used  
turret miller in  
America is now  
being made  
in England by

**A&S**

Now large scale production in England will bring down the cost to you of the most universal of all 'universals' the Bridgeport Miller. Nearly every American machine shop has at least one. And still demand for this wonderful machine tool continues to outstrip a vastly stepped up production. Why? Because hard-headed business men realize that the Bridgeport *makes* money by coping with virtually every job likely to crop up.



**ALL THIS-on one machine**

***Bridgeport***

***the Miller that is more universal than any 'universal'***

**A&S**

The Bridgeport Miller has been developed and perfected over twenty years. Now its renown will be further enhanced by the high reputation of Adcock & Shipley who will build it under licence for sale everywhere outside the Americas and Japan. Send for full details of the Bridgeport today.

**ADCOCK & SHIPLEY LTD**

P.O. Box 22, Ash Street, Leicester. Telephone: Leicester 24154-6

**ONLY *Bridgeport* OFFERS SO MUCH**

# Sole Agents

British Isles

Bishop, Eaves & Sons, Ltd.

868, Alum Rock Road, Birmingham, 8

Telephone: East 4071

Telex: 33461 Bisheaves Birmingham

## I-Spindle Boring Machine

boring spigots for liners in crank cases

Holding device for changing rough and semifinish boring bars.

Infinitely variable feed control.


Spindle speeds controlled by three-speed gear box and pole change motor.

Tool retraction during the advance and return movement.


Accurate depth setting by hydraulically controlled stop.

Location clamping and indexing of slide table is hydraulically operated.

Micrometer setting of tools.



KARL HÜLLER GMBH  
LUDWIGSBURG/GERMANY






# **D S G SURFACING & BORING LATHES**


**offer:- PRECISION FEATURES WHICH ARE PROVING THEMSELVES THROUGHOUT THE ENGINEERING INDUSTRY**

## **FEATURES**

- HIGH PRECISION INDEXING TURRET
- RAPID CENTRE POSITIONING WITH RETRACTABLE STOP
- COMPREHENSIVE RANGE OF TOOLHOLDERS INTERCHANGEABLE WITH OTHER MAKES OF TURRET LATHES
- AVAILABLE WITH GAPBED (NOT 13" LATHE)
- AMERICAN CAM-LOCK SPINDLE NOSE PERMITTING CONSISTENT AND RAPID REMOUNTING OF CHUCKS AND FIXTURES
- AUTOMATIC TRIPS TO LONGITUDINAL FEED FITTED AS STANDARD
- TRIPPING CROSS FEEDS AVAILABLE



REPRODUCED BY KIND PERMISSION OF THE ENGLISH ELECTRIC CO. LTD. ILLUSTRATION SHOWS A LINE OF SURFACING & BORING LATHES IN THE WORKS OF THE ENGLISH ELECTRIC CO. LTD. BRADFORD



**24" SWING SURFACING & BORING LATHE**

MADE IN SIZES  
**13" TO 36"**

**Dean Smith & Grace**  
KEIGHLEY LIMITED ENGLAND

*We manufacture:* 13"—30" SWING CENTRE LATHES, COPYING AVAILABLE ON 13", 17", 21", 25", 26" & 30" SWING LATHES, TOOLROOM LATHES, 13"—36" SWING SURFACING & BORING LATHES

TELEX NO. 51-123 ● TELEGRAMS: LATHES KEIGHLEY TELEX ● TEL. NO. 5261 (7 LINES)







The background of the advertisement is a dark, high-contrast image of various mechanical parts, including gears, shafts, and bearings, arranged in a collage-like fashion. The 'Enots' logo is prominently displayed in the upper left corner in a large, stylized, outlined font. The main title 'LUBRICATING EQUIPMENT' is in a bold, sans-serif font to the right of the logo. A central text block describes the benefits of centralized lubrication systems. At the bottom left, there is an image of a 'ONE-SHOT CENTRALISED LUBRICATING SYSTEM' box and a 'send NOW!' banner. At the bottom right, there is a call to action to send for a complete set of fully informative booklets.

# Enots

## LUBRICATING EQUIPMENT

The advantages of centralised systems for bearing lubrication are fully appreciated as an aid to production. Enots comprehensive range of lubrication equipment is adaptable to every industry and is indeed saving time, money and effort in the modern factory by reducing the number of breakdowns, eliminating costly repairs and adding years of service to the machine.

**send NOW!**


ONE-SHOT  
CENTRALISED  
LUBRICATING  
SYSTEM

OIL  
ANT  
S

NG  
S  
S

*Send now for a  
complete set of fully  
informative booklets  
which are free on request.*

*the choice  
of the motor  
manufacturer...*




*An installation of pit type furnaces with separate cooling chambers and oil and water quench tanks for carburising and hardening motor gear box parts.*

Austin, Ford, Humber, and other leading motor manufacturers chose Efco Furnaces for hardening, gas carburising or carbonitriding gear components.

When you decide on Efco furnaces you may pick from the best of the World's current designs. For carburising and carbonitriding there are both vertical and horizontal closed quench furnaces, and vertical furnaces with separate cooling chambers. For hardening there are many continuous designs including shaker hearth, roller hearth and pusher furnaces.

## EFCO furnaces



*Humber Ltd chose Efco-Lindberg horizontal closed quench furnaces for carburising and carbonitriding gear components. The furnaces are electrically heated with Cor-therm elements.*




BEST OF THE WORLDS  
CURRENT FURNACE DESIGNS

**ELECTRIC RESISTANCE FURNACE CO. LTD.**

NETHERBY, QUEENS ROAD, WEYBRIDGE, SURREY • Weybridge 3891.

*Associated with Electro-Chemical Engineering Co Ltd.*





*Coventry's Broadgate  
and a W & B  
boring mill of  
the period.*

## The Changing Years


Over seventy years ago Webster and Bennett began building machine tools and a reputation for quality and value. They have never been surpassed.



# 1960

*Broadgate today,  
and the latest  
W & B design.*

*Today,* Webster and Bennett boring and turning mills incorporating the most advanced engineering technology continue to enrich their reputation and the future of the people who use them.



**WEBSTER & BENNETT LTD., COVENTRY, ENGLAND**



# INCREASED PRODUCTIVITY WITH GREATER PRECISION



The B.T.G. 3" Swift Feeder is a hydraulically operated power press feeding device, capable of running consistently at high speeds with extreme accuracy of pitch. It is readily mounted on the crankshaft of the vast majority of power presses and used in conjunction with the Swift Feeder Coil Holder (which is adjustable for tool height and coil size) enables the press table to be kept clear of any obstruction.

The extreme simplicity of adjustment for pitch progression and material thickness makes the Swift Feeder ideally suited for both short and long production runs. Adjustment for width of material is rendered unnecessary by the open-sided gripper design.

THERE IS NO FASTER OR MORE CONSISTENTLY ACCURATE PRESS FEED THAN THE

## SWIFT FEEDER

Swift Feeders employed in production in our Associate Company may be seen at any time by appointment.

**BIRMINGHAM TOOL & GAUGE CO. LTD., BIRMINGHAM, 19, and 26 HOLBORN VIADUCT, LONDON, E.C.1.**

A Member of the DENBRO Group of Companies





- Table travels of 50" and 60"
- Up to 40 H.P. Spindle Drive Motor
- Wide Speed range—14 to 1400 R.P.M.
- Wide Feed range— $\frac{1}{8}$  to 90"/min.
- Fully Automatic Table Cycles—available on demand


ings of Industry

**CINCINNATI**

**TYPE  
model 'ELA'**

The new range of heavy duty Knee and Column Milling Machines of massive construction weighing up to 19,000 lbs. Plain, Universal and Vertical styles, designed to give maximum setting and operating efficiency.

**MODERN MACHINES FOR  
MAXIMUM PERFORMANCE!**






BRITISH BUILT  
*"American"* HORIZONTAL  
 BROACHING MACHINES

Can be supplied with Matrix Designed and Manufactured Tooling to your requirements.

For broaching round, square, hexagonal and other holes, keyways, splines. Also suitable for surface broaching. Easy, quick job change. 48" stroke, normal capacity 10 tons. Broaching speed infinitely variable 5-15 F.P.M. with quick return. Simple stroke and speed adjustment. Single lever control of ram. Hardened and ground ram ways automatically lubricated.

**EX-STOCK  
 DELIVERY**



Built by Coventry Gauge & Tool Co. Ltd.  
 One of the world's principal  
 Manufacturers of Broaching Machines  
 and Broaching Tools



Stand Nos. 48, 52  
 Grand Hall  
 Stand No. 508  
 First Floor, Empire Hall  
 Stand No. 313  
 Grand Hall, Gallery



*For further particulars write or telephone TODAY*

WELSH HARP, EDGWARE RD., LONDON, N.W.2.  
 TEL: GLADSTONE 0033

ALSO AT BIRMINGHAM—TEL: SPRINGFIELD 1134/5 • STOCKPORT—TEL: STOCKPORT 5241 • GLASGOW—TEL: MERRYLEE 2022







# MILLS

## PRECISION TURNED PARTS

*The latest Swiss Automatic machinery has been installed to enable us to offer a greater variety of small precision turned parts. These machines enable us to produce sizes up to  $\frac{3}{8}$ " dia. and 2 $\frac{3}{4}$ " long with a superior finish, and at more advantageous prices. We are confident that we can assist you with your supply and cost problems.*

**EXORS OF JAMES MILLS LTD**

**BREDBURY STEEL WORKS · WOODLEY, NEAR STOCKPORT**

Phone: WOODley 2231 (7 lines) 3431 (7 lines)

Grams: Mills, Phone, Woodley






## those difficult shapes



Thanks to new techniques and modern machinery difficult shapes present no problem when made by the Powder Metallurgy process. FERROCITE produces the answer to the production in quantity of machine parts with high wearing resistance and load carry capacity. FERROCITE parts are produced by compressing selected metal powders in accurately made dies. Complex contours can be produced. The oil-satin finish eliminates further machining and facilitates assembly. To gain the many advantages of the Powder Metallurgy process it is often possible to modify an existing design without loss of efficiency in operation.



*Our Technical Department is readily available for consultation.*

### **Bound Brook Bearings Limited**


Trent Valley Trading Estate, Lichfield, Staffordshire.  
Telephone: Lichfield 2027-8. Telegrams: Boundless, Lichfield.

Member of the



**Birfield Group**





**mild steel and  
stainless steel**

# tubes


from stock—in randoms or cut to  
length. Do you have our stocklist of  
standard and non-standard tube?

***Markland Scowcroft***  
**LTD**

Bromley Cross Nr. Bolton



Telephone: EAGley 600



## CUNLIFFE & CROOM Verticals

*In the apprentice training school  
at Bristol Aero Engines Ltd.*

- \* SLIDING AND SWIVELLING HEAD
- \* POWER FEEDS IN ALL DIRECTIONS
- \* SPEED AND FEED RANGE  
COVERING ALL MATERIALS

### JAMES ARCHDALE & CO. LTD.

Regd. Office: Ledsam Street, Birmingham 16    Works: Blackpole Works, Worcester  
Telephone: Edgbaston 2276    Telephone: Worcester 27081 (6 lines)

*A member of the Staveley Coal & Iron Co. Ltd. Group.*

*Sole Selling Agents:*

**Alfred Herbert Ltd., Coventry. Telephone: Coventry 89221**

Whether for apprentice training, as shown, or for toolroom or production work, CUNLIFFE & CROOM verticals have the speed and power, plus precision, to satisfy the most exacting demands. Note the massive design, the well-supported table and powerful knee . . . the sliding and swivelling head . . . features that make the CUNLIFFE & CROOM a really versatile machine, capable of tackling the most difficult jobs with ease, no matter what the material. Get the details today . . . and ask, too, for information on our horizontal machine.



INTERNATIONAL  
MACHINE TOOL  
EXHIBITION  
LONDON 1960  
OLYMPIA  
JUNE 25-JULY 6



**STAND 50**

# WILKINS & MITCHELL

## STRAIGHT - SIDED SINGLE ACTION T.R. SERIES POWER PRESSES 1, 2, & 4 POINT SUSPENSION

These many exclusive features that are essential for greater productivity are embodied in this range of Wilkins & Mitchell Power Presses — the presses that cut costs.

- HIGH TORQUE CLUTCH
- BUILT-IN DRIVE FOR AUTOMATION FUNCTIONS
- HEAVY DUTY DEEP GUIDED CUSHIONS
- FULL ECCENTRIC DRIVE
- DEEP BEAM ALL-STEEL SLIDE
- ALL STEEL, HEAVY SECTION FABRICATED CONSTRUCTION
- FULL-FLOW CIRCULATING LUBRICATION



PLEASE SEND FOR THE 'T.R.'  
BOOK OF THE 'PRESSES THAT  
CUT COSTS.'

**WILKINS & MITCHELL LIMITED**  
DARLSTON • SOUTH STAFFS • ENGLAND  
London Office : 70 Park Lane, W.1



These  
butt-welded  
cutting  
tools...

...pay  
dividends  
in the  
end

... in the end is what matters, for it is the cutting end of Stag Major steel which pays off. Not just a tip, but a good substantial piece of finest super high speed steel, inseparably fuse-butt-welded to a high grade shank.

A complete tool, hardened and ready for use, for lathe, planer, shaper, etc., at little more than the cost of re-dressing by forging a solid tool.

Send request form for booklet and tool chart.



# STAG MAJOR SUPERWELD TOOLS

**EDGAR ALLEN & CO. LTD.**  
**IMPERIAL STEEL WORKS • SHEFFIELD 9**

ETO40/PE  
TO EDGAR ALLEN & CO. LTD., Imperial Steel Works, Sheffield 9


Please send "Superweld" booklet and chart to:—

Name .....  
Position .....  
Firm .....  
Address .....



# No other standard motor has all these features!

- All cast-iron exterior, with finger-proof cowl to BS.2817.
- Non-corrodible, polyester resin, external fan.
- Drain holes with easily detachable plastic plugs.
- Provision for fitting earthing terminal.
- Weatherproof type terminal box with 4-screw fixing.
- Nameplate with full details including bearing sizes and grease grades.



## CLASS 'D' A.C. motors

DELIVERIES from stock

*Are you receiving the monthly STOCK LIST?*

*If not, write to:*

*The ENGLISH ELECTRIC Co., Ltd.,  
Industrial Motor Works, Bradford.*

The new range of 'ENGLISH ELECTRIC' totally enclosed fan-cooled squirrel cage motors are interchangeable with ventilated motors to BS.2960 and have Class 'E' insulation for a permissible temperature rise of 65°C. For a given horsepower this means: SMALLER SIZE; LOWER WEIGHT; LESS COST.

**POLICY** Although class 'D' is such an advance over existing types, we intend for customers' convenience still to produce our 'B' frame motors to BS.2083 for an indefinite period.

## THE NEW 'ENGLISH ELECTRIC'

class 'D' range of Industrial motors

THE ENGLISH ELECTRIC COMPANY LIMITED, MARCONI HOUSE, STRAND, LONDON, W.C.2  
WORKS: STAFFORD · PRESTON · RUGBY · BRADFORD · LIVERPOOL · ACCRINGTON



★  
**DEMONSTRATIONS**  
 of  
***Prolite***  
**TOOLS**  
**on Stand 533**  
*Empire Hall Gallery*  
**Int. Machine Tool Exhibition**

★  
**See the NEW** ***Prolite*** **MARK II**

**FUTURMILLS and other cutting tools**

Also the full range of PROLITE Cemented Tungsten Carbide products including Tungsten Carbide Tips and Tipped Tools, Bar, Tube and Wire Drawing, Extruding and Metal Forming Dies and Die Pellets, Cold Heading Dies, Burs, Drills, Slitting Saws, Nozzles, Guides, Bushes and other wear-resisting parts.

Home Sales : **PROTOLITE LIMITED** (a subsidiary company of Murex Ltd.), **RAINHAM, ESSEX.**

Telephone: Rainham, Essex 3322. Telex: 28632. Telegrams: Protolite, Rainham-Dagenham Telex.

Southern Area Office: Central House, Upper Woburn Place, London, W.C.1. Northern Area Office: Norwich Union Buildings, City Square, Leeds 1.

Midland Area Office: Guildhall Buildings, Navigation Street, Birmingham 2.

Export Sales : **MUREX LIMITED** (Powder Metallurgy Division), **RAINHAM, ESSEX, ENGLAND.**

Telephone: Rainham, Essex 3322. Telex: 28632. Telegrams: Murex, Rainham-Dagenham Telex.



II


ols

hide  
Bar,  
and  
cles,




# BLISS

## HYDRAULIC KEYSEATER



Accuracy, with capacity range, simplicity of operation and low maintenance are the characteristics of the new Bliss Hydraulic Keyseater. Other features are:

- Easy to set up
- Suitable for use from a bench
- Uses standard tooling
- Can tap and keyway
- Unlimited workpiece size



For work where loading from the top is desirable, mounting brackets are available for a range from 1" to 2" diameter.

Standardised work tables or machine bedplates for cutting standard shafts represent an inexpensive method of producing accurate shafts.

**L. W. BLISS (ENGLAND) LTD.**


CITY ROAD, LONDON, E.C.2 • TELEGRAMS: BLISS LONDON • TELEPHONE: 2500 • CABLES: BLISS LONDON

# Hymatic Automation

IS THE NAME FOR MACHINES THAT




...reach...




...grasp...




...carry...



...lift...



...turn...



...tilt...

... roll, dislodge, clean, sort, shelve, clamp and feed parts. Hymatic Automation is thus invaluable in the automatic and selective transfer of parts from one process to the next, from conveyor to conveyor; in unloading one machine and loading the next; or in quick clamping to hold parts during machining. All designs of Hymatic Automation are made for specific tasks but are readily adaptable to others. Hymatic Automation covers the whole problem—the design of the circuit—the machine—the means of control.

Hymatic Automation, therefore, has a place in your programme of productivity improvement.

Perhaps in your Works, too, there are jobs where it is possible for people to burn or cut themselves, strain or crush themselves, lose fingers or even a hand; or perhaps there are jobs for which you just cannot find people.

In all events CONSULT

## Hymatic Automation

# Air Cylinders & Valves



## for SUSTAINED efficiency

All air cylinders and control valves are efficient **WHEN NEW AND FIRST FITTED**. But **RED RING** Air Equipment is made to retain its efficiency for very long periods, in fact, throughout the life of the machine to which it is fitted. It is made by the men who make the machines—engineers who appreciate the necessity for **SUSTAINED** reliability.

manufactured by





*Makers of Fine Machine Tools*

**STUART DAVIS LTD., Much Park Street, Coventry**

605 Cogent

**Telephone: Coventry 27366-7**



**Hundreds of Control Valves available from stock. Cylinders from 1" — 14" dia. for every purpose.**

TEAR OFF THIS CORNER, PIN IT TO  
YOUR LETTERHEADING AND POST  
TO **STUART DAVIS LTD., COVENTRY**  
for catalogue



# 50,000

## HYDROVANE


## BULLOWS

### OIL-SEALED ROTARY COMPRESSORS FROM 1/3-250 H.P.

*IN USE Throughout the World!*

The Hydrovane principle was developed and introduced by Bullows in 1948 and has since been adopted by all the major manufacturers *throughout the World!*

10 Licencees manufacturing Hydrovane Compressors *throughout the World!*



For further details of the Hydrovane principle send for our "Questions & Answers" Folder


AIR COMPRESSORS · SPRAY PAINTING EQUIPMENT · SPRAY BOOTHS

## ALFRED BULLOWS & SONS LTD

HEAD OFFICE & WORKS · LONG ST · WALSALL · STAFFS · ENGLAND · TEL: 5401

DEPOTS AT—13 SOUTH MOLTON STREET, LONDON, W.1  
55a BRIDGE STREET, MANCHESTER, 3  
70 GILMOUR STREET, GLASGOW, C.5  
61/63 DRURY STREET, DUBLIN

TELEPHONE: MAYFAIR 2313  
TELEPHONE: BLACKFRIARS 5670  
TELEPHONE: SOUTH 2383  
TELEPHONE: DUBLIN 73188/9



## Telecommunications

Two recent major steps in the improvement of world telecommunications have been the laying of the first Trans-Atlantic and the California—Hawaii submarine telephone cables.

When laying cable either on a flat sea bed or over underwater mountain ranges, the exact control of paying out speed and tension in the cable is of paramount importance. 'VSG' variable delivery oil hydraulic pumps are used to act as brakes on the cable, which is drawn out of the ship by its own weight. This enables a very smooth and regulated control to be maintained or instantly varied to suit ship speed, paying out speed and tension in the cable.


It is just another of the highly varied applications of 'VSG' variable delivery pumps and transmission gears which have now been serving modern industry for over fifty years.

# 'VSG'

Regd Trade Mark

## SERVING MODERN INDUSTRY

VICKERS ARMSTRONGS (ENGINEERS) LTD VICKERS HOUSE BROADWAY LONDON SW1



# KEARNS

*present*

*A Range of Machines  
with exclusive and  
patented features.....*


TO SEE THESE NEW  
KEARNS MACHINES  
VISIT

**Stand 56**

INTERNATIONAL MACHINE TOOL  
EXHIBITION · OLYMPIA · LONDON


*June 25th - July 8th*

Also exhibited  
at the International  
Machine Tool  
Exhibition will be  
No. 2 Kearns  
Patent Horizontal  
Surfacing, Boring,  
Milling, Drilling,  
and Tapping  
Machine with  
Microptic setting,  
and No. 2 Kearns  
Standard Horizontal  
Surfacing, Boring,  
Milling and Drilling  
Machine.



**'S' TYPE \*OPTIMETRIC HIGH SPEED SPINDLE MODEL.**

For a high degree of fine finishing, fitted with 2 h.p. motor giving infinitely variable speeds to spindle within the range 50-2,000 r.p.m.




**MODEL 450B \*OPTIMETRIC HORIZONTAL TOOLROOM BORING MACHINE**

Incorporates many patented features including projection type optical depth control to the main spindle.


**MODEL 451P \*OPTIMETRIC HORIZONTAL SURFACING, BORING, MILLING, DRILLING AND TAPPING MACHINE**

An entirely new machine, with hydraulic tool clamping and release. Push button control from pendant.



**KEARNS No. 3WB PATENT ELECTRONIC UNIVERSAL HORIZONTAL SURFACING, BORING, MILLING, DRILLING, TAPPING AND SCREWCUTTING MACHINE**

Accurate positioning with A.E.I. electronic co-ordinate setting to vertical and transverse movements by dials or punched card unit.



\***OPTIMETRIC** is the registered trade mark of Kearns' system of optical measurement fitted as standard to all Kearns Horizontal Toolroom Boring Machines.

**H. W. KEARNS & CO. LIMITED, Broadheath near Manchester**

Telephone: ALTrincham 3284 Telegrams: "Kearns, Altrincham"

**You could save up to £3,000 p.a. using**

**AZOFLEX FB Intense-line Paper in a**

**Model 150 AZOFLEX Dyeline Machine**

AZOFLEX is the word for fast, economical photoprinting. Using AZOFLEX FB intense-line paper, you can get 10,000 copies of invoices, documents, parts-lists, etc., every working day from the Model 150 AZOFLEX combined automatic printer/developer. Consider these major economies:

**1**

AZOFLEX FB dyeline paper supplied in rolls is  $\frac{2}{3}$  cheaper than cut sheets. SAVING: approximately £1,800 per annum on output of 10,000 (13" x 8") dyeline prints per day.

**2**

Output of only one Model 150 with one operator is the equivalent of four machines hand-fed by four operators. SAVING: approximately £1,100,

N.B. Many business and industrial concerns find that it pays them to hire certain AZOFLEX dyeline machines, rather than buy them outright. Alternatively, rental purchase may be preferred. May we send a representative to discuss in confidence the most beneficial terms for your company?

Even if your requirements are only 5,000 copies a day, your total annual saving can amount to £1,000 per annum, and leave your AZOFLEX operator time for other duties. AZOFLEX dyeline reproduction saves time, saves space, saves staff, and saves real money.

**ILFORD***Azoflex*


**PHOTOPRINTING PAPERS & MACHINES**

ILFORD LIMITED, INDUSTRIAL SALES DEPT. AZ2IM, ILFORD, ESSEX. TELEPHONE: ILFORD 3000

Yes, t  
can cl  
Catal  
that t  
despa  
attain  
If you  
now's



# NOW... TOOLING AIDS OFF-THE-SHELF!




Yes, this is the way Woodside supplies them. What's more, you can choose *all* your tooling aids from the Woodside Tooling Aids Catalogue as you sit at your desk. Woodside off-the-shelf service means that the tooling aids you need are already made, just waiting to be despatched, so you get extra quick delivery. Quality is the highest attainable... cost surprisingly low. And just one other thing. If you haven't got your Woodside Tooling Aids Catalogue yet, now's the time to ask for it.



**W.D.S tooling  
aids for  
industry**

**WOODSIDE DIE SINKING COMPANY**

Woodside Die Sinking Company, Aire Vale Works, Newlay, Leeds 13. A  Company  
Telephone No. Horsf. th 4251/4 Telegrams: Wooddie. Leeds. Telex No. 55185

# **WRIGHT** MODEL 58/ES *Coated Abrasive Disc Type*

## **SURFACE FINISHER**

### *for Grinding, Polishing and Sanding*

Indispensable for finishing operations in the metalworking, plastic and woodworking industries, and in particular for polishing of small components and for the sanding and for polishing of samples Microscopic Checks and Micrographs.



**NO GLUING—NO CLAMPING**

- ★ Location of Abrasive Disc by suction.
- ★ Two speed 1,440/720 r.p.m. pole-change motor drive.
- ★ Simple to operate—Speedy change of disc.

**WRIGHT ELECTRIC MOTORS (HALIFAX) LTD.**

MANUFACTURING ELECTRICAL AND MECHANICAL ENGINEERS

CENTURY WORKS, PELLON LANE,  
HALIFAX, ENGLAND  
Phone : 60201/3. Cable : 'Motor, Halifax'

Established 1900

BRANCH WORKS, ELLAND LANE,  
ELLAND, ENGLAND  
Phone : 2526. Cable : 'Power,' Elland

Dist



You invest in quality when you use



**ENERGOL**  
INDUSTRIAL LUBRICANTS

Distributed by

**THE POWER PETROLEUM COMPANY LIMITED**

76-86 STRAND · LONDON W.C.2 (BRANCHES AND DEPOTS THROUGHOUT THE COUNTRY)

## ATLAS COPCO AIR TOOLS SPEED THE PRODUCTION LINES



Though only recently added to the wide range of Atlas Copco air tools designed for production work, the LBU12 pneumatic screw-driver shown here is already earning a high reputation in service all over the world. Silent, fast, economical in air consumption and easy to handle and control, the LBU12 pays for itself in six months, even if no more than 400 screws are driven per day. The LBU12 is designed for alternative speeds of 1,000 and 4,000 r.p.m., and is available with reversible or non-reversible action. It can be used with a wide range of driver bits, extension pieces, nut running sockets, etc.

Also shown here are three other Atlas Tools widely chosen for service in production.

The Atlas Copco LSR81 heavy duty grinder—recently developed to give 75% more power. With its low weight of 17 lbs. its power output is unequalled.

The Atlas Copco RAB200  $\frac{1}{2}$ " drill weighing 2 $\frac{1}{2}$  lbs.—with a rugged capacity for prolonged hard work without loss of precision.

The Atlas Copco LMS23 impact wrench, a powerful, fast-working 8 $\frac{1}{2}$  lbs. tool with  $\frac{3}{8}$ " bolt capacity.

*WRITE FOR LITERATURE.* Full details about these products are contained in Leaflet E811 which will be sent on request.



Atlas Copco manufactures portable and stationary compressors, rock-drilling equipment, loaders, pneumatic tools and paint-spraying equipment.


***Atlas Copco*** COMPRESSED AIR ENGINEERS

### ATLAS COPCO (GREAT BRITAIN) LIMITED

Maylands Avenue, Hemel Hempstead, Herts. Telephone: Boxmoor 6040

Sales and Service Depots at: LONDON · BRISTOL · CARDIFF · WALSALL · LEEDS  
MANCHESTER · NEWCASTLE · GLASGOW · DUBLIN · BELFAST

LSR 81 Grinder



RAB 200 Drill

LMS 23 Impact wrench




**CANNING****Fully Automatic****polishing machines**

- **REDUCED COSTS**
- **HIGH OUTPUT**
- **UNIFORM FINISH**
- **UNSKILLED LABOUR**

In addition to a wide range of indexing and continuous rotary machines, straight line return type conveyor and semi-automatic units are manufactured to meet specific requirements.

The Technical and Advisory service of the Canning Polishing Division is always available to examine and make recommendations on your polishing problems.



96 in. diameter Rotary table machine for polishing sole plates of domestic electric irons.

Send sample articles; our experts will advise the type of machine to save you time, trouble and money.

**CANNING & CO. LTD.****BIRMINGHAM 18. LONDON · SHEFFIELD & AUSTRALIA**



**FORGING?**

*Wire Drawing?*

**Press Tool making?**

**IF YOU THINK YOU CAN AFFORD TO DO WITHOUT  
THE NEW GKN SPARK MACHINE  
DON'T COME AND SEE IT  
on M. C. Layton Ltd's  
Stand 204**

**at the International Machine Tool Exhibition, Olympia.  
June 25th - July 8th**

With the new GKN Spark Machine, the production of intricate shapes by electro-erosion is faster than ever; the range of finishes obtainable has been extended; and both capacity and accuracy have been increased. Installation and operating costs, however, are surprisingly low.

You can see models B1 and B2 of the GKN Spark Machine in action at the International Machine Tool Exhibition. In forming your opinion of them, forget about their good looks, sturdy engineering, and unusual compactness: think of their performance!

**GKN** spark machine

DESIGNED BY THE GKN GROUP RESEARCH LABORATORY

Manufactured by


**Welsh Metal Industries Ltd**

Caerphilly, Glamorgan

Sole Agents: M. C. Layton Ltd., Abbey Wharf, Mount Pleasant, Wembley, Middx. Rudkin & Riley Ltd., Cyprus Road, Aylestone, Leicester.

16  
AND HAL  
17  
AND HAL  
302  
GALLERY  
AND HAL

the  
S.A. TOOL  
S.A. SMAL  
S.A. BROA  
RTON GR



*Air Hammers  
Arbor Presses  
Automatics  
Balancers  
Bar Autos  
Belt Grinders  
Bench Millers  
Boring Machines  
Broaches  
Broaching Fixtures  
Broaching Machines  
Camshaft Grinders  
Centre Drills*

*Centre Lathes  
Centreless Grinders  
Centres  
Chucks  
Chucking Machines  
Copy Grinders  
Copy Mills*

*Copy Lathes  
Cutters  
Cylindrical Grinders  
Diamond Lathes  
Dies  
Dieheads  
Die Sinks*

*Drill Chucks  
Drill Pointers  
Drilling Machines  
Drills  
Driving Centres  
Engineers' Tools  
Engraving Machines  
Forging Hammers  
Form Generators  
Form Tools  
Gear Cutters  
Gear Grinders  
Gear Testers  
Grinders*

*Hammers  
Honing Machines  
Horizontal Bore  
Horizontal Grinders  
Internal Grinders  
Jig Grinders  
Keyseaters  
Lathes  
Limit Switches  
Machine Accessories  
Milling Cutters*

*Milling Machines  
Multi-spindle Autos  
Multi-Tool Lathes  
Oil and Suds Pumps  
Pantograph Millers  
Pipe Benders  
Plate Shears  
Presses  
Profile Millers  
Pumps  
Quick Change Chucks  
Radial Drills  
Reamers  
Rolling Machines  
Rotary Grinders*

*Tool Grinders  
Tool Heads  
Turret Lathes  
Twist Drills  
Universal Tool Heads  
Vertical Bore  
Vertical Grinders  
Vices*

*Surface Grinders  
Tapping Chucks  
Tapping Machines  
Taps  
Testing Machines  
Thread Generators  
Thread Millers*

*Screw Shank Tools  
Screwing Tackle  
Shapers  
Shearing Machines  
Single-spindle Autos  
Small Tools  
Spark Machines  
Steam Hammers  
Superfine Lathes  
Superfinishers*

# STANDS

**16** ***B.S.A. Production machines***

AND HALL

**17** ***Continental & American machines***

AND HALL

**302** ***B.S.A. small tools  
broaches limit switches***

GALLERY  
AND HALL


# B.S.A.



*the complete machine tools & small tools supply organisation*

**B.S.A. TOOLS LIMITED  
B.S.A. SMALL TOOLS LTD.  
B.S.A. BROACH COMPANY LTD.  
RTON GRIFFITHS & CO. LTD**

# DENHAM




- 32 in. (810 mm.) swing over bed
- 24 Gear speeds 5 to 400
- 12 Belt speeds 100 to 800
- 12 Reverse speeds—gear and belt
- 30 h.p. drive available
- 48 Feed changes
- 4 way quick traverse
- Power feed to toolpost

**DENHAM LATHES**

# DENHAM

*...present NEW*

**MODEL  
BV 32**



Range of centre lathes 17 in. to 42 in. (430 to 1065 mm.) swing  
Surfacing and Boring lathes 17 in. and 25 in. (430 to 635 mm.) swing  
Lathes for special purposes and materials

**DENHAM'S ENGINEERING COMPANY LIMITED**

Telephone Halifax 64231/2

EMPIRE WORKS

HALIFAX

ENGLAND



# ZEISS

## UNIVERSAL MEASURING MICROSCOPE

This instrument will solve practically any measuring problem likely to be encountered at the present time. It is also the only measuring instrument on which all the parameters of a plug screw gauge can be measured directly without rechucking the test piece. A wide range of dial-templet oculars can be provided.


### SPECIAL FEATURES

- Extreme accuracy
- Built in dividing head
- Projection equipment available
- Wide range of accessories
- Photographic attachment
- Magnifications 10× to 50×

Please write for details to.



**C. Z. Scientific  
Instruments Limited**  
12a Golden Square, London,  
W.1. Tel: Gerrard 4488




### INCREASED CUTTING CAPACITY

## BRIGHT STEEL BLANKS

### BY MACREADY'S

# 18" TO 1" DIA.

COLD SAWN  
ACCURATE THICKNESS  
CLEAN CUT SURFACES  
FREE FROM BURRS



To meet the greatly increased demand for our sawn blanks a further machine—one of the largest built in this country—has been added to our battery of fully automatic cold saws. We can now offer rapid service for long or short runs on all sizes **up to 18" dia.**

**CONSULT US ABOUT YOUR  
BLANK REQUIREMENTS**

**MACREADY'S METAL COMPANY LIMITED**, USASPEAD CORNER, PENTONVILLE ROAD, LONDON, N.1  
Telephone: TERminus 7060 (30 lines) • Telegrams: Usaspead, London, Telex • Telex No. 22788



nd  
ne  
ry  
of  
ow  
ort

N.I

5

s

t

*Simultaneously  
grinding  
two faces*


*on valve  
rockers*

AT FORD MOTOR CO. LTD., DAGENHAM

**500**  
*per hour!*

stock removed:  
•030" to •035"  
per side

tolerance:  
•002" on width



The impressive rates of production achieved on ROWLAND DUPLEX GRINDERS, coupled with the finish and close tolerances obtained, may well solve a production problem in your own works. Our experience is unrivalled in all matters of double disc grinding. Why not contact us?

We pioneered and perfected the design and application of high production duplex grinding machines. Thus, we can justify claims over fifteen years of hard won knowledge and experience in dealing with a wide variety of applications from a single machine to a complete grinding plant. Specialist advice on the solution of your own grinding problems.

**DUPLEX GRINDERS by**

**ROWLAND**

Send us your problems. Our representatives are able and willing to co-operate with you

**F. E. ROWLAND & CO. LTD., REDDISH, STOCKPORT, ENGLAND**

**MANY NEW  
AND COMPLETELY  
REVOLUTIONARY MACHINES**

**. . ARE BEING  
DEMONSTRATED BY**

**BUCK & HICKMAN LTD**

*at the*

**INTERNATIONAL MACHINE TOOL EXHIBITION  
OLYMPIA LONDON 25 JUNE - 8 JULY 1960**

**STAND  
118**

**NATIONAL HALL - GROUND FLOOR**

American Machine Tools by world-renowned Manufacturers including American Tool Works, Bryant, Bullard, Gleason, Jones & Lamson and Pratt & Whitney.

Many of these machines incorporate new and revolutionary features and are being shown for the first time in this country.

**STAND  
501**

**EMPIRE HALL - FIRST FLOOR**

This Stand is devoted to the demonstration of 'Shadomaster' Profile Projectors and various forms of Electronic Gauging Equipment Including 'Parum' Gauging and Sorting Units, 'Record' Graphic Recorders, Hilger & Watts 'Microptic' Scale Reader, etc., and a display of precision gauging instruments.

**STAND  
535**

**EMPIRE HALL - FIRST FLOOR**

Demonstration of Brown & Sharpe Automatics, Grinders, Turret Drill, etc., 'Oster' and 'Beaver' Threading Equipment, South Bend Lathe and a display of Precision Tools and Machine Shop Equipment.

Towards the end of the nineteenth century Buck & Hickman, having obtained the Sole Agency in this country for Brown & Sharpe and Pratt & Whitney Companies, imported many automatic production machines which were introduced to the Cycle industry at the Crystal Palace Exhibition in 1896, and eventually to the Automobile industry at subsequent exhibitions at the Agricultural Hall, thus Buck & Hickman were instrumental in introducing into this country the mass production methods now commonly practised in industry.

## **. . . . PIONEERS IN THE FIELD OF MACHINE TOOL DISTRIBUTION !**

For many years since, Buck & Hickman Ltd. have been the sole representatives in this country of many of the important American Machine Tool Manufacturers, amongst the foremost of which are :

American Tool Works  
Beaver Pipe Tools, Inc.  
C. C. Bradley & Son  
Brown & Sharpe Manufacturing Co.  
Bryant Chucking Grinder Co.  
Buffalo Forge Co.  
Bullard Machine Co.  
Foote-Burt Co.  
Garrison Chuck Co.  
Gleason Works  
Jones & Lamson Machine Co.  
Lake Erie Engineering Corp.  
Motch & Merryweather  
National Machinery Co.  
Pratt & Whitney Co.  
Wickes Bros.

A considerable number of machines by these various Manufacturers are playing a very important part in industry in this country today.

Buck & Hickman Ltd. are also established as the largest stockists and distributors in the country of British Machine Tools, many of which are on display in their extensive show-rooms on the Watford By-Pass.

## **BUCK & HICKMAN LTD**

*Machine Tool Section*

**Otterspool Way, Watford-By-Pass, Herts.**


*Head Office*

**P.O. Box No. 74, Whitechapel Road, London, E.1**

*Branches*


**Alpertown Birmingham Bristol Glasgow Leeds Manchester**





**See how smoothly  
production flow**

INTERNATIO



4 - HOLES TAPPED No. 8-32 UNC.  
COUNTERBORED .170 DIA.  
CHAMFERED .187 DIA. (MAX) X 45°

**FROM  
THIS**

in 2

two 1/2" di  
one 3/4" di  
six holes  
one 1/4" re  
two slots

See also No. 10 Verticalauto with Automatic Loading and Tooling for machining Vauxhall Layshaft Gears.

**Ryder**

**VERTICALAUTO**

MUI

# Follows on Stand 28

INTERNATIONAL MACHINE TOOL EXHIBITION 1960



# TO THIS In 24 seconds

Two  $\frac{1}{2}$ " dia. drilled holes  
One  $\frac{3}{4}$ " dia. drilled hole  
Six holes tapped  
One  $\frac{1}{4}$ " reamed hole  
Two slots milled



Manufactured by  
**MULHEAD ENGINEERING Co. Ltd.**

SOLE SELLING AGENTS:

## Ryder

Thomas Ryder & Son Ltd.  
Turner Bridge Works,  
BOLTON, ENGLAND.



*Presenting*  
**THE MOST  
COMPREHENSIVE  
MACHINE  
SHOP  
SERVICE**

**FLETCHER MILLER**

*cutting fluids*

---

*machine tool lubricants*

# STAND NO. 618

## CUTTING FLUIDS

The range of made-to-measure cutting fluids produced by FLETCHER MILLER covers every cutting and grinding operation in the machine shop. Our soluble and straight oils include many highly specialised grades apart from the general purpose blends. Publication SP.173 "Cutting Fluids" contains much useful information on this subject and is free on request.

## STRAIGHT CUTTING OILS

The SWIFT range includes sulphurised, non-sulphurised, sulpho-chlorinated and dual purpose oils, which deal with most phases of machining from light repetition work to gear production and the broaching of high tensile material.

## SOLUBLE CUTTING FLUIDS

COOEDGE, the most popular soluble oil in Great Britain, and FILEEDGE soluble grinding oil are just two of our extensive range of soluble cutting fluids.

## MACHINE TOOL LUBRICANTS

The basis of machine tool lubrication is the right lubricant in the right place at the right time. Our oils and greases are blended to the specification of and are approved by the majority of British and foreign machine tool manufacturers.

In the main these fall under four headings:

VETA for hydraulics and high grade lubrication;

GENA for general purpose lubrication;

SLIDELUBE for slide and way lubrication;

ALMARINE for grease application.

Ask for Publication SP.178, "Machine Tool Lubricants."



**Be sure to visit  
us at Olympia—  
Empire Hall, 2nd. Floor  
Stand No. 618**

**FLETCHER MILLER LTD., HYDE, CHESHIRE**

Telephone: HYDE 3471 (5 LINES)

Telegrams: EMULSION, HYDE

Also at LONDON, WEST BROMWICH, NEWCASTLE-ON-TYNE, CARDIFF, GLASGOW AND BELFAST





## THE WORLD'S MOST ADVANCED HYDRAULIC EQUIPMENT

ARE YOU TRYING TO :

- APPLY LARGE FORCES THROUGH LONG . . . OR SHORT . . . STROKES AT VARIABLE SPEEDS ?
- OBTAIN AUTOMATIC WORK CYCLES, VARIABLE SPEEDS IN EITHER DIRECTION . . . WITH OR WITHOUT PRE-SET TIME DWELL ?
- APPLY LARGE FORCES THROUGH CONTINUOUS OR INTERMITTENT RECIPROCATING CYCLES AT CONSTANT OR VARIABLE VELOCITIES ?
- OBTAIN EXTREMELY ACCURATE CONTROL OF EITHER POSITION OR SPEED OF A RECIPROCATING MEMBER ?

*You Need Oilgear!*

*Weatherley  
Oilgear  
Limited*

HYDRAULICS DIVISION,  
BIGGLESWADE, BEDS.

TELEPHONE :  
2351

WOL. I



# RICHMOND

## MILLING & DRILLING MACHINES

Speed, rigidity, flexibility. These are the basic points that the discerning buyer looks for in a machine tool. But these essential qualities don't just "happen" — in the case of the famous "Richmond" range of Milling and Drilling Machines, they are factors built-in at the blue-print stage by an expert design team and then translated patiently into reality by some of the finest craftsmen in Britain's industrial North.

### No. 3 VERTICAL MILLING MACHINE

Table Size : 48" × 11".  
Capacity : 30" × 8" × 16".  
12 Speeds — 12 Feeds.  
Automatic and QPT. to  
all motions.  
Spindle Bored  
No. 40 B.S.S.T.  
Head Swivels  
45° Right  
or Left  
3" Vertical  
Spindle  
adjustment.



### H.B. 3/12 RADIAL DRILLING MACHINE

12 Spindle Speeds  
20 - 960 R.P.M. or  
40 - 1800 R.P.M.  
4 feeds — .004 to  
.013 ins./rev.  
Pillar dia. 12".  
Spindle bored No. 4  
Morse taper.  
3 sizes 3' 6", 4' 0" and  
4' 6" radius of Drill  
Spindle.

# RICHMOND

Range the  
world over !

MIDGLEY & SUTCLIFFE LTD.

Hillidge Works, Hunslet, Leeds 10, England  
Telephone: 76032/3 Telegrams: 'Tools, Leeds, England'





# G.P.O. use I.C.T computer

## TIME OF STORES PROVISIONING CUT BY TWO-THIRDS

Without the efficiency of their stores provisioning, G.P.O. telecommunications could never be the extremely competent public service that they are today. Every one of the 30,000 items stocked should be available immediately throughout the vast countrywide network; yet, to avoid locking up too much capital, no item must be overstocked.

This is one of the world's most formidable stock control jobs. With their advanced thinking it was natural that the G.P.O. should turn to electronics to increase their efficiency. They chose for immediate use an I.C.T 1200 series computer. This computer has been working for a year only, but it has already demonstrated its value as a tool for controlling a stockholding worth £48 million.

It accurately reviews thirty thousand items each month; indicates unbalance, excesses and shortages, and consistently assists in maintaining the stores holding at the practical minimum. In fact, as Mr. Bevins, the Postmaster General, said recently: 'This computer has allowed us to cut by two-thirds the time taken to obtain the key facts we need to keep our stock of 30,000 different items of engineering stores adequately, but

not more than adequately, replenished.'

### An I.C.T computer can help your business, too

It can make *your* wires hum faster by directly assisting your management and financial accounting, production control, or whatever your particular problem may be. A computer is certainly a major investment; but the dividend it pays is enormous.



I.C.T

### INTERNATIONAL COMPUTERS AND TABULATORS LIMITED

*for Britain's most widely  
used commercial computers*

149 Park Lane, London W1

**Greater safety for hands**





Wit

Most modern  
compound  
oil and the  
easier mix  
cause skin  
high-speed  
can conce  
above the

Shell re  
this probl  
cern to M  
Shell Dro  
these new  
sions, whi  
trouble to

The real  
to replace  
used wha

NEW

# With new Shell Dromus Oils

Most modern soluble cutting oils contain phenolic compounds used as coupling agents between the oil and the emulsifier, for better blending and easier mixing. These phenolic compounds can cause skin irritation, especially where modern high-speed machines are used and the emulsion can concentrate, through the evaporation of water, above the safety level.

Shell research chemists have been working on this problem, which has been causing some concern to Management. After considerable research, Shell Dromus Oils have been reformulated and these new cutting oils now produce bland emulsions, which considerably reduce the risk of skin trouble to operators.

The real difficulty was to find a new coupling agent to replace the phenolic compounds, and Shell finally used what their chemists know as a higher fatty

alcohol complex. This solved one problem, but presented another. The new coupling agent was volatile at the high temperatures normally used in blending processes. Further research found a solution to this problem by designing and installing new plant.

The new Dromus Oils are every bit as efficient as before and cost no more. They put Management in the welcome position of being able to minimise working hazards at no extra cost. And machine men need no longer be so worried about skin troubles.


The moral of the story is that Shell research is supremely applicational. The centre at Thornton is always ready to work with even the most specialised sectors of industry to produce the right oil for the job. If you and your organisation have any major lubricating problems, it pays to get in touch with your local supplier of Shell Industrial Lubricants.

## The Research Story

Shell chemists in the U.K., in Holland and in the U.S.A., prepared and examined hundreds of experimental soluble oils, and established that certain combinations of fatty alcohols could be used in place of phenolic compounds with no loss of efficiency. They set to work to discover the best combination and developed a higher fatty alcohol complex which fitted exactly. Then they realised that to blend this new coupling agent into soluble oils would require special plant and new blending techniques.

Exhaustive testing of blend stability, emulsion stability, anti-corrosion and machining properties led to selection of the most promising blends. A pilot plant was set up to produce batches of these for use in field trials.

This field testing and final development proceeded for two years whilst production plants were erected at points so chosen as to give the most economical and rapid delivery throughout the United Kingdom.



*This is the blending kettle. The reflux condenser beside the stirrer motor prevents the loss of constituents volatile at the blending temperature.*



**NEW SHELL DROMUS SOLUBLE CUTTING OILS**

another proof of Shell leadership in lubrication



**For competitive plunge or through-feed grinding, and to tenths**

## **Wickman Scrivener**



This machine offers accuracy of grinding, quality of finish, and economy of production under the most exacting conditions. With a grinding capacity up to  $\frac{3}{8}$ " diameter at maximum production rates and 1" for batch work, the No. '0' machine caters for most classes of small work. Many standard features normally regarded as extras contribute to operating efficiency and together with a patented controlled-cycle system for plunge grinding this machine is today's best proposition in small centreless grinders.

*If you have a centreless grinding problem — share it with us !*

## **Centreless Grinding Machine**

*Some standard features.*

Maximum opening, new wheels, hand-operated machine	1 $\frac{1}{2}$ "
Maximum opening, new wheels, controlled-cycle machine	1 $\frac{1}{2}$ "
Grinding wheel size, diameter x width	12" x 3"
Control wheel size, diameter x width	7" x 3"

**W I C K M A N  L I M I T E D**

FACTORED MACHINE TOOL DIVISION, FLETCHAMSTEAD HIGHWAY, COVENTRY

Telephone : Coventry 74321

540 F20/80

# The Production Engineer

THE JOURNAL OF THE INSTITUTION OF PRODUCTION ENGINEERS

VOL. 39

No. 7

JULY, 1960

---

## THE MANAGEMENT BURDEN

by HAROLD WILMOT, C.B.E.

Chairman, Beyer Peacock Group  
Vice-President, British Institute of Management, 1959

THIS is the fifth annual Elbourne Memorial Lecture. The purpose of these lectures is to remind management groups and others of the pioneer work of Edward Tregaskiss Elbourne, M.B.E. (1875-1935) and to add something to the body of management thought which was the inspiration and purpose of his living. In 1920 he founded the Institute of Industrial Administration, and was its first Honorary Secretary. It is clear that the present British Institute of Management, which incorporates the former Institute of Industrial Administration, owes much to the far-sighted practical idealism of this pioneer. He was a qualified engineer and a practical works accountant, a magnificent combination all too infrequent even in these days, and had considerable experience in the management of engineering factories. For 15 years he was an eminent consultant on problems of industrial organisation. Additionally he was the author of a number of publications, at least one of which is still a standard text-book. He was a man of vision coupled with tremendous enthusiasm and drive.

It is indeed an honour to receive an invitation to deliver the 1959 Elbourne Memorial Lecture.

The major implication of the title of this Paper is that positions of high authority in industry and commerce are inevitably associated with responsibilities and obligations which are onerous and burdensome.

Those who have not themselves held high office can know little of the isolation of the summit. Those who occupy such positions are usually heavily pre-occupied. They speak or write but little of themselves and their personal problems. The fact that personal

★ ————— ★

*This Paper was presented to the British Institute of Management, in London, on 30th October, 1959, as the Fifth Elbourne Memorial Lecture.*

★ ————— ★

authority is a matter of public interest; the fact that modern publicity methods are geared to accentuate such interest; the fact that but few men of high authority are skilled in the techniques of personal advertisement; the fact that the crudities of public personal analysis are distasteful to most of those who carry great responsibilities — these are some of the reasons why so little is known of the complete boss. There is also the fact that many such believe that it is inappropriate to equip oneself with a brass band when going duck shooting.

### **a distorted portrayal**

Nevertheless, the lives of those in authority are of public interest and in the absence of an adequacy of clear, detailed and balanced evidence it is not to be wondered at that the films, stage plays and articles in popular publications, together with comment on radio and television, frequently portray the chief executive as a character so distorted as to be almost unrecognisable. There is undoubted glamour in the thought of great possessions and luxurious living. There is a fascination in contemplating the exercise of personal power. There is adventure in the heroics of appearing relaxed whilst in control of tremendous events. And it would seem that all this is fairly well understood, as indeed are the images of prestige, power, privilege and perquisites lurking in the background. They are equally exciting to contemplate.

The purpose of this Paper is not to probe and correct distortions in the portrait resulting from the exaggeration of conceptions of the sort described. In passing, however, it may not be out of place to remark that such distortions may, and in some cases do, add to those other burdens of management which are the subject of this discourse.

### **the burden of office**

The burden of high office is no new conception. "Uneasy lies the head that wears a crown" is a thought expressed by Shakespeare. Machiavelli wrote of the problems of princes as they appeared to him in relation to 16th-century Italy. The public conscience in Britain at the time of the industrial revolution and its undoubted connection with an upsurge in nonconformity should also be noted with more than passing interest. A contemplation of the contemporary scene in industry and commerce would seem to indicate that while since the turn of the century much has been done to improve the working conditions of the worker in office, factory, field and mine (and quite rightly so) the lot of the executive has seldom been improved. In general, it may be said to have worsened both by comparison with the lot of the so-called worker and also in relation to many of its own former standards. Some ailments such as coronary thrombosis and duodenal ulcer are today frequently referred to as "occupational diseases of management". There can be little doubt that the strain of responsibility under conditions of ever-increasing business tempo is a major cause of the dramatic deterioration in executive health in the last half-century. Responsible and highly qualified medical researchers into this subject have stated in no un-

certain terms that people in the higher income groups have a much greater than average death rate from "executive type" diseases.

It is not unreasonable to suggest that this unfortunate state of affairs stems from ascertainable causes, and that these causes are the burdens which fall on the shoulders of management and which are to a greater or lesser degree peculiar to management. Sooner or later there must be some attempt directed to the alleviation of malaise due to the management burden. Maintenance service is reasonably planned for expensive machinery. A similar service should be evolved for the most expensive and most burdened of all industrial equipment — the manager. This is both logical and reasonable. To understand the problem it is first necessary to study the burden. In fact there are many burdens or, if you prefer, many parts of the same composite burden. In my opinion the first of these burdens is

### **the necessity to think**

There is no suggestion that management is alone in its obligation to think, or in its capacity for logical and constructive thought. Management thought has, however, a number of special characteristics. In the first place, lines of policy are usually laid down by Boards of Directors in general terms. This is not because directors in meeting do not desire to be specific. It is usually that they wish within the limits of policy to give management the widest possible freedom of operation. This creates maximum opportunity for initiative and tends to eliminate the menace of top level frustration. So management has to think out the instructions which will guide its own actions. The mental process is often one of posing questions and finding the answers thereto. Management must, therefore, find the right questions to ask. This is the way most planning starts.

To do the job properly — and most of what follows in management depends on this start — demands an allocation of time, the assembly of background information, an unbiased spirit of enquiry, a calm and judicial atmosphere, imagination and a "feel" of the situation. Nothing is quite so futile as time wasted in arriving at the right answers to the wrong questions. These periods of cloistered enquiry, evaluation, selection and plan-initiation occur at irregular intervals as the needs of business demand. Concurrently the business is operating in top gear. For a man of action to have to turn from the bustle of current activity in order to initiate and evaluate plans for the future demands more than attendance in another room, or conversations with another group of specialists. It demands a complete change in the mental character and outlook of the manager. There is no great strain in switching concentration from problem to problem in the same group of problems. Management is trained to do this and takes it in its stride. But to change from the active to the passive; from being the leader in battle to the chairman of a study group whose job it is to peer into the obscurities of the future; to produce on paper a resolution of forces and possibilities that may be crystallised or focussed into precise, workable and profitable plans,

demands qualities, both mental and moral, which as yet have not been sufficiently analysed or appreciated. It is clear, however, that the measure of this burden differs from place to place. For example, it is certain that size of enterprise has some effect. In the very large unit there is perforce a degree of functional division not suitable or practicable for the smaller enterprise. Analysis, synthesis, imagination, understanding and "feel" are, therefore, subject to a different mix and the burden is of a different sort as well as of a different degree. This is a fascinating field for enquiry and study. The interdependence of strategy, tactics, logistics and leadership clearly impose mental and moral management burdens which can only be carried with efficiency and comfort by the exceptional few who are of the highest calibre. Our purpose is surely to find ways of helping that inevitably larger number of good managers who perform adequately, but under great strain. If ways of relieving this strain can be found, then it may be reasonably assumed that a large number of good managers will perform with at least equal merit, but over a longer period and with greater comfort. It has been said that informed, logical, constructive, practical, visionary thought is the most difficult of all human tasks. It is just this burden which is as a matter of industrial routine laid on the shoulders of management.

The second management burden about which some thought is necessary is that management has perforce

#### **to manage**

This may sound trite. The active, dynamic ingredients of management, however, do not drop "as the gentle rain from heaven". In order to manage efficiently the manager must amongst other things have knowledge, experience, decision and an authority which is instantly recognisable though never mentioned or displayed. Some of these qualities are the result of thought and training. Some may be innate, to unfold gradually given the appropriate atmosphere or climate of opportunity. Some men have a degree of virility, thrust and capacity which will not be denied in spite of circumstance, discouragement or even active opposition.

In order to direct active operations the manager must have authority. All proper industrial organisation gives weight to both the area and the degree of authority at all levels and to proper relationships between these degrees and areas of authority. Management authority is not just the opportunity to push other people around. It is not to be evidenced only by the number of square feet of carpet or the number or kind of chairs in the manager's office. It does not consist of having a pretty young woman as secretary, nor of having a box of cigars on the desk and a bottle of liquor in the cupboard.

Managerial authority cannot exist or persist in the absence of discipline, and discipline in the management sense has complicated and burdensome implications. No manager is fit to discipline others till he has learned to discipline himself. In an organisation it is always true to say that the junior acts so as to ascertain how far he can "put it over" his

senior! What is the permitted degree of laxity in control? What is the minimum of merit or the maximum of mediocrity permissible without open censure? Any manager knows this to be true in relation to any new boss. What is now suggested is far more subtle and insidious. It is that every thinking manager is subject to self-questioning along similar lines. The higher the rank, the greater the need for comprehensive self-discipline.

There is an undoubted tendency for the lower grade to copy the upper grade. It is equally undoubted that such imitation tends to start with faults or vices rather than austerities or virtues. The mere fact of this human foible should be sufficient to guide the thoughts and conduct of responsible managers. But it is not easy. It is in truth part of management burden. The thought of having to discipline others, which in some measure involves judging them, only adds to the burden. In passing, I would like to mention two items of indiscipline which add seriously to the management burden. First, the indiscipline of shareholders who refuse to accept the responsibilities of ownership in that the overwhelming number of them refuse to take part in general meetings either by their presence or by proxy. Legal provisions might be made to modify the rights of owners who persist in refusing to use their votes. Management is frequently disgusted and occasionally frustrated by owner indiscipline, and some form of relief should be provided.

Secondly, the indiscipline of the unofficial wild-cat striker. His membership of a union infers a voluntary submission to the rules and regulations of it, just as the grant of nationality infers submission to the laws of the country concerned. Provisions might be made to exclude from membership those who incite to unofficial stoppage. Other penalties could be made to apply to those who follow such irresponsible and undisciplined leadership. It is interesting to note that some unions are now thinking seriously about this. The freedoms of Western democracy do not mean the licence of the jungle—the right to create chaos by the display of individual selfishness at the expense of the community—however strong or influential—to defy the law and not to suffer the appropriate penalty. We must, however, get our thinking and our laws right first. The same applies in the industrial scene with regard to management and the body of employed persons who are properly subjected to industrial discipline.

#### **unnecessary disputes**

I have been personally involved in the various levels of industrial management for nearly 40 years. My own conclusion about industrial disputes is that more than half of these disputes are completely irrational and unnecessary. I have a great regard for the essential integrity of both the manager and also of the industrial craftsman. What often irritates the latter to the point of exasperation is when there is delay (and inferred indifference) in dealing with complaints. This is a matter for management discipline. Individual complaints made by bodies not larger than a single department in a factory should



proceed through the various appropriate stages, and if not settled on the way up should come to the attention of the chief executive within 24 hours of the first notification.

Authority for settlement on the management side must be delegated as far down the scale as is possible. Authority connotes service: "He that is greatest among you, let him be as the younger; and he that is chief, as he that doth serve". The benefit of the doubt should always be conceded by management in border-line cases and an apology for error freely given where this has been ascertained. The complaint of injustice or unnecessary hardship of one single person, if unanswered or unresolved for as little as one month, can fester and grow till a complete factory is roused to resentment and anger. The open evidence of speedy rough justice which can be seen to be in action without prejudice, acidity or rancour makes for good management-worker relations and reinforces the authority of management. Discontent is like a forest fire. It must be stamped out at top speed. Time is the enemy. Delay or indecision is fatal.

This emphasis on speed, this necessity for rapid appraisal, quick decision and immediate settlement with rough justice maybe, but without any need for appeasement or weakness, imposes a considerable mental and moral burden on management. To be 80% just with speed is far more meritorious than to be 95% right too late—and it is more difficult and burdensome.

The third management burden to which I would like to draw your attention is the obligation laid on management

#### to inspire

To inspire others is of the essence of true leadership. The process is partly calculated and partly unpremeditated. It demands a superiority of knowledge coupled with a readiness to listen to the opinions of others. The superiority of knowledge must be apparent, and the fact of this difference is more important than its degree or measure. Leadership of the right sort presupposes great intensity of personal conviction. Indeed, the concentration of personal belief must be of a nature which excludes the possibility of reason or validity in other points of view. There is no room at the top for the manager who swithers, who can see two or more sides to each proposition, and who cannot acquire a genuine and intense conviction of the essential rightness of one to the exclusion of all others. To enthuse others, the manager himself must burn with an enthusiasm which will not be denied. Such enthusiasm is contagious. It is part of the management problem. In these days there would appear to be fewer propositions which can be categorised as black or white. There are nowadays so many degrees of grey in between. Management has to see the crudities of black and white without any intervening neutralisation. For this reason it is obvious that dynamic management of the sort being discussed demands the vigour and confidence of youth. Either the older men in management must retain or recapture these

capacities, or they must step aside in favour of younger men.

Intensity of conviction must be accompanied by a serene self-confidence; intense convictions which tear the heart out of a man, which lead to nervous tension and irritability, indicate the unsuitability of the individual to manage. The true manager is calm, quiet, serene. He is tranquil without the aid of tranquillisers. Such a one has been described as "a no-ulcer man doing a five-ulcer job". Serenity can only be acquired if the manager is relaxed whilst in control of tremendous forces; whilst directing them efficiently along prearranged paths. Such serenity is evidence of managerial greatness. Such a leader does not lack devoted followers. He has a flair for initiative; the capacity to see, judge and take the calculated risk. His decisions are swift and clear. He must usually be right!

#### the communication structure

But all these prior essentials cannot produce the fullest result unless in addition the manager has a complete mastery of the art of communication. The communication structure is a matter for precise planning and much has been written of that exercise. A great deal of ink has also been used in describing the operation of the communication structure. It is, therefore, only necessary to emphasise three simple points and then to state something which I believe to be new. Communications should be in unambiguous language, should be precise and concise, and should be addressed clearly to the intended recipient who should acknowledge or reply. These points concern written communications. I believe that the art of communication is somewhat wider than this. The manager has to arrange that his communications are received, understood and acknowledged. But in addition he should so arrange that his communications are appreciated. This may perhaps best be achieved by what I would call the leap-frog system. Under this system the manager would take regular pains to explain his approach to various problems not only officially to his immediate subordinate managers, but also unofficially to the rank one step further down the line. He would also see that his organisation followed this plan right down the line of command. The benefits of such a scheme are many. Appreciation that orders are not merely the whim of the immediate boss adds greatly to the coherence of the management team, and prepares the way for that degree of delegation which is so desirable, but which may be unnecessarily dangerous in the absence of adequate coherence.

Another type of benefit is concerned with promotion. The leap-frogging downwards breeds two-way respect which assists in making promotion the swift and relaxed exercise it ought to be. There are many more aspects of leadership which repay study. For the purpose of demonstrating the management burden I need to mention but one more—a sublimated tenacity of purpose. The Frenchman who said: "*C'est le premier pas qui coute*" had only part of the story—only a fraction of the truth. It is at least equally true to say that



"it is the last battle which if won wins the war". Or equally "it is the last mile which reaches the objective". Management must not grow weary when the going is difficult, must not falter when the objective seems to be obscured, must not hesitate when plans miscarry, must not despair when colleagues and helpers give up, must never doubt eventual success and must under all conditions exude a cheerful and purposeful confidence. To management of that order nothing is impossible. The challenge of adverse conditions provides the opportunity for management to reach heights of achievement which are the central justification of authority. Such operations are tremendously burdensome. The effort and the success are seldom properly recognised and are usually all too quickly forgotten.

This list of managerial qualities necessary before a man may reasonably expect to inspire others is not complete. But I have said sufficient to warrant the statement that the task of inspiration in the sense disclosed is one which imposes grave and heavy burdens on those who seriously try to fulfil their obligations as managers.

The fourth burden which persistently recurs and with which management must of necessity deal, is the judgment of others in the light of which the manager has a duty

#### to reward or to punish

I can think of no task more onerous and burdensome than that of judging the conduct, capacity and performance of one's fellow creatures. This is one of the constant burdens of management. Most men of experience and mature mind are more than conscious of the weight of the Biblical injunction: "Judge not that ye be not judged". There is, of course, much disregard of this in the trivialities of common experience. But for some unenviable mortals the very nature of their office requires of them the judgment of the conduct or performance of others. Only those who have been or who still are in this situation know with what reluctance this part of their duty is undertaken. In order to fulfil these duties properly a manager must be mature, knowledgeable, logical, calm and impersonal. He must have the capacity to differentiate between the important and the trivial. He will on occasion have to visualise the relationships which lie between cause and effect. He must from time to time assess personality whilst evaluating performance. His aversion for injustice must amount to hatred. He must have a humble passion for what is fair and right and true. He must exercise diligence, care and patience in getting at the facts. Indeed, he must be a paragon of knowledge, wisdom and integrity. It is part of the job—part of the management burden. Let the manager get on with it.

But this is not all. Having made his evaluation, having arrived at some decision as to the degree of merit or the extent of the imperfection, he must now make a decision as to the nature and degree of reward or punishment. It is not for me to suggest by what means he arrives at the right answers. That may largely be special to the place or time or circumstance.

There may be an existing body of knowledge or precedent or calculation all ready to hand. It may not be out of place, however, to remind you of some of the rules the manager must have in mind at these times.

First, his judgment must be just and it must be clear to all interested that this is so. Next, any reward must be tinged with just the right amount of generosity. The reward should always be a little more than what would be fair. The reward must be made willingly. There must never be any suspicion that there is any reluctance on the part of the manager. The reward must be made as an act of justice, not charity. Above all, the reward must be made quickly. Only thus will the connection between merit and result be most obvious. Only thus will maximum content reside in the recipient. For over 2,000 years there has been much truth in the adage *Bis dat qui cito dat*—He gives twice who gives soon.

If the problems of reward are burdensome, how much greater must be the burden of the problem of punishment or penalty? I would like to say something on the general subject of punishment. In the first place, there must be clear evidence of the unquestionable integrity of the manager making the decision. The penalty should follow swiftly after the misdeed or imperfection. There must be an obvious connection or relationship between the two, so that the punishment is also a warning to others. The person punished should always be given the benefit of any reasonable doubt. The last thing I would like to do is to pontificate about punishment. But I would nevertheless remind managers that the quality of mercy is not something the manager should regard as something outside, beyond and not really appropriate to the processes of managerial judgment. Well might they remember those famous lines put into the mouth of Portia by Shakespeare when of mercy she says:

"'Tis mightiest in the mightiest; it becomes the thronèd monarch better than his crown."

How true this is today in industry and commerce! And as this is so, it must follow that all punishments must be given with obviously sincere reluctance. By this I don't infer that the formula: "this is going to hurt me far more than it will hurt you", so familiar in childhood's experience, should ever be used. The manager who is sincere will, however, always bear some of the burden of the punishment he must inflict. This is obvious to those who realise that most managers are sensitive, imaginative and sympathetic humans behind the facade of their authority and power. Somehow punishments always seem more personal than rewards. Somehow standing in the shadows behind the person punished there is always, in the imagination of the manager, the image of parent or wife or child and the multiplication of sorrow and suffering which in itself is one of the mysteries of life and a very real burden to management. It is easy to say that the manager should always punish in an impersonal way. Where it can be achieved, there is great relief. The problem is to find a way to make penalties less personal. I don't

know the answer. I do know that the problem adds to the total of the management burden.

There are many more aspects of the management burden. I am only going to mention one of them—the supreme necessity to look to the future and to plan so that at the appropriate time management will be in a position

#### to replace

It is a truism which cannot be emphasised too frequently that “no company is better than its management”. A mediocre management in a lush business may appear to perform better than a good management in a difficult or depressed undertaking. Beware of the dangers of such comparison. Useful comparisons may only be made between examples which are or can be made to be comparable. I am not excluding the benefits of properly devised inter-firm comparisons when I say that normally management comparisons should be between performance and plan.

It is clear that managements must be renewed. It is equally clear that business is becoming more and more complex. It seems reasonable to suggest that for management in the future to perform only as well as present management, the future management must be of higher or superior quality. If management is to put up a performance of increasing excellence, then the quality of management must be improved by substantial margins. This will not just happen. Management cannot rely on occasional advertisements in the national and technical press to produce the better management material in adequate quantity. A glance at current advertising will indicate how desperate the situation is. It will also show how much money must be spent in the ultimately unproductive exercise of tempting good men to be drawn into the employment merry-go-round. The problem arises from the fact that we do not have sufficient high grade entrants.

This is a management burden. It has been said that to acquire a good manager you must first catch and train his grandfather. There is some significant hidden truth in that saying. The problem of getting a sufficient number of high-grade entrants to the fields of management must surely lead back to the schools and universities. For a large number the choice of profession is decided in those early stages. The decision usually comes from a sense of vocation, a knowledge of the public social esteem for a profession, heredity or the influence of family and friends, the possible monetary rewards and the facilities readily available for training. On this basis, or indeed on any other, management does not get anything like a fair share of the pick of the universities. How to rectify this is a matter of the greatest importance and also of the greatest difficulty. It is a management burden which, however onerous, demands more conscious and more constructive attention. The problem is a sort of “which came first, the egg or the chicken?” one.

Youth is the admitted time for idealism. Mercenary or sordid objectives have but little appeal to the type of student management wishes to attract.

Educational authorities, career advisors and indeed the educated and informed public must, therefore, be convinced of the high standard of management ethics. They must believe that the completely acceptable moral basis of management is a proposition beyond doubt. Until educational opinion and, to a lesser degree, public opinion has moved to convictions of the kind described, there seems little hope of management securing the type and quality of recruits it so desperately needs. Management must, therefore, be represented to such as a wholly beneficial service, a service calling for the highest standards of character and morality; a service needing the best brains and the most vivid of balanced imaginations; a service demanding dedication, self-discipline and often self-sacrifice; a service offering unrivalled opportunities for self-expression and personal fulfilment; a service which in time breeds an aristocracy of character and personality. In this matter the management burden is first of all to ensure that the picture of management thus drawn is indeed a true one, and secondly to plan and procure that this picture is adequately publicised.

But this is not all. Universities, Colleges and other educational foundations must be persuaded to introduce the right kind of courses of study. Professors, lecturers and teachers must be carefully chosen and properly prepared for their duties. Managers must be willing to allocate a portion of their own time to the task of talking to students while they are in theoretical training, and for receiving them in small parties at their places of business so that management processes which are being taught may be exhibited and displayed in action. Furthermore, management when successful in attracting such recruits must display care, patience and wisdom in absorbing them into the management team or structure. These colts are thoroughbreds (if I may be pardoned for the expression) and must be so regarded. This will call for the exercise of great tact and firmness from the top managers to ensure that down the scale of management these examples of a new, and we hope better, breed of recruit are acceptable and are accepted. This task is also part of the management burden. The atmosphere must be prepared before the arrival of these recruits. Throughout the organisation there must be a conviction of the potential value of the top grade entrant. Equally there must be an open readiness to welcome rather than to ignore, to trust rather than to suspect, to encourage rather than to provoke or tease, to assist rather than to impede.

I have tried to remind you of some of the important aspects of the Management Burden:

To Think and Plan  
To Manage  
To Inspire  
To Reward or Punish and  
To Replace or Renew.

I have tried to indicate why I think that the burdens thus imposed are onerous and severe. I have not mentioned the problems of the initiation, continuation and application in practice of the work of

the researcher — pioneer — prototyper — experimenter. Nor have I mentioned the load imposed on management by the continual struggle between the back-room boys and the production engineer who needs maximum runs of standardised design. And there are, of course, a number of other aspects of the management burden which cannot here be examined.

At the beginning of this lecture, I stated that as a result of the management burden in a period of ever-accelerating activity, top executives were more and more the victims of a number of lethal disabilities.

It is, of course, entirely proper and commendable that science and medical science in particular should strive to find ways of alleviating this distress and suffering. This is not an exercise in compassion. Burdens too heavy for comfort in the carrying must lead to fatigue, which in turn must result in a serious loss of managerial efficiency. At this point, if not earlier, the whole organisation feels some of the effects and tends to lose some of the rhythmic tempo which is the essence and evidence of a smooth running highly efficient management team. The business as a whole loses vision, loses stimulus, loses vigour, loses direction and loses profit. It drifts into dangerous areas of jeopardy. To avoid this is not being sentimental. It is in the highest sense enlightened self-interest. But the devoted work of doctors, surgeons and researchers of various types is not enough. Their work is at the moment largely remedial in nature. How much better it is to eliminate the need for at least a part of such remedial measures by removing the malaise which is their *raison d'être*.

#### easing the burden

I would like to suggest that Government itself should be conscious of the supreme national value of good management. Logically the duty of Government should be to relieve management of unnecessary, illogical and quite unfair financial burdens. Managers are, I suppose, normally in the £1,500 - £10,000 per annum income group. If my statistics are correct, supertax in 1913 was 6d. in the £1 maximum rate, with the first £3,000 of income exempt and with a standard rate of tax at 1s. 2d. in the £1. In 1958, the level of exemption was £2,000 per annum (where it had been since 1920) with a top rate of surtax 8s. 6d. in the £1 above £10,000, rising to 10s. 0d. in the £1 over £15,000 and with a standard rate of 8s. 6d. in the £1 income tax. Incidentally, if the £1 sterling was worth 20s. 0d. purchasing power in 1913 it was only worth 24% of that (less than 5s. 0d.) in 1958. What a burden! What a load! How unfair! Government should act immediately.

And management may itself play an important part in making provision for improving the lot of the manager — for lightening his burden and/or seeing that he is better able to cope with it. To reduce the burden must imply giving the manager less to carry. In this sense, there should be the most vigorous drive to take from the manager all but the most important of his responsibilities, by eliminating the trivial and by intensified delegation. The need for

this is urgent in most businesses. It is, however, particular to the business and is, therefore, no concern of mine in this Paper.

#### essential qualities

To see that the manager is better able to cope with his burden demands a number of prerequisites. For example, the appointment of the manager should depend on certain qualities and qualifications. To bear a heavy load comfortably a man must start with good health. His mind should also be healthy and his philosophical, community, social and domestic relations should be of a nature which will produce a serenity easy to detect. He should have a keen sense of humour and the capacity to laugh at himself as well as at the other fellow. He must retain a balanced sense of values whilst keeping "the common touch". Assuming that there has been conscious care to recruit the right type of person to the ranks of management, it is necessary to make such provisions as will tend to keep him healthy and relaxed. One such provision is for the non-executive members of the Board of Directors to refrain from time-wasting and often unnecessary questions or enquiry, or even semi-social visits. Another is to encourage as far as practicable open-air pastimes or hobbies of a sort which take the mind away from business for a period. Many managers are too intense for too long. It would also be a wonderful thing if the brief case could be abolished and managers discouraged from taking papers home in the evening and at week-ends. For the top executive the actual number of hours "at the office" might be restricted. His problems are always with him but even a change of atmosphere is a help in relieving tensions.

These are things we can all do something about. I am satisfied that a collective attempt would make a formidable contribution towards the solution of the many problems of the management burden. The idea of a top management club has never really taken the imagination of the right men. Some infrequent dinner parties organised by the British Institute of Management and to which only top executives would be invited might be one way of relieving the man at the summit of some of his isolation. But the numbers at any such party should be severely restricted so as to achieve an atmosphere of intimacy and informality. The arrangements would naturally be of a suitable order. There should be no organised subject for discussion. The British Institute of Management might launch the boat, so to speak, and leave the top executives to steer it wherever their whim might suggest.

In Scotland there is a saying "facts are chieils that winna ding", which means that it is hopeless to argue with facts; you cannot bend them to your will. The same can perhaps be said of top executives. One has to suggest ways by which they might perhaps help each other; even sustain each other. But in the end it must be left for them to evaluate and accept or reject — which, after all, is only what might be expected.

In the short time permitted to an Elbourne Lecturer it is not possible to deal with such a subject



as "The Management Burden" in any but the most limited and sketchy manner. I can but hope that incomplete and unsatisfactory as it undoubtedly is, my attempt to draw your attention to the burdensome nature of management may be of some slight service to management thought and to those objectives for which Elbourne strove so persistently in the early days.

Any analysis of this burden inevitably calls for some examination of the manager himself. I make no apology for having said so much of the many qualities and qualifications the manager must possess if he is to achieve success in his many burdensome tasks. Of necessity the man who "carries the can" stands at the summit and alone. Otto Prince von Bismarck, in his memoirs, wrote:

"Official decisions do not gain in honesty or moderation by being arrived at collectively; for apart from the fact that, in the case of voting by majority, arithmetic and chance take the place of logical reasoning, that feeling of personal responsibility, in which lies the essential guarantee for the conscientiousness of the decision, is lost directly it comes about by means of anonymous majorities."

The man who stands at the summit must stand there alone. He has the authority. He has the responsibility. He must initiate or approve the plan and see to its execution. He must have knowledge, wisdom, judgment. He must lead, drive, inspire. He

must judge and reward or punish. Finally he must from time to time retire others and must at the appropriate season retire himself. And this latter must be arranged so that change and transfer seem natural by their very smoothness. He is not usually an owner. Popular conception, however, seldom concedes him the appellation "worker". He is always overburdened. He is frequently unappreciated. If things go wrong he is invariably blamed. In success he is usually overlooked. He is generally underpaid and frequently disparaged. His motives are often regarded as dubious, so his repute and prestige are low.

But he remains the focal point of all effort. His decisions, more than those of any other, lead to success or failure. In fact he is a paragon, a friendly autocrat, an earth-bound archangel — the personification of the proposition that "Man was created in the image of God; little lower than the angels; the Lord of Creation".

Yes, he is all that. Nevertheless he is sorely tried and overburdened. He is all too well aware of his frailties and imperfections. This is the man who deserves the help of science and of management thought. He is in increasing need of relief without interference — of understanding without demonstration — of comfort without fuss — of loyalty without intrusion — and indeed of aid without strings.

It is my earnest hope that such amelioration as I have mentioned may quickly be achieved. In this way the Management Burden would be significantly reduced.

---

## BRITISH CONFERENCE ON AUTOMATION AND COMPUTATION

### "AUTOMATION - MEN and MONEY"

to be held from 4th - 7th July, 1961

This Conference will be of interest to all in the general management and specialist fields in industry and commerce. It is to be sponsored by those bodies which form the membership of Group "C", a sub-committee of B.C.A.C.:

The British Institute of Management  
Department of Scientific & Industrial  
Research  
Institute of Cost and Works  
Accountants

Institution of Production Engineers  
The British Productivity Council  
The Trades Union Congress  
Institute of Personnel Management  
Tavistock Institute of Human Relations

The programme will be of three days' duration, commencing with a plenary session and reception in the evening of the opening day, and concluding with a second plenary session in the morning of the final day. It is proposed to hold sectional meetings in the morning of each day, and that these will take the form of four series of meetings running in parallel.

The final plenary session will consist of an address by Sir Walter Puckey, Past President of the Institution of Production Engineers.

Further details of the programme will be announced as they become available.

# AN INTRODUCTION TO PRODUCTION ENGINEERING ADMINISTRATION

A Thesis by R. G. MOCKLER, A.M.I.Prod.E.



Assistant to Production Manager,  
Canadian Aviation Electronics Ltd.,  
Montreal.

**I**NTEGRITY and mature judgment are the basic foundations necessary for the privilege of being an administrator.

Integrity can be defined as honesty and loyalty as an inbred characteristic. Mature judgment is a blend of knowledge and experience founded upon burned fingers, disappointments, and fears as well as success.

There are no short cuts to good administration; basic rules effectively applied with intelligent judgment make for the best administrator.

This Thesis has been prepared with more concern for the fundamentals of the subject than practical application, for two reasons. Firstly, there are already many excellent books written by leading administrative authorities, with whom it is not intended to compete, on the practical applications of production engineering administration. Secondly, it is anticipated that any person who is interested in this subject will already be familiar with the principal aspects of planning, estimating and ratefixing.

No credit is claimed for originality of facts on this subject. After much research into existing publications, an attempt has been made to compile what are thought to be most important factors toward attaining an orderly, conscious, and human approach to production engineering administration.

## **requirements and preparation for an administrative position**

Over the years there have been many arguments as to the merits of technically-trained men versus management-trained men for appointment to adminis-

trative posts. Both factions have valid and reasonable arguments; but in the production engineering field both technical and managerial competence are equally desirable. To achieve this balance successfully, the future administrator must pass through the technical administrative levels to the higher levels of management in an orderly manner.

When considering requirements for production engineering appointments within the lower echelon, emphasis must be placed on both practical and technical competence. As progress is made toward higher appointments skill in practical and technical fields will lose its keen edge, but a new skill, administrative competence, is acquired.

It is part of management's responsibility to stimulate every employee to make the best use of his ability, and to provide recognition of his attainments. In many plants there are craftsmen with maturity, character, experience and knowledge who, if given the opportunity and the administrative training, would make first-class administrators. Selection of the man of the right calibre within the plant is not a difficult operation. A man may hide, or misrepresent himself to you, but he cannot hide his perseverance, his imagination, or his ability to apply knowledge and common sense effectively to a situation; all are there, in his work.

Administration requires the exercise of many functions with which a non-administrative employee has no acquaintance or experience. An administrator must plan, organise and evaluate; it is therefore extremely unfair to place a person in such a position without pre-administrative training.



If a man is called upon to administrate with no other preparation than technical knowledge and skill, it will take much ingenuity on his part to be successful. If he does not succeed in acquiring by chance the ability to administer, his department will suffer from confusion, inconsistency and poor labour relations which will ultimately lead to its failure.

Modern industry recognises the necessity for pre-administrative training and many plants have introduced an Administrative Replacement Schedule which indicates when positions will be vacated through promotion, resignation, health or retirement. This permits considerable planning and pre-administrative training to be carried out for selected personnel.

The engineering industry is one of extreme complexity, with each plant having its own peculiar production problems; but irrespective of what plants produce, their pre-administrative training plans should be of similar pattern.

The first thing to define in advance is the method of selecting candidates. Next, plan their preparation so that they are ready when the opportunity presents itself. The programme of instruction should emphasise the following basic points:

1. functional terms of reference;
2. complete operation of the production control system;
3. the organisation of people into effective units;
4. handling of interdepartmental and labour relations;
5. planning of one's own work.

After the individual has received his pre-administrative training, he must be given every opportunity to discuss his experiences and problems with other people on the same types of work, and be kept up to date with information regarding rapidly changing modern techniques and developments.

### **principles, responsibilities and objectives**

The success of a department depends on its strength of organisation, within which is contained strength of planning and controlling combined with harmony and flexibility. To establish such an organisational structure, it is necessary to lay down a broad policy as to the basic rules—which the administrator must follow—regarding principles, responsibilities and objectives.

The basic principle of administration is to accomplish results through the efforts of other people. To define this statement, let us consider the department as a whole. Within it are skilled craftsmen, technicians and engineers who require the direction of supervisors with the ability to command their respect and confidence. By virtue of his position, the administrator cannot be familiar with the necessary finer technical points required for this direction; his skill in this field has diminished whilst administrative competence has increased. To enlarge on the basic principle and assist in its interpretation: administration is not the direction of operations; it is the development of competent people to carry out that direction which

organisational requirements dictate. The early stages of development of individuals will be taken care of by pre-administrative training, but theoretical instruction will not and cannot define the required skills of judgment and experience. The administrator must take individuals as they are, together with their technical knowledge, skill and background; by increasing their knowledge he must develop and release their latent potential to flow in controlled channels of supervisory competence, and successfully integrate them as a frictionless part of the organisational machine.

The prime responsibility of administration is to place organisational interests first, irrespective of any personal considerations. Decisions resulting from interpretation of this responsibility must be established without abuse of authority, and given in a clear straightforward manner. The administrator will assign responsibilities and delegate authority to attain planned objectives successfully, but he cannot pass to others responsibility for the overall success of his department.

The major objectives are harmony and flexibility. In the cause of harmony, it should be made perfectly clear to supervisors, foremen and section leaders that they are in effect the managers of their respective units; no one will usurp their authority or prerogative. As a team, all units have a responsibility to co-operate with each other to maintain a harmonious relationship with a high degree of teamwork, respect and collaboration. As units, they are expected to command the respect and confidence of every individual within their areas of operation, and to stimulate them to make the best use of their abilities.

Flexibility of thought and action must be recognised as essential qualities to be developed within the department. Individual initiative must be encouraged towards the development of new techniques for production application; by allowing intelligent interpretation of set procedures or policies, many problems will be solved at lower levels when unforeseen circumstances occur.

Friction is the natural enemy of organisational structure; it creates hostility and neglect, it disrupts teamwork and undermines authority, resulting in the loss of that personal influence necessary to the successful attainment of planned operations. Constant watch must be kept for signs of friction, the major cause of which is dominating aggressiveness. If apparent, immediate corrective action must be taken or the cause eliminated.

### **organising (morale building, co-ordinating and integrating)**

The administrator's function is to organise his department to produce what is required when it is required, and at the lowest cost.

His industrial responsibilities can be defined under four main headings. Firstly, the general policies and instructions issued by management must be carried out in detail. Secondly, the administrator must recruit, promote, train and retain competent employees. Thirdly, he must instigate pride of workmanship, thereby maintaining a quality product

which will ensure customer satisfaction. Fourthly, he must help ensure the prosperity of the company by full consideration of the shareholders. If these four points are considered, a department can be said to be organised.

The key to organisational efficiency is good morale. When considering the different backgrounds of people it will be found that no two individuals are alike. To co-ordinate these individuals into groups and integrate these groups into a team with high morale, requires much attention and conscious application of the skill of leadership.

Leadership has three basic requirements. Firstly, to instil into the minds of the whole department the common aim — *Production* — within whose framework is contained the prospects of advancement and the prosperity of every individual in the organisation. Secondly, to create an harmonious department by fostering the spirit of *Mutual Co-operation* — not giving way blindly to every proposal that employees make, but by giving a fair and understanding hearing to their problems, and ensuring that reasons for decisions made are passed to the interested personnel. Thirdly, to give the department *Incentive* — for people work harder when they know rewards are available. An important part of incentive is commendation. This is a great source of encouragement to the individual, from which will result ever-increasing efforts to achieve still higher levels of efficiency.

Investment in human morale is a skilled operation requiring both experience and courage. It is very easy to believe that paying less than one should will result in money saved, but it is difficult to believe that paying full recognition means greater returns in the future.

Co-ordination is achieved by organising groups into efficient units of labour and resources with flexibility to overcome any unforeseen obstacles. Within the units, duties and responsibilities must be accurately assigned and all instructions precisely and clearly stated. The success of any co-ordinating plan depends entirely on the skill exercised by the administrator in the selection and development of his lieutenants.

Integration is achieved by establishing each co-ordinated group into an efficient and harmonious combination, with each playing its fitting part in the team to give a balanced whole. The successful integration of the co-ordinated groups is entirely the responsibility of the administrator, who, before deciding on any particular course of action, should discuss the problem with the people involved, to obtain their viewpoints, suggestions and opinions. After analysis of the points raised, a position will emerge which is fairly well assured to be a safe foundation on which to base a decision.

### **planning and controlling**

The administrator has numerous duties to perform, most of which, when clarified, can be divided into the two basic elements, planning and controlling. The only reasonable and sensible approach to the many problems to be solved by the administrator in connection with the activities he supervises, is to plan in

advance what to do and when. Once it is accepted that planning is necessary, the supervisor must then establish a system of control to assure that the personnel under his direction perform their duties according to the plan. It is recognised that humans have many frailties, one of which is that their performance can always be expected to be behind the planned schedule. To overcome this, control by supervision is established. If planning alone could set the necessary machinery in motion and deliver a finished article or project in accordance with the plan, then supervision would not be required in industry today.

It would be a failing on the part of an administrator if, on taking over a new position which already had a planning and control system that apparently ran reasonably well, he assumed that all was well. Any administrator can improve the effectiveness of his department if at regular intervals he will take time to analyse carefully his organisational structure. This will include giving extremely careful attention to the quality and methods of his supervisory staff. When satisfied with his findings, he will be assured that his department is effective and that he has the ability, through the strength of his personnel, to direct operations toward planned objectives.

Planning includes policy formation. Policies should be established to give guidance to all personnel as to plans of action. These will effectively inform them step by step of what to do to obtain the desired result when planned situations occur.

Controlling requires that adequate arrangements be made to provide sufficient assistance, and to keep information available so that personnel are able to perform the functions expected of them and to provide a reliable feedback of information on the department activities. Control efficiency is achieved by delegating responsibility and authority to people of the right calibre, who can be developed into effective mainstays of the controlling framework.

For successful planning and control techniques there are three vital points to which the administrator must adhere in order to obtain the required results. First: he must devise a plan or policy which clearly and precisely states in writing what objectives are to be accomplished. Second: he must establish a basic procedure which will accomplish the planned objective. Third: he must allocate responsibility and authority to individuals to ensure that the steps of the procedure are carried out.

### **philosophy (basic attitude and doctrine)**

Since the Industrial Revolution there has been constant strife between labour and management, caused in the vast majority of cases by lack of organisational purpose in relation to the human factor. If insufficient emphasis is placed on human beings, the result is a cold efficient type of organisation, whose efforts will be met by the employees with resistance which eventually develops into strong opposition to the management attitude, thereby dividing labour and management into opposing factions.

So-called practical organisations still exist where it is thought that the introduction to the plant of a

philosophy giving adequate consideration to the human factor would be a sign of weakness, and give rise to sentimentalism. However, investigations and experiments, conducted by expert organisations interested in the effective management of industry, have proved that increased production and growth of enterprise flow from a stable labour position, where the organisational philosophy recognises and considers the human factor. Modern industry recognises that an organisation without such a philosophy is an organisation without a purpose. Companies are in business to obtain a profit, and employees of these companies work to obtain and improve on a reasonable standard of living. Both interests are indivisible; the company's growth, within which opportunities will occur for everyone, is the employee's growth. On this basic fact the purpose or philosophy of an organisation should be founded, and clearly defined and worded, so as to be understood by both labour and management personnel.

Philosophy applied to production engineering will obviously be guided by the basic philosophy of the organisation. It is the administrator's function to accept that philosophy, to interpret and develop it

toward the good of the company. To this end, the key element to be developed will be the personnel spirit.

Development of the personnel spirit requires the administrator to recognise that people under him are human beings with dignity and self-respect. Genuine concern must be felt to keep dealings with these people honest, considerate and responsible. It must be openly advocated to the employees that the interests of the employer and employee are fundamentally the same, and that by wholehearted co-operation in the cause of enterprise labour benefits will result. The most important ways to create and maintain an harmonious atmosphere are : firstly, plan wherever possible to provide steady employment; provide opportunities for advancement to existing personnel before considering outside applicants; give proper consideration to employee criticism. In turn it should be established quite firmly with the employees that obligations are required from them; they must recognise the line of authority as set by the company, and that loyalty to the interests of the company and conscientiousness to the best of their ability are required from them.

## REFERENCES

APPLEY, L. A. "Lectures on Management" (Unit No. 1) American Management Association 1954-1955.

These Papers give a comprehensive study to the basic principles, skills and tools of management. They examine the need for, and instruct in the application of the scientific approach to management. Emphasis is placed on the human factor and management philosophy.

McFARLAND, DAVIS H. Editor. "Introduction to Foremanship". Macdonald Evans 1942.

This work was produced during World War II to meet the urgent demands of administrative education necessary to efficient war production. It offers guiding principles with practical applications that are a storehouse of information to the future administrators in the production engineering field.

MAYNARD, H. B. Editor. "Industrial Engineering Handbook" McGraw-Hill 1956.

In this study 81 authors have been co-opted to cover every conceivable angle of industrial engineering. The book presents an up-to-date study in principle and practice of problems confronting the engineer and supplies leads of approach to their solutions.

ELLIOT, H. M. "From Engineer to Supervisor" "Design" 31st October 1957. Pamphlet.

# THE 1959 VISCOUNT NUFFIELD PAPER\*

## REPORT AND DISCUSSION

THE 1959 Viscount Nuffield Paper — the seventh to be presented since the Paper was established in 1953 — was given in the Rankine Hall of the Institution of Engineers and Shipbuilders in Glasgow, on 17th March, 1960, by Dr. C. Timms, M.I.Prod.E., Head of the Mechanisms, Metrology and Noise Control Division of The National Engineering Laboratory, at East Kilbride. The subject was "Recent Developments in Spur and Helical Gears", and a large audience of members and friends attended the meeting, for which the arrangements had been made by the Glasgow Section of the Institution.

**Mr. H. W. Bowen**, O.B.E. (*Chairman of Council*) presided over the meeting and in introducing him **Mr. G. V. Stabler** (*Chairman of the Glasgow Section*) said:

"It is usual for meetings of the Institution in Glasgow to be presided over by the Chairman of the Glasgow Section, who at the moment happens to be myself. This is not however, a 'Glasgow' meeting!"

"We are pleased to have with us on the platform Mr. R. W. Mackay, from Dundee, the Scottish Regional Chairman, but this meeting is more than a Scottish Regional Meeting. It is—I think for the first time in Glasgow—a full Institution Meeting, and the first time a Named Paper has been presented in Scotland, and I have pleasure in welcoming to 'Bonnie Scotland' Miss Dancer and Mr. Caselton, who have done so much for the Institution. We are also honoured by the presence of the Head of the Executive. I have pleasure in introducing to you your Chairman for the evening, Mr. H. W. Bowen, O.B.E., Chairman of Council of the Institution of Production Engineers."

Mr. Bowen, in thanking Mr. Stabler, said he was delighted to be present, and to take the chair at what was, after all, an historic occasion, and one of the major meetings of the Institution.

The Nuffield Paper was the second of the Institution's Named Papers to be established, in accordance with the wish of Council to honour some of its distinguished members who had given the Institution valuable service. Lord Nuffield was President of the Institution from 1937-1939, and it was largely due to his support that the Institution was able to establish, at Loughborough College in 1938, the Research Department which in 1946 was expanded into The

Production Engineering Research Association of Great Britain.

It was with the greatest pleasure, said Mr. Bowen, that he introduced Dr. Timms, who was to present the seventh Viscount Nuffield Paper on "Recent Developments in Spur and Helical Gears".

(Dr. Timms then presented his Paper, which appears on pages 321-340 of "The Production Engineer", June, 1960.)

Following the presentation of the Paper, the discussion was opened by **Mr. T. H. O'Beirne** (*Barr & Stroud Ltd., Glasgow*) who said:

I feel honoured—and am somewhat surprised—to be a guest here tonight, invited to open your discussion. I cannot claim to be a production engineer, or even an engineer: I am a mathematician who tries to bring some mathematics down from the ivory tower into practical service in the market-place. In this process I meet engineers, and learn from them. Tonight is a case in point. Perhaps I may hope to give something in return.

The mathematical content of engineering problems varies considerably, and this is true of gearing problems in particular. They invade the domain of the physicist and require consideration of noise, lubrication, heating, shock, plasticity and fracture, in regard both to the initial production and the subsequent performance. This is pre-eminently true for the large turbine gears which are the foundation of much of Dr. Timms' work.

I might have expected this discussion to be opened by someone with related experience in practical shipbuilding. Possibly something more of a contrast is wanted. My own experience is with small gears, where these questions are of reduced importance. Frankly, I am glad enough of this: there remain other problems of quite sufficient difficulty.

Over 10 years or so, my principal experience has been with the introduction of methods of manufacture of small curved-tooth bevel gears, and with the attainment of an increasing degree of precision both for these and for simpler types of gears. Success here has involved contributions and collaboration from my engineer colleagues, whose aid I needed as much as—or more than—they needed mine: but neither alone would have sufficed. In the spur gear work, acknowledgment is due to external assistance from the study and co-operation which has lately culminated in the publication of an Admiralty book of

\* "Recent Developments in Spur and Helical Gears", published in "The Production Engineer" June, 1960.





Mr. H. W. Bowen, O.B.E., Chairman of Council (second from right) is welcomed by Mr. G. V. Stabler, Glasgow Section Chairman (second from left). In the centre of the group is Dr. Timms, and on the extreme left and right, respectively, Mr. S. Caselton, Deputy Secretary of the Institution, and Mr. R. W. Mackay, Scottish Regional Chairman.

reference on gearing. I understand Mr. Timbury intends to refer to this in more detail.

It may be enough to reiterate what is implicit in Dr. Timms' Paper—it is actual failure in a set task which gives the real spur to improvements. He who wants improvements for their own sake is apt to be told, "let well alone". Yet our hardest task-masters can be our greatest benefactors.

There are two other conclusions from our experience. You will in time be forced to make every improvement you can think of, and most of them will have a quite noticeable effect: you had better try them voluntarily, early, rather than later, perforce. Also, it is vital to have actual instrumental recording. When everyone can clearly see improvements taking place, morale and performance improve all the way down the line. Faults can no longer be blamed on gears when responsibility actually lies elsewhere. Moreover, a complete record contains more information than a remembered or recorded maximum dial recording; it can sometimes point to deficiencies in the machine when otherwise the operator might unjustly be blamed.

I would myself think that the best small-pitch machines are fairly satisfactory at present. Their makers will allow acceptance tests based on standards which appear realistic in relation to errors elsewhere involved. There is some tendency to strain at gnats in gear tolerances while swallowing camels in the way of bearings, mountings and auxiliary components.

In complicated mechanisms proof of this occurs when the occasional emergency discloses that a nominally deficient gear produces no noticeable deterioration of performance. Here, at least, further improvement of gears is not the most economically urgent objective, and efforts can better be diverted temporarily to produce improvements elsewhere. There is useful work to be done while we await the availability of feedback hobbors for small gears.

Gearing is notably liable to the overspecification which derives from ignorance. This ignorance is at times inevitable: more often it is culpable. It is much easier to write "no backlash" and then either assert—or deny—that you have got it, than to set the limits you actually need, and to test impartially that you get accuracy neither much less, nor much more. This seems to me the essence of production engineering.

In many instruments, good design requires a pair of extremely accurate gears at one end, to produce a velocity-ratio such that errors elsewhere in a complicated train are of lesser concern. Note is taken of this in specifying different classes of gears in the two cases, and in allowing less stringent precautions or use of less accurate machines where appropriate.

I am rather out of sympathy with the present practice of hoping to apply identical inspection procedures, differing only in the allowable tolerances, in the two cases. These require master gears, or worms, intended to have negligible errors. These masters are not always available with the accuracy required for the highest class of gearing: nor indeed is this to be expected.

#### choice of inspection procedure

If you need only have gears which can have 10 times the error of the best possible gears, it may well be both feasible and efficient to have the latter as master gears and neglect their errors, using rapid inspection procedures. If instead of a factor of 10 you have only two, or three, you must either allow for the error of the masters, or, preferably as I think, determine the errors of your gears by more complicated and skilled inspection procedures, namely, those which are in fact applied to master gears themselves.

There will be fewer of the accurate gears than of their lower-class associates. It is quite unreasonable, and unnecessarily restrictive, to demand equally simple inspection for both.

Some trouble could be saved, particularly in the extreme precision field, if there were more awareness that every demand for unnecessary precision reduces the accuracy that can be given where it is really needed.

If gears could be matched in a definite mesh, in truly conjugate pairs—as proved on test with a grating-type of instrument, for instance—this would often suffice unless there were unusual interchangeability requirements. Hobs could then have a useful tolerance for pressure angle, and firms could more easily make their own for instrument work.

The grating-type tester would thus give a useful check on cumulative pitch, which is rather impractical for small gears at present. Not uncommonly, tolerances here are rather irresponsibly specified, and often are never inspected by anyone. The formidable difficulties of inspection are faced only intermittently, at best, or initially, as a precaution that the machine is free from errors which would not show up in production double-flank testing.

Some of these problems must be much simpler when a firm manufactures only for itself and not for



external customers. It often seems to me that what is needed generally is not so much the extension of existing knowledge—important though this is—as the effective dissemination and utilisation of existing knowledge.

In my experience, even at present, if I meet an outside drawing or an outside part with a spur gear of 13 teeth or less, I expect it to be undercut, and am seldom wrong. Pursuing the matter leads to “the prototype has been made and approved, and the drawings can’t be changed now” or alternatively to “we told the customer and he said it didn’t matter”. I suppose the situation must be better in other fields, where performance and cost depend more obviously and directly on the gears. The Admiralty memorandum has given us a lever by means of which we can produce some improvement here.

In this connection I am more aware of deficiencies than of excellences in British Standards. Here I speak not of the standards for machines and cutters, but of the basic standards for gearing. Had these been what they ought to have been—and what other British Standards are—no Admiralty memorandum would have been needed to supplement or by-pass them.

Their principal defect is that much too much is left out. Neither the Americans nor the Germans try to pretend gearing questions are simple, by leaving out what might be thought to frighten the ordinary man. It would be better if he was given more cause to feel frightened, and better still if he was properly assisted to avoid frightening others. At present when he quotes a British Standard, it is more likely than not to be the wrong one, for fine pitches, and there are other sources of trouble. Blanks are often wrongly specified, and sometimes manufactured in quantity. Short of doing the whole job properly, it would be better if the customer specified only pitch surfaces and performances, and was discouraged from meddling with the rest.

### scope for improvement

I must say that I think the major improvements needed in the field of gearing are organisational rather than technical, and that the main cause of trouble with gears is—people.

Some of the difficulties arise from divided effort, and much might be expected of a national Gear Centre of the type advocated by Dr. Timms. British machine tool manufacturers are not noted for the size or scope of their research departments, and they have little incentive to objective study of methods which do not use their own machines.

Dr. Timms must indeed be complimented on what he has done with the resources he has. I have no wish to suggest he has done other than direct his efforts where their need is most urgent, and where they best may bear useful fruit such as we have seen tonight. At the same time, I remember that I first met him at N.P.L. some eight years ago when I was seeking information on bevel gearing. His department did not handle bevel gears then, and does not do so now.

For bevel gears the United Kingdom is dependent on foreign manufacturers not merely for machines, which once obtained are at least thereafter available, but in many cases for cutter and machine-setting information as well. This may just be acceptable in large production runs. It is a barrier to proper development work.

We have done something to free ourselves from these limitations in my firm: at the same time we receive outside designs which obviously are tailored to suit about a dozen known bevel-gear combinations.

### a new type of technologist

Reducing this somewhat adject dependence will require the emergence of a new type of engineering technologist, who will need high qualifications in mathematics. In the past, the mathematicians worked out much of gearing geometry before the engineers were ready for them, and mathematics is available—not yet applied, unless by a mere handful of unique individuals—for study of such matters as contact and curvature of designedly crowned teeth, effects of relief and helix angle on hob profile, and many similar matters which I feel are not at present studied as much as is desirable. Hypoid gearing developments arose this way; it may be doubted whether even now some of these are fully understood by anyone other than their original inventor and a few personal associates.

In my view, there is a need in mechanical engineering for high mathematical talent—either imported, or locally grown—quite as much as in electrical engineering, where the need is fully admitted and recognised. What I doubt is whether this view is held sufficiently by those who control the employment and education of mechanical engineers.

At present the engineers and mathematicians can discuss identical questions in complete isolation. The “involute helicoid” of the one is the “developable helicoid” of the other, and few indeed know the subject in both forms, realising that both these surfaces are identical, and important for basically the same reason in both fields of work.

A national Gear Centre will have to face these facts and do something about them. If it is merely a correspondence exchange superimposed upon existing establishments, it will only scratch the surface of the real problem.

Reference has been made to dependence on foreign firms who have a virtual monopoly of certain types of high grade equipment. It may well be no coincidence that most of these are noticeably provided with one or more technologists of the type I have just described.

Until a similar situation exists in this country, with users and manufacturers alike, it seems likely that Dr. Timms will continue to have something of an uphill fight. We must all be grateful that his enthusiasm and successes nevertheless continue unabated.

**Mr. W. P. Kirkwood** (*Albion Motors Ltd., Glasgow; Past President, Glasgow Section*): The survey by Dr. Timms has indicated that very considerable

developments have taken place in spur and helical gears over the last decade. Personal contact with gears over this period in the small and medium-sized range indicates that there is still much to do.

In testing, the developments with a single flank tester are awaited with interest. This should be more rewarding than the dual flank method in being able to pick out unsatisfactory gears, although this latter method has served industry well. Can the author indicate when practical workshop instruments working on a single flank are likely to be available?

Temperature control is given a prominent place. Experience indicates that not only control is needed but that modern machines to get accurate gears must be brought to the working temperature before gears can be machined. It is suggested that on all such machines the manufacturers should incorporate heating coils at suitable positions, so that where gear cutting is only carried out on one shift the machine can be left with the heaters on during the night, and therefore ready for accurate work in the morning. It is not in keeping with 1960 that machines cannot be put into immediate action at the beginning of a shift.

#### use of diffraction gratings

The use of the diffraction gratings for the measurement of gears dynamically and for the control of the machines is probably one of the biggest steps forward in the last few years. Much of the credit is due to the work which has been put in by the author personally and by his staff at N.E.L.

Although measurement is undoubtedly the first application of diffraction gratings, their use to make the correction on the machine automatically is of such great importance that it is obvious that a solution to the problem of accurate production of gears by this means may be within our grasp. Can the author indicate whether we are likely to see machines involving this principle available for special purposes in the near future?

The causes of noise in the running of gears have been under examination for many years without apparently being able to determine accurately the effect of the various features contributing to the noise. There is no doubt that under certain conditions improved accuracy can mean reduction in the noise level. On the other hand, the curves in the Paper given under Fig. 29 show that at certain frequencies, there seems to be little or no difference between the level of noise produced between a hobbed gear and a shaved gear. In a number of cases the major source of noise would appear to come from the impact caused by the teeth coming into contact with each other. This has been proved in automotive applications, where the change over from straight spur gears to helical gears within the same gearbox has resulted in a very considerable reduction in noise, the gears in both cases being made to the same standard of accuracy. Has the author any views on this particular aspect?

One point not mentioned at all in the Paper is the great change that has taken place in the last few

years in the rate at which it is possible to hob gears. On a production basis such modern gear hobbors can produce satisfactory gears working at cutting speeds more than double those possible only a few years ago. This has been achieved by improvements in machine rigidity and other factors brought about in the re-design of machines over the period in question. This achievement is in its own way as important as the other advances, particularly in accuracy, which have been made over the same period.

**Mr. J. R. Young** (*G. J. Weir Ltd., Glasgow; Glasgow Section Committee*): First of all, I applaud the call for criteria as to what constitutes surface failure by both pitting and scuffing.

We have to face the fact that, industrially, most decisions taken are based on opinions and opinions vary pretty much as to whether one represents the user or the manufacturer.

The figures shown for average percentage contact marking on test gears produced to three standards of accuracy (Fig. 24) came rather as a surprise. A difference of only 6% between precision and commercially hobbed gears is unexpected, and one wonders whether it means that considerable improvement has been achieved in commercial hobbing, or whether there is still scope for further improvement in precision hobbing machines.

**Mr. M. C. Timbury** (*Barr & Stroud Ltd., Past Chairman, Glasgow Section*): Dr. Timms' very excellent Paper covers such a wide field that comment by any one person must be confined to that part of the subject with which he is most conversant.

For this reason I would like to make a few remarks about the production of small gears, used in precision measuring and recording mechanisms, a line of business with which I have been associated for many years.

Towards the close of his Paper, Dr. Timms remarked upon need for closer co-operation between the gear industry and instrument manufacturing firms and gave as his opinion that the manufacture of gear instrumentation in the United Kingdom is carried out on "a piecemeal basis".

While agreeing in general with Dr. Timms' views, I would point out that the number of firms manufacturing small precision mechanisms which call for really high quality gears is limited. The cost of manufacture of such gears is high and the cost of manufacturing suitable equipment for testing them is also very high, not only because of the precision demanded but also on account of the limited market.

This does not offer an attractive proposition for anyone to undertake on a commercial basis, and possibly explains Dr. Timms' opinion that "it is regarded as a side line by too many firms".

The manufacture of spur and other gears for precision mechanisms has undergone a very radical change in the last few years, and this change has been due to the demand for greater precision necessary for the mechanisms used for the control of modern weapons.

In 1953 the Admiralty issued to certain firms a "Specification of Gearing for Gunner Equipment" which laid down for the first time standards of accuracy for gearing for various types of mechanisms. Of these standards Class I and Class II were for gears for use in predictors and similar applications where great relative rotational accuracy is necessary. In the case of Class I an allowance of .0003 in. was specified for tooth to tooth accuracy with .0007 in. for total composite error, measured on a double flank tester.

The views of contractors on the practicability of these standards were invited before the specification would be adopted.

This presented a challenge to the gear cutters and set into being a vast amount of experimental work.

For the first time, a requirement was laid down that each gear must be tested on a double flank tester and the results recorded graphically.

I will not go into the difficulties that were encountered in obtaining master gears, not the least of which was their costliness, but will say that the master gear was replaced largely by the master worm for testing purposes.

It became apparent, as the investigations proceeded, that the production of a precision blank was an absolute necessity if the requirements of the proposed Specification were to be met. This confirms Dr. Timms' early remarks.

In the production of the blanks two essentials arose:

1. The necessity for a lathe free of any camming action in the spindle so that back face squareness on the blank could be achieved; the permitted error being .0004 in. per inch of radius.
2. Accuracy and consistency in the diameter of the bore.

Having achieved both of these the next essential was to ensure accuracy of the mandrels. This necessitated the selection of a grinding machine capable of producing a really straight and round job, say, to a tolerance of .0001 in. maximum.

I do not propose to discuss the relative merits of different methods of producing accurate bores, but one method is by broaching and experience has shown that a consistency of less than .0001 in. can be achieved by this method.

This brings me now to another of Dr. Timms' conclusions, viz., "There is a need for improvement in the accuracy of gear cutting machines in the small and medium range."

Having produced blanks which were really accurate, much difficulty was experienced due to errors resulting from inaccuracies in the gear trains of various gear-shaping and gear-hobbing machines.

Machines just delivered by the makers had to be dismantled and rebuilt, but I know of two British machine tool makers who tackled this problem and produced a much improved machine. Machine tool makers could with advantage investigate the application of optical gratings to check the accuracy of their machines. Further developments in work holding facilities are still necessary.

This toning-up of gear cutting techniques has been most beneficial and a number of firms are now producing, regularly, gearing to the requirements of this draft Admiralty Specification.

The effect has been to achieve what was intended, namely, to produce gears which can be assembled directly into mechanisms without any form of hand manipulation and has been given results previously thought to be impossible.

The Admiralty Specification has now been adopted. It is known as the "Admiralty Gearing Memorandum Ref. No. B.R.6001(1)" and can be purchased from H.M. Stationery Office.

I consider it to be a valuable book of reference.

It is said that "necessity is the mother of invention". Certainly the introduction of this document was responsible for many "Recent Developments in Spur and Helical Gears".

While agreeing with Dr. Timms on the importance of the provision of high quality devices for the measurement of errors of all kinds in gears, it must be remembered that these devices do not correct the errors, and for this reason machine tool manufacturers must apply the highest possible standards to any gearing incorporated in their machines if the problem of producing high quality gears is to be satisfactorily solved.

In conclusion, I would state that the cost of precision is very high and presume to point out to designers that the adoption of standards, such as required by Class I gears, where they are unnecessary or can be avoided, is an unwarranted addition to the cost of production.

Replying to the points raised, **Dr. Timms** said he appreciated the detailed observations made by **Mr. O'Beirne** and was in general agreement with the comments made. The need for graphical presentation of gear errors was stressed by Mr. O'Beirne and the provision of inexpensive recording units, referred to in the Paper, would have wide application in metrology generally.

The point made concerning the availability of master gears of the highest precision was important and it was logical to relate the accuracy of the master to that of the product gear. This requirement could be met by having two grades of master gear, one to cover general commercial applications and the other for gears in which the highest precision was essential. It was also agreed that selected product gears of the appropriate standard of accuracy could be used as master gears in many applications.

The further point raised by Mr. O'Beirne concerning the need for a new type of engineering technologist was an interesting one. This subject was basically one of education and it was significant that no University in the United Kingdom covered the subject of engineering metrology at the same level as other branches of mechanical engineering.

In reply to **Mr. Kirkwood**, the application of the moiré fringe technique to the correction of residual errors in machine tools was still in the early stages of development but the initial results obtained to date were most encouraging. Commercial development in





Mr. Bowen, Chairman of Council, making the presentation of a silver rosebowl to Dr. Timms.

this field would depend on co-operation with the machine tool industry.

It was generally agreed that the change from spur to helical gearing resulted in an overall reduction in noise level. This was associated with improvement in the uniformity of the tooth action arising from the overlapping effect of adjacent helices. Although not specifically mentioned in the Paper, the point concerning the machine rigidity was quite clearly very important and required detailed consideration at the design stage in order to achieve and maintain the required standard of dimensional accuracy.

Similar remarks applied to the methods used for the stress relieving of castings and the heat treatment of machine tool elements such as feed screws.

Regarding the point raised by Mr. Young, a difference of only 6% in contact marking between precision and commercial hobbled gears was largely due to the difficulty in obtaining accurate tooth pro-

files for each hobbing process. In each case there was definite evidence of split marking which could arise from errors in hob mounting or cyclic pitch errors in the hob.

Mr. Timbury's observations related in the main to the measurement and control of fine pitch gears where a high standard of accuracy was required. It was agreed that the present market for this quality of gear was limited, but the demand was likely to increase with expanding interests in automatic control systems for measurement and machine tools. Similar remarks applied to the availability in the United Kingdom of high precision measuring equipment, and an increase of interest in this limited but important field would reduce our dependence on foreign sources of supply.

Mr. R. W. Mackay (*Scottish Regional Chairman*), who proposed the vote of thanks, said: "This is a very great pleasure and, indeed, an honour, to have been called upon to propose the vote of thanks to our speaker this evening. You have shown by your attention to Dr. Timms, who gave a very good exposition of his subject, that you were with him in these problems as presented. Your questions concerning the problems incurred in gearing from manufacture to use have confirmed this, if, indeed, any confirmation were necessary. This meeting marks a milestone in the history and development of The Institution of Production Engineers.

"It is my very pleasant duty to ask you to express your warm and sincere appreciation of the speaker in the usual manner."

The Chairman of Council, making a presentation to Dr. Timms, said: "It is now my very pleasant duty to present, on behalf of the Institution, this beautiful rose bowl to Dr. Timms. We thank you for your lecture. We think it was marvellous. You have, by giving this lecture, contributed another step forward in the progress of the Institution in Scotland. Thank you very much indeed."

*The proceedings then terminated.*

## BUSINESS SIMULATION EXERCISES — concluded from page 426

- "The General Electric Company Business Games." Management Consultation Services, 570 Lexington Avenue, New York, 22.
- "The Andlinger Game." Harvard Business Review, Soldiers Field Station, Boston 63, Mass.
- "American Bell Telephone Game." Robert L. Boger, American Telephone and Telegraph, New York, N.Y.
- "Computer Game." University of California, Los Angeles, School of Business Administration, James R. Jackson.
- "Management Decision Making Laboratory." International Business Machines (United Kingdom) Corporation.
- "Carnegie Tech. Management Game." Carnegie Institute of Technology, Graduate School of Industrial Administration, Pittsburgh 13, Pennsylvania.

The following are available as preprints of Papers presented at the 6th Annual International Meeting of the Institute of Management Sciences, September, 1959, Paris. Printed in Great Britain by Pergamon Printing and Art Services Ltd:

- "Business Gaming in Management Science Education" by James R. Jackson.
- "A Decision Game of Managerial Strategy as a Research Tool" by Torben Agersnap and Erik Johnsen.
- "Contributions et Experiences de 'Management Games'" by M. M. Aubert, Bourges, Minth et Anstett de la Compagnie Francaise d'Organisation (CoFrOr) and J. B. Tricaud de la Societe d'Automatisme Electronique et de Recherche Operationnelle (AERO).

# BATCH PRODUCTION:

## New Approaches to Problems of Factory Control



by I. M. L. WARD, B.Sc.(Hons.), Stud.I.Prod.E.,

Assistant to General Works Manager,  
Marconi's Wireless and Telegraph Company Ltd.

★ ————— ★

**T**HE principal problem of factory control\* in batch production is to assign specific operations to specific sections at specific times at specific rates. In large scale batch production, involving the concurrent production of thousands of different assemblies, the problem becomes extremely complex with many varying parameters to consider, and the proper solution must significantly influence the profit position of the company concerned. The purpose of this Paper is to investigate some of the control problems inherent in batch production in the light of new management aids such as operational research, cybernetics and electronic computers.

### 1.1 description of a generic batch product

Fig. 1 shows a typical unit  $U_1$  assembled from sub-units  $U_2$ ,  $U_3$ ,  $U_4$  and  $U_5$ , each of these sub-units being assembled from further items  $U_6$  to  $U_{19}$ . It must be noted that the size of the units in Fig. 1 has no significance. The various sub-units and items may be manufactured by the performance of a sequence of operations on raw materials, or purchased as a complete sub-unit or item. Obviously the sub-units  $U_2$  to  $U_5$  must be completed before the assembly of  $U_1$  may be commenced. It is assumed that the production drawings for the assembly  $U_1$  are arranged to enable the unit, sub-units and items  $U_1$  to  $U_{19}$  to be completed as shown in Fig. 1. It is also assumed that the assembly must be subjected to the requirements of a test specification before it may be regarded as ready for despatch.

★ ————— ★

\* The writer, for reasons expressed later, prefers the use of the term factory control in place of the term currently used, production control.

*This Paper was awarded the 1959 S.E. Region Prize for the best Paper submitted by a Student or Graduate of the Region. Details of the 1960 Competition appear in the Supplement to this Journal.*

*Mr. Ward, who holds an Honours Degree in Special Physics, was educated at Gresham School and completed his National Service in the Royal Air Force, as a Radar Supervisor. He served a Graduate Apprenticeship in Production Engineering with his present Company.*






Fig. 1. Schematic diagram showing generic batch production assembly

however, obviously be influenced by the production control centre in view of the forward factory loading.

3. That the possibility of modifying the forward factory load to accommodate the new order in a different manner will not be considered at this stage.
4. That all production drawings are available.

The flow of an order through the organisation will be as follows:

1. The unit break-down section will break down the assembly  $U_1$  into sub-units and items, raising action documents instructing the Methods and Purchasing Departments to methodise and purchase manufactured and purchased items respectively (for control of Purchasing Department — see paragraph 6).
2. The Methods Department will produce the source of the action documents required to produce all the manufactured items required to complete  $U_1$ .
3. The Ratefixing - Work Study section will estimate times needed to manufacture all items required as methodised in paragraph 2 above.
4. The Clerical section will produce actual documents, e.g., travelling cards, job tickets and warrants.
5. The Production Scheduling section will provide the dates at which the action documents will commence in accordance with a master plan, details of which will be given later. This section will also provide the Progress section with a sub-master plan for the individual order.
6. The Progress section will issue and endeavour to control all the action documents to the sub-master plan of the order. As each operation is completed to the instructions of the action documents, information will be fed back to the Progress section. This information will be normally fed back by duplicate copies of the actioning document. If individual units or items fall behind the plan, expediting action or modification to the delivery, forecast by the plan, will be carried out by the Production Control centre. The Progress section will also endeavour to control the assembly  $U_1$  through the Test section and Packing Department.

## 1.2 description of a generic factory organisation

Fig. 2 shows a possible generic factory organisation designed for the batch production of a large range of assemblies of the type described in 1.1. It must be stressed that Fig. 2 is not exact or complete. Only those sections and flow channels required to illustrate various concepts to be developed later are shown. In principle these concepts will be common to all organisations involved in batch production, although the section and flow channels must vary in detail with the type and diversity of the production in which the integral organisation is engaged.

To illustrate the functions of the various sections, the flow of an individual order through the organisation will be considered. The following assumptions will be made:

1. That the Sales Department have established an order for a new design of one of the company's products and allocated an order number to identify it.
2. That the total quantity, date and rate that delivery are required has been established by the Sales Department in conjunction with the customer. The Sales Department's decision must,

### 1.3 formulation of control problems to be considered

In order to appreciate the complexity of the problems facing the Production Scheduling section described briefly in 1.2, paragraph 6, it is necessary to consider the situation shown in Fig. 3. The chart shows the manufacturing operations required to be carried out on  $U_2$  to  $U_5$  in order that they may be completed ready for the assembly operation to form  $U_1$ . The notation used is as follows:

where  $p$  = unit number  
 ${}^qU_p$        $q$  = operation number  
              $n$  = section number

It is assumed that each operation is discrete, and no two operations may be carried out in one section simultaneously. Thus unit  $U_2$  has three different manufacturing operations to be carried out in the sequence  ${}^1U_2$ ,  ${}^2U_2$  and  ${}^3U_2$ . The length of each operation time cycle will obviously vary and is indicated in units of time on the horizontal axis. Consider the following points:

1. The chart shows a possible schedule for completing the items required in a given manufacturing cycle of 13 units of time. It will be seen that  ${}^1U_2$  and  ${}^1U_4$  are both completed at the same time and the following operation for both  $U_2$  and  $U_4$  is designated to Section 2. In this case the "decision" required to obtain the minimum or optimum overall time cycle is simple, and this arrangement shows the optimum.
2. The schedule is based on the fact that the individual operation time cycles are accurate. However, if  ${}^1U_2$  takes two units of time longer to complete due to a tooling problem or an error on the part of the Ratefixing section, then  ${}^2U_2$ ,  ${}^2U_4$  and  ${}^2U_5$  are all delayed by varying amounts. If this occurred the schedule would have to be revised and a new optimum condition ascertained for the schedule to be of any future value.
3. Since at Section 2 at time 7 both  ${}^1U_2$  and  ${}^1U_4$  are waiting to have their individual operation performed the section could be described as having a "queue" of one item, in this case  ${}^1U_4$  "waiting" for its individual operation.

It will be seen from the above considerations that if the simple problem illustrated is expanded to that required to represent a typical large scale batch manufacturing organisation, the production of a detailed schedule into the future would be pointless, since it would have to be continually revised and re-optimised to be of any value. This process would be impossible in view of the exceedingly large number of possible combinations.

A detailed study of this overall scheduling problem and a suggested solution forms the subject matter of




Fig. 2. Schematic diagram of generic factory organisation




Fig. 3. (See Section 1.3.)

this Paper. This may be expressed formally as follows:

"The optimisation by the use of decision functions of a system subject to random interference in its scheduling and whose scheduling has inherent randomness."

Current methods of dealing with this problem involve the production of a master scheduling plan into the future as orders flow through the organisation. Allowances in section loading are made by various methods for unprecedented occurrences such as:

- (a) ratefixing errors;
- (b) defective work;
- (c) machine maintenance;
- (d) absenteeism;

based on past experience.

If orders fall behind the master plan they are placed on a priority, and items on priority orders are brought to the front of queues in the section in which they find themselves. This has the disadvantage that low priority orders become overdue. Detail scheduling is currently accomplished by haphazard procedures which are inadequate to predict section load bottlenecks and their corresponding reflection on the factory organisation as a whole. Whilst current techniques may seem logical and effective they often amount to little more than a continual scramble to meet commitments.

It is obviously desirable that control should be such that orders may be passed through the factory to a given schedule, that dictated by customers' requirements. For this purpose a scheduling system must be dynamic so that it may be capable of adjusting itself to unprecedented occurrences. Current procedures are in existence, the writer considers, due to the lack of decisions taking into account the actual situations at the time when the decisions are made. It is thought that the problem will only be overcome by means of an operational research type of investigation resulting in the use of electronic computers. It is stressed that the problem is essentially a research problem and research techniques must be employed to obtain optimum results.

## 2.1 introduction to operations research

Since Part 2.2 is essentially an analysis of the operations research type into the problems of queues, it will be useful at this stage to consider briefly the aims and characteristics of operations research.

Professor P. M. S. Blackett<sup>1</sup> and other British research scientists were probably the first to set up operations research groups as such at the beginning of the 1939-1945 War, to study problems of anti-aircraft gun fire power and the control and reporting of the early warning radar system. The techniques of operations research were applied soon after the War to some of the problems of industry in the U.S.A. and the nationalised industries in the United Kingdom, and are now being utilised on an increasingly large scale.

Operations research, the newest of the scientific aids to management, has been defined by Johnson<sup>2</sup> as possessing the following characteristics:

1. research on the operations of the whole organisation;
2. optimisation of operations in a manner that brings about greater assurance in both short and long range health for the organisation;
3. application of the newest scientific methods and techniques;
4. synthesis and extension of methods and techniques of the older management sciences;
5. development and use of analytical models in the manner common to the basic sciences;
6. design and use of experimental operations that give an insight into the behaviour of actual operations;
7. use of integrated and creative multi-disciplinary team research to solve complex operational problems.

## 2.2 a detailed analysis of queueing problems

The problems of queueing are common to many branches of life, from service in a supermarket to problems of saturation at a telephone exchange. The fundamental nature of the reasons for the occurrence of queues is important since, as will be shown, this feature will occur at all the service points and information feedback points shown in Fig. 2.

The pioneer investigator was Erlang<sup>3</sup>, who in 1908 did work of a most fundamental nature on telephone switching for the Copenhagen Telephone Company. Since then much of the work has been conducted in the United Kingdom. The work has a common subject matter — that of delays encountered at a service point.

In a queueing situation the following components can be assumed:

1. items requiring a service;
2. service point;
3. service operation.

In other words, the components imply that items should arrive at a service point and as each moves to the service point an operation is carried out; after this operation is completed the particular item is usually of no further interest in the situation considered. Whilst the item in question undergoes a service operation the other items must wait in a queue. Thus the elements of interest are:

1. waiting time of items in the queue;
2. number of items in the queue;
3. service operation time.

Before a detailed analysis of the simple single service point queueing problem can be commenced two parameters must be considered:

1. how much later does an item requiring a further operation arrive than its predecessor;
2. how does the service operation time for each item vary.

As has been shown in Part 1.3 neither of the above parameters can be accurately given values, due to the statistical variation in predicted times caused by unprecedented occurrences. In the case of batch production the predicted times would vary naturally according to a distribution law for both parameters. To determine the actual distribution law a statistical analysis would be required, based on actual observation at each service point. The results would then be compared with results predicted by theoretical functions to determine the function possessing the greatest correlation. It will be assumed here that both parameters have a Poisson distribution<sup>4</sup> since this is generally found to be applicable and provides a simpler mathematical solution. The following solution is for an unspecified distribution law until the Poisson distribution law is introduced.

Consider the following:

1. Let  $t_r$  be the time interval between the arrival of the  $r^{\text{th}}$  and  $(r+1)^{\text{th}}$  items.
2. Let  $s_r$  be the service operation time of the  $r^{\text{th}}$  item.
3. The  $t_r$  are independent random variables with identical probability distributions and the mean,  $E(t_r)$ , is finite.
4. The  $s_r$  are independent random variables with identical probability distributions, each mean,  $E(s_r)$ , being finite and being independent of  $t_r$ .


Whilst an item's arrival and service operation time are independent of the others, its waiting time is not. It is equal to (the waiting time of its predecessor) + (the service time of its predecessor) — (the difference in their arrival times) or zero if this sum is negative. (i.e.)  $w_{r+1} = w_r + s_r - t_r$  if  $(w_r + s_r - t_r) > 0$   
 $= 0$  if  $(w_r + s_r - t_r) \leq 0$

where  $w_r$  is the waiting time of the  $r^{\text{th}}$  item.

Let a new function  $F_r(x)$  be defined as follows:

$F_r(x) = (\text{probability that } w_r \leq x) = p(w_r \leq x)$

This function will be of the form shown below on Graph 1.



Graph 1.

as  $x \rightarrow \infty$ ,  $F_r(x) \rightarrow 1$

as  $x < 0$ ,  $F_r(x) = 0$

as  $x = 0$ ,  $F_r(x)$  may have some finite value

(i.e.)  $F_r(0) = p(w_r \leq 0)$

This is the probability that the  $r^{\text{th}}$  item will not have to wait. In general there will be a different  $F$  for each  $r$ , but each depends on the previous one and the distribution  $F_{r+1}(x)$  can be found if  $F_r(x)$  is known.

(i.e.)  $F_{r+1}(x) = p(w_{r+1} \leq x)$

but  $w_{r+1} = \begin{cases} w_r + s_r - t_r \\ 0 \end{cases}$

$\therefore F_{r+1}(x) = p(w_r + s_r - t_r \leq x)$

Now let  $v_r = s_r - t_r$

which has a probability distribution  $G(U_r)$  such that

$F_{r+1}(x) = p(w_r + u_r \leq x)$   
 $= \sum (\text{probability that } w_r \leq x - u_r) \cdot u_r \text{ (probability of that } w)$

$$= \int_{u_r \leq x} F_r(x - u_r) dG(u_r)$$


In this case one can pass to the limit of infinite  $r$ , so that the limiting case is:

$$F(x) = \int_{u \leq x} F(x - u) dG(u)$$

The quantity  $F(x)$  contains all the information about the behaviour of the waiting line. It should be noted that the significant quantity is  $u$  the difference between  $s$  and  $t$ , and its distribution.


Consider  $F(x)$  in the following three cases:

1. The expected value of  $u_r = s_r - t_r > 0$  (i.e.)  $E(u) > 0$ . (i.e.) The service operation time is generally greater than the interval between the arrivals: over-saturation, hence large queues result and  $F(x)$  takes the form shown in Graph 2.



Graph 2.

2.  $E(u) > 0$ . (i.e.) This case constitutes one of under-saturation and  $F(x)$  takes the form shown in Graph 3.



Graph 3.

3.  $E(u) = 0$ . (i.e.) The case of exact balance, this is of most interest since this would normally be the case in section loading in a factory organisation. With a distribution in  $s_r$  the process can



be considered to have a new starting point each time the queue disappears. The following conclusion can be reached. It is certain that some item will not have to wait, but the time for this event to occur may be infinite. The probability that a particular item will have to wait, however, approaches 1 and the mean waiting time approaches infinity.

Let the distribution for the service operation time and arrival periods be Poisson. In other words it is assumed that the probability of an arrival interval exceeding value  $t$  is given by  $D(t) \sim e^{-\lambda t}$  and the mean value is  $\frac{1}{\lambda}$  and similarly for the service operation times, the probability of the service operation times exceeding value  $s$  is given by  $D(s) \sim e^{-\mu s}$  and the mean value is  $\frac{1}{\mu}$ .

Let  $\rho$  the "traffic density" be defined by

$$\rho = \frac{\lambda}{\mu}$$

Kendall<sup>5</sup> has shown that:

$$\frac{E(w)}{E(s)} = \frac{\rho}{S(1-\rho)} [1 + \text{Var}(sB)]$$

where;  $E(w)$  is the mean waiting time  
 $E(s)$  is the mean service time

$\text{Var}(sB)$  is a measure of the spread of  $s$

As is the general case the following points are found:

1. As the mean arrival rate approaches the mean service rate,  $\rho \rightarrow 1$ , then  $\frac{E(w)}{E(s)} \rightarrow \infty$ , or the mean waiting time is many times the mean service time.
2. Infinite queues and waiting times occur if  $\rho > 1$

### 2.3 queueing problems in batch production

These theoretically determined features of operations being performed on items at a service point are extremely important. If the factory organisation shown in Fig. 3 is considered, it may be seen that a very large number of service points exist throughout the whole organisation. Whilst the exact probability function for the distribution of service times and arrival periods cannot be theoretically determined, a random distribution of the Poisson type seems applicable in the case of batch production problems.

This being the case, at all these service points where a section is loaded to capacity over a period of time as in current techniques (i.e.) the service rate = average rate of arrival, the above theory shows there is a large probability that queues will exist. There is also a probability that the service points will not be called upon to provide a service at a given time. For example, the problems of overloading or waiting time in a machine shop section involved in batch production processes.

It also shows that current scheduling techniques of under-loading sections in proportion to past experience of hazards will not prevent load bottlenecks

(i.e.) the probability of large queues developing still exists.




Fig. 4. (See Section 3.1.)

The writer considers the solution to the problem may be obtained by:

1. accepting the fact that there is a probability that queues will exist at all service points within the organisation;
2. the development of "decision functions" which will enable the queue order to be sequenced in a manner resulting in the optimum profit position of the integral organisation.

### 3.1 scheduling systems

Fig. 4 shows the manufacturing cycle in units of time required to complete the manufacture of  $U_1$ . It will be seen that the longest individual manufacturing cycle  $U_{18}, U_9, U_4, U_1$  governs the length of the overall manufacturing cycle of  $U_1$ . The question may be asked: "How are the individual time cycles ascertained?". One method is to allocate a period of time per operation, irrespective of the actual operation. Justification of this method compared to that utilising estimated times for each operation cannot be made here. Experience has shown, however, that good correlation can be made to exist between the number of operations in the longest individual cycle and the time required for the overall manufacturing cycle, if the following rules are observed:

1. Job-splitting techniques are utilised when any individual operation has an estimated time greater than half the total time period allocated per operation.
2. The transit time between sections is maintained within the remaining half period (transit time is defined to include the time required to complete any necessary intermediate operations between sections).

Thus the overall manufacturing cycle for  $U_1$  is 11 units of time, since the longest individual cycle  $U_{1a}$ ,  $U_{1b}$ ,  $U_{1c}$ ,  $U_{1d}$  contains 11 operations, assuming 1 unit of time is allocated to each generalised operation (see Fig. 4).

The master scheduling plan is constructed by superimposing each new order on to the forward factory load. Each operation is assigned a required completion date one unit of time later than its predecessor. Thus referring to Fig. 4  $U_{10}$  requires two operations,  $1U_{10}$  and  $2U_{10}$ , these will have required completion dates 4 and 5 assigned respectively.

As each operation has a required completion date assigned, the section concerned will receive an additional future load. That is the time estimated by the Ratefixing section to complete the particular operation in question. The problem will arise when the addition of a further load to a section at a specified time will result in the overloading of that section. This problem will be resolved by the Production Control centre by either sub-contracting or revising the planned delivery date to accommodate the given operation at a time when the section in question is not overloaded.

In theory this system should be adequate to enable predicted delivery dates to be maintained. However, as Part 2 has shown, the features of a batch production system are such that probabilities exist that load bottlenecks will occur at any service point in the system. Thus an individual item may be held waiting in a queue at a service point, its actual completion date thus falling considerably behind that required by the master schedule. Unless expediting action is taken the completion of the final assembly must be delayed.

Since operations for items required for many different orders may be held in a queue in an individual section, the proper arrangement of this queue is of prime importance. The following section, the development of decision functions, describes functions enabling queue sequencing to be controlled.

### 3.2 development of decision functions

To illustrate the principle involved in the use of decision functions, consider the following function:

$$\phi = \frac{(\alpha - A)}{(\tau - T)}$$

where:  $\phi$  is a decision function  
 $T$  is date unit is required for despatch  
 $\tau$  is date order received by integral organisation  
 $\alpha$  is actual date  
 $A$  is required completion date on action document for operation concerned

With reference to Fig. 4:


if  $\alpha$  for  $2U_{10}$  was 7 then  $\phi = -2$  (i.e.) ahead of schedule  
 if  $\alpha$  for  $2U_{10}$  was 5 then  $\phi = 0$  (i.e.) on schedule  
 if  $\alpha$  for  $2U_{10}$  was 3 then  $\phi = +2$  (i.e.) behind schedule

Note in the above example the values of the parameters  $\tau$  and  $T$  are taken as the in and out dates for the manufacturing cycle for simplicity. Thus if the value of  $\phi$  was calculated for a series of items in a queue at a section at a given time the queue could be sequenced according to the value of  $\phi$ . It must be stressed that the above function is not the optimum decision function. The form of the optimum decision function would be a highly complex task to compute.

It has been argued that the decision functions should as far as possible reflect the cost of delayed delivery. There are difficulties here since it is often difficult to estimate the market repercussion of late delivery. A more sophisticated function is shown below:

$$\phi^1 = S \left( e^{\frac{(\alpha - A)}{(\tau - T)}} - 1 \right)$$

where  $S$  is the selling price of the unit concerned. This function is shown in graphical form below in Graph 4.



Graph 4.

Here the value of  $\phi^1$  increases rapidly for increasing delay periods.

It would seem probable that the values assigned to the parameters in the optimum decision function would vary for different orders. The problem of computing the form and parameters of the optimum decision function would be essentially that of the operations research type. It would in the writer's opinion be solved not by analytical methods, but by simulation using the Monte Carlo method using an electronic computer <sup>6</sup>.

### 4.1 some problems of information feedback in factory control

The characteristics of management responsibility for control may be defined as the measurement, appraisal and direction of the activities of those in the organisation. In the past the above-mentioned appraisal has too often been based on insufficient information, intuition, past experience, supposition and post mortem reports. The many parameters which must be considered before management decisions may be taken can rarely be measured simultaneously under

existing systems of information feedback. The reason for this is that current information feedback channels invariably involve data processing at several service points in series. These are all subject to probabilities that queues of data will form, with the consequent delays in processing. Thus the management are often presented with incomplete and obsolescent information.

At this stage a brief consideration of a fundamental principle of cybernetics is instructive. Cybernetics<sup>7</sup> has been defined by George as the general name for the study of all control and communication systems. A salient feature of cybernetics is the idea of control being primarily a process of negative feedback. The negative feedback notion of "error actuation" is important, since the writer considers its application to factory control systems can result in a reduction in the volume of data processing required.

The writer considers the use of decision functions described in 3.3 would enable a system of control by "error actuation" to be implemented, which would result in a number of advantages over existing methods of overall factory control.

#### 4.2 suggested methods for implementing control by decision function techniques

The implementation of a system utilising decision function techniques must obviously vary according to the types of batch products the integral organisation is engaged in. The writer envisages a possible system with features summarised below:

1. The present concept of production control and scheduling to be extended to cover all service points within the integral organisation where feasible.
2. Scheduling techniques to be developed to enable service at all service points to be planned.
3. Action documents to be developed to facilitate sub-paragraph 2 above.
4. Optimum decision functions to be developed and the parameters involved to be evaluated for different types of orders.
5. The addition of electronic typewriter stations at all service points, enabling the rapid transmission of all relevant information required for queue sequencing to a factory control centre, for the evaluation and return of decision function values to the service points.
6. The use of a medium-sized general purpose computer suitably programmed to enable
  - (a) the evaluation of decision functions on all orders;
  - (b) the memorising of overdue item's action document identification in two classifications, namely:
    - (i) Order classification
    - (ii) Section classification.

Thus control would exist at all service points in the generic organisation shown in Fig. 2, from the

unit breakdown section to despatch. The electronic typewriter stations would only transmit queueing item's action document information to the control centre at specific intervals of time. This information would be then analysed as described in sub-paragraph 6 above and returned to the service points concerned. The sections would then sequence the items according to their decision function value and complete the necessary service.


#### 4.3 advantages of control by decision function technique

Apart from the use of decision functions to enable queue sequencing to be carried out as described in 4.2, other important data may be readily analysed. If a statistical distribution of the decision function values for the number of overdue items on a specific section were to be constructed, section loading characteristics could be obtained as shown hypothetically in the histograms 1-4. It must be noted that overall loading characteristics cannot be obtained by the "error actuation" principle but are based on the decision function values for all the items on a section at a specific time. The overall loading characteristics are shown in histogram form and are described below:

1. The histograms 1(a) and 1(b) show hypothetical loading characteristics of a section  $S_n$  which has an assumed capacity of 1,000 hours per operation time period. The control of items supplied to the section is near optimum, since in a unit operation time period virtually all the hours contained within the asymptote  $\phi = 2$  (note  $\phi = +2$  assumed  $\equiv$  unit operation time period) will be completed. Under these conditions section throughput will be rapid.
2. The histograms 2(a) and 2(b) show section  $S_n$  overloaded. The number of hours overdue is in excess of the section capacity and a load bottleneck is predicted, thus enabling expediting action to be taken at an early stage if considered necessary in view of future section loading, with the result that section throughput may be maintained reasonably constant.

A second important use to which decision function techniques may be applied is that of the appraisal of an individual order position. If all overdue items on an order are analysed as in sub-paragraph 6(i), further hypothetical histograms, as shown, could be obtained and are described below:

1. The histograms 3(a) and 3(b) illustrate the position of an order showing satisfactory progress compared to the master schedule. In this instance few items are overdue and no special action would be necessary, since these items would be automatically brought to the front or near to the front of the queue in the sections they passed through.



Histograms 1-4 (see Section 4.3).

2. The histograms 4(a) and 4(b) show an overdue order. In this instance the very large number of items and hours overdue could only be resolved by modifying the values of certain parameters in the decision function for the order concerned in the computer memory, to either revise the delivery date or establish a definite "right of way" for overdue items.

The above concepts are obviously embryonic in nature, but provide an indication of the possible sophisticated form of controls made available by the use of decision function techniques.

## 5. conclusion

The problems of factory control in a batch production organisation are extremely complex and the profit position of the organisation must be significantly influenced by their correct solution. The source of many factory control problems has been shown to be that of service at a service point where the rate of arrivals and the service times are subject to a random distribution. It has been shown that where the rate of arrival equals the mean service time, there is a definite probability that large queues will form and load bottlenecks will result at these service points.

Since all sections and information feedback channels within the integral organisation may be regarded as service points, this results in extremely complex multi-stage queueing problems, which cannot be solved theoretically. It would appear that control at all service points is essential and that this control should enable the overall profit position of the company to be optimised.

The writer is convinced that the urgent requirement for dynamic overall scheduling cannot be resolved by any forms of automatic data processing alone, but that control techniques must be developed analogous to control by negative feedback in electronics. Thus control by "error actuation" is required enabling queues to be sequenced to minimise the overall cost of delayed delivery.

The form of "error actuation" control envisaged by the writer is that utilising decision functions in conjunction with rapid feedback of information to a computer control centre by electronic transmitting stations. The advantages of such a system are considered to be:

1. Order position may be accurately summarised at specific intervals enabling expediting action to be taken either to bring overdue items forward or to revise the delivery date by modifying the



requisite decision function parameters in the computer's memory.

2. Accurate section forward load may be predicted at specific intervals enabling expediting action to be taken to maintain the forward load at a level required for rapid throughput.
3. Special orders requiring rapid factory throughput may be easily controlled by the allocation of suitable decision function parameters. The responsibility for deciding the acceptable overall

loss of profit by such action must lie with the management.

4. Decision function techniques may probably be developed further to enable future factory loading to be more accurately predicted.

The Paper deals with only one aspect of factory control but illustrates the research approach the writer considers necessary before any major advances in resolving problems of factory control may be envisaged.

## REFERENCES

1. Professor P. M. S. Blackett, "Operational Research" ; The Advancement of Science, Vol. 5, No. 17, April, 1948.
2. Ellis A. Johnson, "The Executive, the Organisation and Operation Research" ; Operations Research for Management (John Hopkins Press), pages XI - XXIV.
3. E. Brockmeyer, H. L. Halstrom and A. Jensen, "The Life and Works of A. K. Erlang" ; Copenhagen Telephone Company, 1948
4. William Feller, "An Introduction to Probability Theory and its Applications (second printing: New York, John Wiley and Sons Inc.) ; pages 364 - 366.
5. David G. Kendall, "Some Problems in the Theory of Queues" ; Journal of the Royal Statistical Society, Series B, Vol. XIII, No. 2 (1951), pages 151 - 185.
6. D. G. Owen, "Computers and Operational Research" ; The Business Computer Symposium, Paper No. 23, December, 1958, pages 10 - 13.
7. F. H. George, "Cybernetics, Operational Research and Automation" ; The Institution of Production Engineers Journal, Vol. 37, No. 10, October, 1958, pages 634 - 643.

## SELECTED BIBLIOGRAPHY

1. Joseph F. McCloskey and Florence N. Trefethen, "Operations Research for Management" ; No. 1 (John Hopkins Press, Baltimore).
2. Joseph F. McCloskey and John M. Coppinger, "Operations Research for Management" ; Vol. 2 (John Hopkins Press, Baltimore).
3. A. Vazsonyi, "Operations Research in Production Control — A Progress Report" ; The Journal of the Operations Research Society of America, Vol. 4, No. 1, 1956, pages 19 - 31.
4. George Kozmetsky and Paul Kircher, "Electronic Computers and Management Control" (McGraw-Hill Book Company Inc.).
5. John Harling, "Operational Research Case Studies" ; The Institution of Production Engineers Journal, Vol. 37, No. 10, October, 1958, pages 644 - 650.
6. C. M. Berners-Lee, "Machine Loading — An Industrial Application of Computers" ; The Engineer, Vol. 203, No. 5271, 1st February, 1957, pages 169 - 171.
7. Robert M. Gleason, "Systems Planning and Control" ; Special Report No. 12, American Management Association.
8. Joan Woodward, "Control and Communication — A Management Concept of Cybernetics" ; The Institution of Production Engineers Journal, Vol. 36, No. 9, September, 1957, pages 535 - 539.
9. A. J. Rowe and J. R. Jackson, "Research Problems in Production Routing and Scheduling" ; The Journal of Industrial Engineering, Vol. VII, No. 3, May - June, 1956, pages 116 - 121.
10. H. Ford Dickie, "Measurement and Mechanisation of Production Control Scheduling" ; The American Society of Mechanical Engineers, Paper No. 56 F2, September, 1956.
11. Productivity Report: "Production Control" ; British Productivity Council, October, 1953.
12. Robert P. Muller, "How Machine-load Forecasting Can Be Dynamic" ; American Machinist, 26th August, 1957, pages 101 - 104.

# BUSINESS SIMULATION EXERCISES

by R. J. SURY, A.M.I.Mech.E., A.M.I.Prod.E., A.M.I.W.M.

Staff Tutor, Institute for Engineering Production,  
The University of Birmingham.

**W**AR Games and Army "Dry" exercises are well established as a means of training in the armed services. By simulating particular conditions it is possible to test the effects of competing strategies in model form rather than in an actual situation.

Not only has this proved of considerable value in training officers in military strategy, in decision making and in the evaluation of their decisions, but the technique of simulation has served as a basis for the development of new strategies where such basic elements as new armaments have become available. Some similarity exists between the active military and business situations: each organisation has specific objectives to attain at a required level of achievement with a minimum cost.

Under changing conditions of business competition, various strategies are employed in relation to particular company policies and decisions with regard to achieving the objectives must be made. The situations are dynamic and, in their entirety, may well be complex. It is also recognised that the effect of the decisions of competing companies on the achievements of an individual competing company is of an interacting nature.

To assist in the training of management personnel the principle of the "dry" exercise has been adopted for business situations, with the result that over the last three years several Business Games or Business Simulation Exercises have been developed. Prominent among the designers and users of the exercises are:

The American Management Association  
International Business Machines Ltd.  
General Electric Company, U.S.A.  
McKinsey & Co., U.S.A., Consultants  
American Telephone & Telegraph Co.  
University of California, Los Angeles  
Carnegie Institute of Technology  
Shell Mex and British Petroleum Ltd., Great Britain  
The National Coal Board

The exercises are based on the simulation of conditions of varying degrees of complexity and the construction of mathematical models representing dynamic business situations.

The competitive element is maintained by arranging for the training group to be divided into smaller groups representing rival companies or by members competing on an individual basis; the nature of the exercise indicates which of these arrangements is more suitable. In order that the dynamic nature of business may be taken into account, the participants are required to make decisions at regular periods of time in the light of changing conditions. After each set of decisions has been made their effect is assessed. Information is provided of each group's activities and results so that plans and decisions may be made for the subsequent period. Since decisions must be made within a limited time in real life, the periods set aside for decision making are limited in time also. In this way long business periods may be compressed, in terms of results, into a matter of hours or days, depending on the depth of the exercise.

## types of exercise

There are two main classifications: the games may be "interacting" or "non-interacting".

In the former the decisions and achievement of one group will affect the achievement of other groups. In the latter case, the results of decisions are based solely on the work of the group making the decisions.

Games may also be classified as "Functional" or "Total Enterprise". Functional games deal specifically with organisation functions in isolation and may cover such matters as production programme or stock control. "Total Enterprise" games involve participants in making decisions in terms of a company as a whole; such decisions relate to product selling price and expenditure allocations which may provide for the expansion or contraction of production, sales, research and other facilities.

The following examples illustrate the general approach in business simulation exercises from the quick functional type to the more complex total enterprise game in non-computerised or computerised forms. The details given are in broad outline only so that the value to future participants and training bodies is not destroyed. Those responsible for devising the game are mentioned in brackets after each title.

### **Production Programming Exercise (General Electric Co., Inc.)**

This exercise is of the non-interacting functional type which may be conducted on an individual basis, and illustrates the way in which an exercise can be designed to improve efficiency in using a particular technique. Participants are required to programme manufacture so that the overall unit cost of production is at a minimum.

A sales forecast for the year to be planned is available, but it is recognised that individual month's sales have varied by as much as 30% - 35%. The planner must programme manufacture with a policy of producing at a sales level such that inventory carrying charges will be kept at a minimum.

Information is available of direct labour hours per unit, labour pay rates for normal shift, overtime and night-shift working, output capacities and inventory carrying cost. The planner takes over finished stock at the end of December, forecasts requirements for January and further ahead on a tentative basis. A specific level of stock is required at the end of the year for which programming will take place. When the planner has made firm decisions for January he is told the actual sales for the month. Monthly forecasting, firm planning and actual sales follow consecutively throughout the year.

Finally, the costs of carrying inventory, of increasing and decreasing production and of labour are computed on an annual basis and participants' results compared. It is not unusual to find cost differences between participants of 100% or more; the significance of such a wide variance in cost and scheduling efficiency is clearly apparent. All planners start with the same conditions, yet may finish with widely different efficiencies and discover the reasons for themselves.

### **Materials Inventory Management Exercise (Green & Sisson)**

An alternative ordering policy based on Economic Batch Quantity calculation is illustrated by this exercise.

The procedure is somewhat similar to the previous example and participants are able to compare cost analyses of results from scheduling on a "common sense" basis with a schedule based on an Economic Batch Quantity calculation with the Sales trend assessed from a three-week moving average.

### **Personnel Assignment Exercise (Green & Sisson)**

This exercise sets out to allow the participant to compare the results of his initial allocation of manpower with the results obtained from a subsequent understanding and use of linear programming. Thus an operational research technique to solve the problem of minimising costs and maximising profits is illustrated and the exercise is a further demonstration of the way in which interest in a specialist technique can be aroused and its advantages discovered.

### **Marketing Strategy (McKinsey & Co. Inc.)**

A contrasting form of exercise has been developed by McKinsey and Co., as part of their consultant staff training programme.

Three small groups are formed, representing three competitive well-established companies, and each group plays the role of a company top level decision making team. Each company is considered to have developed manufacturing facilities for the production of a similar new product. The product is specified, together with information with regard to the sales practice of each company. Market research information is provided and the average amount that each company may reasonably expect to spend on total marketing effort is stated. Teams must consider matters of product price structure, the effect of the new product on the sales of the present main product, the forward planning of manufacturing capacity, the means of advertising (for which costs of the various media are given), field sales effort, further market research, future product development and other related matters. Firm market strategies for each company must be developed for the first year, and each group chairman presents a report on his company's decisions to all participants.

With the knowledge of other companies' first year decisions, each group must then re-examine its policies and establish firm strategies for the next four years. Policies for the first year can be changed for the subsequent four-year period.

Groups are again brought together for the presentation of the four-year strategy decisions. A representative from each team appraises the strategy of competitors and a further representative defends his own company strategies.

The exercise provides an example of a business game which has no positive winner and is less dynamic in nature. Judgment is based on the critical appraisal of the persons conducting the game; where these are experts in the particular field, the exercise serves as a useful basis for training in the consideration of decision effects.

### **Business Management Game (McKinsey & Co. Inc.)**

The first version of this exercise was developed by G. R. Andlinger and J. A. Greene and is described fully in the Harvard Business Review March - April, 1958. It is probably more widely used than any other total enterprise game. The effect of team decisions is determined partly by statistical probability. In this regard random number tables are used, by the assessors only, with cut-off points determined by specific probability levels. Probability levels change depending on investment and other matters; rules for decisions on such points are built into the structure of the exercise, which is run without the use of a computer.

The structure of the management exercise is such that two or three teams, representing the management

Location of Salesmen	Actual Sales	ASSETS				CASH			
					£				£
1 ... 2	2	Cash ... ..	...	...	2,000	Beginning cash ... ..	...	...	2,000
2 ... (2)	—	Accounts receivable ... ..	...	...	100,000	Accounts, receipts, collections ... ..	...	...	100,000
3 ... —	—	Inventory-finished goods ... ..	...	...	18,000				
4 ... (1)	1	Work in Process ... ..	...	...	84,000	Total income ... ..	...	...	102,000
5 ... 1	—	Plant ... ..	...	...	180,000				
6 ... —	—	Total assets ... ..	...	...	£384,000				
7 ... 7	—	NEW WORK IN PROGRESS							
8 ... —	—	Fixed cost ... ..	...	...	15,000	Total expenses ... ..	...	...	32,000
9 ... 10	2	Variable cost (10) ... ..	...	...	30,000	Work in process cost ... ..	...	...	45,000
10 ... —	—	Total work in process ... ..	...	...	£45,000	Plant investment ... ..	...	...	—
11 ... 8	2					Total outgo ... ..	...	...	77,000
12 ... —	—	PROFIT AND LOSS STATEMENT				Ending cash balance ... ..	...	...	£25,000
13 ... 3	1	SALES AND INVENTORY							
14 ... —	—			Units	£ Value	£ Sales	£ Value		
15 ... 9	—	Beginning inventory ... ..	...	4	18,000				
16 ... —	—	Production ... ..	...	10	45,000				
17 ... 4	2	Total inventory ... ..	...	14	63,000	63,000			
18 ... —	—	Less units sold ... ..	...	14		63,000			
19 ... 5	—	Ending inventory ... ..	...	NIL		NIL			63,000
20 ... —	—				£				
21 ... —	—	GROSS MARGIN ... ..	...						77,000
22 ... 6	3	Hiring expense ... ..	...						
23 ... (6)	1	Salaries ... ..	...	20,000					
24 ... —	—	Advertising ... ..	...	12,000					
		Research and development ... ..	...						
		Factoring expense ... ..	...						
		Staff work ... ..	...						
		Total expense ... ..	...	£32,000					32,000
		NET PROFIT ... ..	...						£45,000
Total sales 14		NOTE — one page advertising required in each region.							

Fig. 1.

personnel of one-product capital goods companies, compete for a common market. In effect, each management is responsible for the overall running of a company from the state of initial building of plant to the end of a trading period of several years.

After an initial briefing, and possibly a short trial run, decisions are made for a quarterly period. The accompanying Decision Form and Profit and Loss Statement (Fig. 1) indicates the main elements involved. Assessors compare the decisions of each company, allocate sales if any have been made, complete the Profit and Loss Statement and return a copy of

the statement to the appropriate team. On the basis of his information decisions are made for the subsequent quarter.

Team decision periods are normally in the order of 20 minutes, decreasing as the exercise progresses to 15 minutes. Very careful planning is necessary to ensure effective umpiring so that each assessment is not only accurate, but is completed within an equally short time.

Methods of working, presenting, comparing and finally assessing results are similar to the following game.



## Management Decision Making Laboratory. Model 1 (International Business Machines Ltd.)

This interesting exercise, originally developed for their own executive training programme, has been made available to industry generally by IBM Limited and is a further example of a "total enterprise" interacting decision game.

Here a mathematical model of a business economy has been constructed, and programmed for a computer, within which three companies produce and sell the same product in competition with each other. Small groups are formed; different members of each group assume the responsibility of advising on particular aspects of each company's business—for example, Finance, Marketing, Research and Development, Production and Plant.

Each company starts on the same basis, with a good trading potential but a financial position which is far from healthy. The objective is to put the company into a good financial position, but final judgment in deciding on the most successful company is based not only on profits and total assets at the end of the exercise, but on long term operation plans as well.

Each company has a different geographical home area, in which its factory and administrative offices are established, and thus has a transportation advantage in its own territory. A fourth area has no company and offers equal competition to each of the three firms.

Decisions for each quarter-year's company opera-

tions are made at 30-minute intervals reducing the periods to 15 minutes, and entered on special forms. The information is transmitted to an electric computer installation where it is translated on to punched cards and fed into an IBM 650 computer. The computer calculates the results of the period's trading and a summary is listed (Fig. 2) for each member of each company by a printing machine. The complex data processing takes only a matter of minutes, so that the effects of four or five years' operations can be compressed into two days. Teams must make decisions in terms of expenditure on production, marketing, transportation, research and development in relation to their ability to meet their financial commitments.

Selling prices may be varied in the different sales areas and, within limits, increased marketing expenditure can increase the demand for the product. Investment in increasing production efficiency can reduce the unit cost of production. Extra plant may be installed and manufacturing capacity increased, but if plant utilisation is low due to lack of orders the unit cost of production increases. Inventory may be carried to meet future orders, but the cost of investment will not be recovered until sales are completed.

These are just a few of the matters in which decisions must be made. Teams must make decisions on general policy and also on specific items to achieve their objectives. But one of the most valuable conclusions at which participants arrive is that no aspect of company planning can be considered in isolation.

### Management decision-making laboratory

#### Model 1

Company 3 Period 1					Date				
Item	Area	Area 1	Area 2	Area 3	Item	Area	Area 1	Area 2	Area 3
Company 1 Price	4000	40 00	40 00	40 00	Total sales	Cash	9841		
Area price					Inventory		1023		
Area marketing expenditure					Plant		5200		
Export sales (units)					Total		16064		
Company 2 Price	40 00	40 00	40 00	40 00	Total sales	Cash	9841		
Area price					Inventory		1023		
Area marketing expenditure					Plant		5200		
Export sales (units)					Total		16064		
Company 3 Price	40 00	40 00	40 00	40 00	Total sales	Cash	9841		
Area price					Inventory		1023		
Area marketing expenditure					Plant		5200		
Export sales (units)					Total		16064		
Orders received (units)					Change in position				
Area 1	Area 2	Area 3	Area 4	Total					
141	141	141	300	723					
141	141	141	300	723					
350	350	350	750	1800					
Marketing expenditure					Production				
Area 1	Area 2	Area 3	Area 4	Total	Sales income	9840			
20	20	101	100	241	Cost of goods sold	8428			
20	20	101	100	241	Transportation	180			
50	50	250	250	600	Marketing	600			
800	800	4040	4000	9640	Research and development	100			
Sales income	3697	3697	3697	3597	Depreciation	104			
Export sales with cost					Income before taxes	229			
Area 1	Area 2	Area 3	Area 4	Total	Taxes	114			
211	234	257	260	29	Net income	114			
3620	3525	3453	3444	3526					
7638	8258	8874	8954	1023					

Fig. 2.




Fig. 3(a).

If teams are to determine trends and check their position from time to time records and graphs must be kept so that a full appreciation of a situation may be gained and decisions made accordingly.

Not least in importance is the critique session at the end of the business venture. A complete graphical analysis of the long trading period covered provides a visual comparison of trading results. Company chairmen then state their policies, decisions and reasons for their actions. Successes, failure and hopes for the future are examined and, it is hoped, a broader and valuable view obtained of the top level decisions involved in running a manufacturing company.

#### possible limitations of business exercises

For purposes of playing time the results of some decisions may be achieved earlier than may well be the case in practice — for example, company expansion by the purchase and installation of new plant. An exercise may also lose some of its reality by some simplification of what could be extremely complex conditions.

Participants are sometimes disturbed at an apparent ability, on the part of an exercise designer, to specify the cost of running out of stock. Indeed, this is a problem which frequently confronts operational researchers and which they are unable to quantify precisely. But the originator of the exercise has simply emphasised that a cost must be recognised and has inserted a penalty accordingly.

It is possible that wrong conclusions may be drawn. For example, a profit may be made by an unrealistic curtailing of expenditure on such items as Sales,

Service, Research and Development. A game may be won by making such decisions just before the end of the exercise. However, originators establish standards of good practice so that such subterfuges may be taken into account by the assessors.

Points such as these emphasise the need for company organisers of such games, or lecturers, to stress possible differences from reality and to draw attention, particularly in the critique session, to lessons which may be learned from the actual decisions made, within the limits of the economic structure which has been simulated.

It is most improbable that general exercises of any magnitude will reflect individual company practices. However, such a criticism would be far from fair since it was never intended that they should. Rather, where such an advantage is required, it emphasises the need for a company to simulate its own conditions and, indeed, operational researchers are tending to do this as a by-product of their normal investigations.

#### a recent course on Business Simulation Exercises

A special course, of one week's duration, was held recently at the University of Birmingham, Institute for Engineering Production, within its series of residential executive courses.

The course was arranged in co-operation with Professor Franklin G. Moore, of the University of Michigan, who has extensive experience of the application of a wide variety of such exercises.

Course members, from widely different industries, examined and participated in a variety of games from the simpler to the more sophisticated types. The




Fig. 3(b).

IBM computerised exercise was played and the charts in Fig. 3 show the graphical analysis of the results of three competing groups. Considerable interest was aroused and members were able to gain a valuable insight into this new form of training and examine the advantages of introducing or extending the use of business games in their companies.

Experience by other education bodies (for example Sundridge Park Management Centre), where course members have taken part in repeat sessions of exercises, has shown that the ability of participants to make decisions has improved.

#### the significance to the production engineer

Production engineers are aware of the necessity of reconciling specialist requirements within a company so that overall objectives can be attained. But decisions with regard to such compromises only become the responsibility of the production engineer when he assumes very senior executive authority. Preparation for making decisions based on an overall rather than a specialist view is vital, therefore, if the engineer is to pass from a purely specialist to a wider administrative function. The use of business simulation exercises in this regard is not an attempt to underestimate the importance of experience gained




Fig. 3(c).




Fig. 3(d).




Fig. 3(e).






Fig. 3(f).

by real life responsibility, but rather the acquisition of decision-making experience within preconceived limits and without loss to a manufacturing company. We recognise that training solely "by exposure" in a real life situation can be very expensive.

The production engineer will always be concerned with training his staff; the use of exercises simulating functional conditions can improve their ability in an atmosphere approaching reality. At the same time, responsible executives are forced to appraise the techniques demonstrated and the critical view adopted tends to an improvement of techniques rather than an acceptance of standard practice.

The Institution of Production Engineers, in recognising the broadening horizons of production engineering, has revised its examination requirements; it has been necessary to increase the demand on students. A thorough knowledge of topics such as Industrial Management, Management of Production, Applied Statistics and Operational Research, may perhaps best be obtained by teaching them in isolation. But a proper understanding of their importance in practice may be obtained only by knowing their relationship to, and effect on each other, and on the business situation as a whole. Lecturers take pains to stress such connections and, in these exercises, now have a

new means of emphasising inter-relationships, and many other important management factors, in the broad study of production engineering. But, more important, the student learns these relationships by active participation under conditions which, by comparison with the case study method, are far from static.

As time goes on we shall see a growth of such exercises and a more detailed simulation of production engineering conditions and data. Such a development should add further interest to the study of the engineering disciplines on which the Institution is founded.

#### BIBLIOGRAPHY

- "An Experimental Business Game" by Austin C. Hoggatt, The University of California. "Behavioral Science" Vol. 4, No. 3, July 1959. Published by the Mental Health Research Institute, The University of Michigan, 428E Preston St., Baltimore 2, Maryland. Also published by Maryland and the Mental Health Research Institute, The University of Michigan, Ann Arbor, Michigan.
- "Dynamic Management Decision Games" by Green & Sisson. New York, John Wiley & Sons Inc. London, Chapman & Hall Ltd.

(concluded on page 408)

# SIXTH CONFERENCE OF STANDARDS ENGINEERS

## Record Attendance at May Meeting

The Sixth Annual Conference of Standards Engineers, held on 11th May, 1960, at the Connaught Rooms, London, attracted a record attendance of 280 delegates. These included engineers, designers and other technical or administrative experts with a responsibility for the application of standards in a wide variety of industries. This year a welcome was specially extended to a number of overseas visitors and representatives of the technical press.

The Chairman of the Conference, which is organised jointly by the Institution of Production Engineers and the British Standards Institution, was Mr. R. E. Mills, Chairman of the I.Prod.E. Standards Committee.

THE Conference was opened by Mr. Lewis Wright (Past Chairman of the British Productivity Council and Chairman of the T.U.C. Production Committee). Mr. Wright conveyed the cordial good wishes of British trades unionists to standards engineers in the work they were doing and would do in years to come. Standardisation, he said, was still almost virgin soil. Though there were over 3,000 British Standards in use today, most of those present surely felt that more like 30,000 should be in operation if all were to work as well and efficiently as they ought.

In the photograph below, some of the delegates are seen registering before the opening of the Conference.



Daily and even hourly, Mr. Wright continued, it was demonstrable how nonsensical parts of British production could be without standardisation. But it was not only engineering problems that standardisation helped solve, but also those of industrial communications. One of the outstanding defects of industry today was the manner in which so many requirements of it make different languages—from top management to workers on the shop floor. The B.S.I. *Glossary of terms in work study*, for example, had proved very useful, and this was one of the kinds of work that should go on and which deserved encouragement. It had been useful to management, trade union officials and workers.

### no standardisation of man

One of the prime things that had to be remembered in the work of standardisation was that though engineers would be thinking of practical engineering problems and such things as variety reduction, man himself could not be standardised. It was necessary to fit the job to the worker and not *vice versa*.

It was appropriate that, as a trade union leader, he should confirm at the present time his support of the B.S.I.'s work, and should also take the opportunity to reiterate that he did indeed support production and efficiency, but he would affirm that human activities were in no way subordinate. Mr. Wright concluded by repeating his good wishes on behalf of the trades unions, and by hoping that the present and future work of the B.S.I. would have every success.

As the culmination of discussions during the past year, a decision was taken by delegates attending the annual Conference of Standards Engineers to bring together in an association those concerned with the application of standards in industry. It was agreed that no separate organisation—as was earlier envisaged—should be set up, but that standards engineers and others with a special interest would be able to become associates, on a personal basis, of the British Standards Institution.

The new proposals, outlined to delegates by the Director of B.S.I., were the result of consideration over the year by the I.Prod.E./B.S.I. Committee in consultation with others. Mr. Binney explained that the new proposals would provide standards practitioners with the forum they so evidently desired, and in which they could meet, hold discussions and exchange views. To the few delegates at the Conference who said they would prefer to have an extension of the U.K. branch of the Standards Engineers' Society (of America) Mr. Binney said that B.S.I. was not itself

advocating the adoption of either proposal but was merely anxious to serve standards engineers in the best way possible in accordance with what appeared to be the strong majority view.

Mr. H. B. Bowden (Standards Engineer, AG-Delco) was warmly supported by many when he said that an associateship scheme seemed the best way of tackling the job, but that as a long-term objective they should have close ties with the Standards Engineers' Society in the interests of international standardisation.

Mr. H. Stafford (Standards Engineer, United Steel Companies Ltd., and Past Chairman, I.Prod.E. Standards Committee) said that standards engineers wanted a U.K. grouping of their own and that the only suitable body to sponsor the work was the B.S.I.

After further discussion, delegates by an overwhelming majority voted in favour of the B.S.I. associateship scheme.

It was also agreed at the Conference that there would be regional activities and that initially a fee of a guinea a year would be charged for registration of those who wished to participate.

An application form was available for those wishing to be associated in this new grouping. (Standards engineers who were not at Conference may obtain copies of this form by writing to: The Joint Secretary I.Prod.E./B.S.I. Committee, British Standards House, 2 Park Street, London, W.1.)

An inaugural meeting of all those expressing a wish to participate in the associateship scheme will be held in London on Friday, 8th July.

## ELECTIONS AND TRANSFERS — concluded from facing page

### PETERBOROUGH SECTION

As Associate Member  
M. A. I. Jacobson.  
As Student  
D. J. Blythe.  
Transfer:  
From Graduate to Associate Member  
E. Kent.

### PRESTON SECTION

As Associate Member  
J. J. Francis.  
As Graduate  
E. Hunter.  
As Students  
A. K. Bird; D. Norris; H. B. Bloor;  
M. Norris; R. C. Watson.  
Transfers:  
From Associate Member to Member  
W. R. Thompson.  
From Graduate to Associate Member  
J. Shorrocks.

### READING SECTION

As Members  
G. A. Hunt; J. Hann.  
Transfer:  
From Associate Member to Member  
S. R. J. Goddard.  
From Student to Graduate  
J. Gifford.

### ROCHESTER SECTION

As Graduate  
K. W. Simpson.  
As Students  
A. W. J. Henderson; G. T. Wilson; K. E. Bowles.  
Transfers:  
From Graduates to Associate Members  
D. J. King; E. F. Free.

### SHEFFIELD SECTION

As Associate Member  
J. Berryman.  
Transfers:  
From Associate Members to Members  
C. Sargent; H. W. Brayshaw.  
From Graduate to Associate Member  
P. W. Wells.

### SHREWSBURY SECTION

As Member  
J. R. Martin.  
As Students  
G. A. Cowdroy; D. R. J. Gosling.  
Transfer:  
From Associate Member to Member  
R. Norton.

### SOUTH AFRICA SECTION

As Graduate  
H. W. Van Hooff.  
As Students  
P. C. Kruger; L. R. Tyler.  
Transfer:  
From Student to Graduate  
B. J. Youngworth.

### SOUTH ESSEX SECTION

As Associate Members  
J. C. Searle; F. H. C. Stroud.  
As Graduate  
R. F. Savidge.  
As Students  
F. B. James; M. A. Weinberg.  
Transfers:  
From Associate Members to Members  
T. H. Ward; S. A. Clodd.  
From Graduates to Associate Members  
R. Charlton; A. L. Foster; P. Hayward;  
R. A. Malivoire; N. M. Powell.  
From Student to Graduate  
A. T. Humphrey.

### SOUTHAMPTON SECTION

As Graduates  
P. F. Schluter; J. M. Mossom; V. P. Moores.  
As Student  
R. G. Bishop.  
Transfers:  
From Associate Member to Member  
S. G. Statham.  
From Graduate to Associate Member  
N. G. Badley.

### STOKE-ON-TRENT SECTION

As Associate Member  
H. Johnson.  
Transfers:  
From Associate Members to Members  
R. Pagett; T. Proctor.

### SWANSEA SECTION

As Associate Members  
G. Gronow; E. B. Moore.  
As Graduates  
D. B. Ennis.  
Transfer:  
From Student to Graduate  
J. C. Challenger.

### SYDNEY SECTION

As Graduate  
J. E. Thomson; K. A. Stallard.  
As Students  
I. B. Roach; R. H. Munro.  
Transfers:  
From Graduates to Associate Members  
D. C. Crooks; C. J. Brookes.

### TEES-SIDE SECTION

As Graduates  
K. Robertshaw; A. Wilson.  
As Students  
J. Barr; T. P. B. Johnstone; A. Veitch;  
S. Lobb.  
Transfers:  
From Associate Members to Members  
E. Cowell; G. W. Brodie; T. J. Scudder.

### WESTERN SECTION

As Associate Member  
C. E. S. Burgess.  
As Students  
J. A. Hulin; D. Pickering; C. E. Feltham;  
M. W. N. Morrell; K. D. Breakwell;  
M. C. Skinner.  
Transfers:  
From Associate Member to Member  
D. G. Scott-Maxwell.  
From Graduate to Associate Member  
D. G. Iles.

### WOLVERHAMPTON SECTION

As Associate Member  
G. F. Gilmore.  
As Graduates  
J. E. Whittle; A. K. Mitra; I. Gailas;  
J. R. Griffiths; T. L. Bartlett.  
As Students  
M. D. Moore; K. J. Lloyd; P. N. Carter;  
N. Chakrabarty; P. Westwood.  
Transfers:  
From Associate Member to Member  
G. T. Price.  
From Graduate to Associate Member  
F. W. Slater.

### WORCESTER SECTION

As Associate Member  
G. H. Hopkins.  
As Students  
B. Lockyear; J. B. Carmichael.

### NO SECTION

As Member  
E. R. Adams.  
As Associate Member  
N. A. Hawa.  
As Students  
J. P. Jangra; P. J. F. Spedding; H. S. Wah;  
K. M. Chan; K. P. Chen; K. C. Kwong;  
C. H. Kong; C. K. Lai; L. M. Kun-San;  
Y. K. Lao; K. C. Pau; T. F. Chwang.  
Transfers:  
From Associate Member to Member  
G. A. P. Waplington.  
From Graduates to Associate Members  
F. P. Wallace; L. Wix; M. S. U. D. Khan.

# ELECTIONS AND TRANSFERS

28th April, 1960.

## BIRMINGHAM SECTION

**As Members**  
W. H. Davies; S. A. Tobias.  
**As Associate Member**  
H. J. Hemmings.  
**As Associate**  
D. T. Nicholls.  
**As Graduates**  
C. Kendrick; B. A. Picken; S. C. Ludgate;  
W. Turnbull; G. Brown; J. B. Allen;  
B. W. Grigg; V. G. Haynes; J. Domone;  
A. R. Guy; D. W. Aston; S. H. Watson.  
**As Students**  
B. A. Osborne; E. W. Pyke; P. Deakin;  
M. L. Perry; W. H. P. McWhirter.  
**Transfers :**  
**From Associate Members to Members**  
J. R. Brooks; V. E. Shute; G. H. Crump;  
F. E. Rattlidge; R. D. Preece.  
**From Graduates to Associate Members**  
R. J. Clarke; G. W. Jackson; E. L. J.  
Thorne.  
**From Students to Graduates**  
J. T. Wilkinson; M. R. L. Daniel; J. S.  
Detheridge.

## BOMBAY SECTION

**As Associate Members**  
E. M. N. Manekshaw; S. C. Roy.  
**As Students**  
P. S. Manickam; B. R. Dinesh; N. K.  
Bhaduri; M. U. Kurakose.  
**Affiliated Firm**  
The Indian Tool Manufacturers Ltd.

## CALCUTTA SECTION

**As Student**  
S. Sarkar.  
**Transfer :**  
**From Associate Member to Member**  
J. W. L. Russell.

## CANADA SECTION

**Transfers :**  
**From Graduates to Associate Members**  
B. Mansell; D. A. King.  
**From Graduate to Associate**  
J. M. H. Heines.  
**From Student to Graduate**  
A. C. Middleton.

## CARDIFF SECTION

**As Associate Members**  
W. Jones; A. M. Davis.  
**As Graduates**  
J. G. Beese; T. L. Quick.  
**As Students**  
G. Roberts; G. Evans; G. C. Hitchings;  
C. Spratling.  
**Transfers :**  
**From Associate Member to Member**  
A. E. Dodson.  
**From Graduates to Associate Members**  
D. J. Tantrum; P. I. Collier.  
**From Student to Graduate**  
D. A. T. Long.

## COVENTRY SECTION

**As Member**  
F. Bailey.  
**As Associate Member**  
G. H. C. Rhodes.  
**As Associate**  
V. F. Roberts.  
**As Graduates**  
L. S. Clarke; K. S. Wilson; C. A. Walters;  
A. Cordiner.  
**As Students**  
R. C. Turner; A. Dennis; R. A. Vervard;  
A. N. Clark; J. A. Wood; B. O'Neill;  
B. J. Tuck; D. B. Davies; R. L. Scowen;  
J. C. Dickinson; B. P. Woodroffe; D. A.  
Harrison; W. R. Gregory; M. J. Halligan;  
C. Tipson.

## DERBY SECTION

**Transfers :**  
**From Associate Member to Member**  
N. C. Hallsworth.  
**From Student to Graduate**  
J. A. Moore.

## EDINBURGH SECTION

**As Graduate**  
I. E. Henson.

## GLASGOW SECTION

**As Associate Members**  
D. F. Irving; E. McL. Thompson.  
**As Graduate**  
A. U. Stuart.  
**As Student**  
J. S. Waddell.  
**Transfers :**  
**From Associate Member to Member**  
E. W. Bennett.  
**From Graduate to Associate Member**  
J. Blair.  
**From Student to Graduate**  
K. J. Morrison.

## GLOUCESTER SECTION

**As Associate**  
C. A. Scovell.  
**As Graduate**  
I. J. Maguire.  
**Transfer :**  
**From Associate Member to Member**  
B. W. Gregory.

## HALIFAX & HUDDERSFIELD SECTION

**Transfers :**  
**From Associate Member to Member**  
A. Webster.  
**From Student to Graduate**  
M. A. Cooper.

## LEEDS SECTION

**As Graduates**  
D. Linley; R. G. Nield; P. J. Hartwell;  
D. G. Oxley.  
**As Students**  
R. V. Hingorani; A. A. Matthews.  
**Transfers :**  
**From Associate Members to Members**  
N. L. Akerman; S. M. Maude.  
**From Graduate to Associate Member**  
D. Critchley.

## LEICESTER SECTION

**As Member**  
J. I. Ryder.  
**As Students**  
A. D. Hammons; R. B. Smith.  
**Transfers :**  
**From Associate Members to Members**  
J. H. Devonald; P. K. Digby; T. J. Coombes.

## LINCOLN SECTION

**As Member**  
B. P. Dabell.  
**As Associate Member**  
H. Spencer.  
**As Graduate**  
D. G. Sentance.  
**As Student**  
K. J. Howkins.  
**Transfers :**  
**From Associate Members to Members**  
A. Bourne; R. G. Reid.

## LIVERPOOL SECTION

**As Student**  
A. J. O'Rourke.  
**Transfers :**  
**From Associate Member to Member**  
J. V. Steele.  
**From Graduate to Associate Member**  
A. Gibson.

## LONDON SECTION

**As Members**  
S. R. Kilner; C. H. Blackburn.  
**As Associate Members**  
F. W. H. Penk; T. R. J. Sexton; P. O'Neill;  
P. F. Jones; J. Margolis; R. L. Bradley;  
R. F. Stoyke; K. E. Monger.  
**As Associates**  
V. Dhruva; N. R. J. Simmonds.  
**As Graduates**  
J. W. Tucker; R. G. W. Pye; E. S. Jaques;  
B. A. Turner; E. G. Woolgar; A. J. Coppen;  
B. W. Smith; P. D. P. Vicary; R. Kell;  
J. V. Rawson; R. W. Kelsall; J. E. Garton;  
C. P. G. Bateman.  
**As Students**  
J. S. Slavik; A. G. Albone; A. Schmidt;  
G. E. Mason; R. W. Sach; D. A. Rose;  
D. O. G. Clarry; D. E. McLaurin.  
**Affiliated Firm**  
Associated Machine Tool Makers Ltd.

## Transfers :

**From Associate Members to Members**  
C. T. Gould; G. S. Spraggon; C. Evans;  
K. W. Atkinson; R. J. W. Every; J. Levin;  
C. R. Croucher; H. J. Rogers; A. C. Keir;  
R. J. C. Whitaker; A. J. K. Parker;  
E. J. S. Thomas; W. F. Fisher; A. A. Paget;  
J. M. Alexander; B. F. Smith; D. W. Wood;  
H. M. Keegan; C. C. Bates; H. L. Madeley;  
S. H. J. Freemantle; R. Hutcheson;  
H. Thaker; F. O. Gloss; S. W. Hoskins;  
M. D. J. M. Brisby; R. O. Girdlestone;  
C. W. Ward.  
**From Graduates to Associate Members**  
D. S. Flood; R. A. Judd; J. F. Everett;  
P. Dyce; M. V. Ellis.  
**From Students to Graduates**  
B. J. L. Watts; I. Butcher; S. F. M. Samy.

## LUTON SECTION

**As Associate Members**  
B. W. James; R. B. Hunter.  
**As Graduates**  
P. Roake; C. Brown; G. M. Mitcheson;  
K. A. Startin; M. F. J. Frost; R. Brown;  
T. B. Shaw.  
**As Students**  
J. H. Whitaker; L. E. Almond; F. Flowers;  
A. E. Smith; R. A. Loxley.  
**Transfers :**  
**From Graduates to Associate Members**  
J. S. Harman; D. Priestley; A. M. Warr;  
P. A. L. Signorini.

## MANCHESTER SECTION

**As Member**  
W. Cusworth.  
**As Associate Members**  
N. J. Jones; R. Fielding.  
**As Students**  
J. T. A. Morris; T. E. F. Hollinshead;  
D. E. Living.  
**Transfers :**  
**From Associate Members to Members**  
A. E. Kay; A. Ormerod; J. Renouprez;  
A. Edwards; W. T. Neill; A. G. Cooper;  
H. Sykes.  
**From Graduate to Associate Member**  
A. A. Davenport.  
**From Students to Graduates**  
B. M. Rensler; A. E. Jordon.

## MELBOURNE SECTION

**As Associate Members**  
S. E. Silk; R. J. Griffiths.  
**As Graduates**  
W. G. Johnstone; R. D. Jones.  
**New Affiliated Firm**  
Royal Mint.  
**Transfer :**  
**From Associate Member to Member**  
A. Pead.

## NEWCASTLE SECTION

**As Member**  
W. B. Fenwick.  
**As Graduate**  
J. S. Firth.  
**As Students**  
J. W. M. Ashton; M. J. Roberts; R. Wyatt;  
B. J. Parry; J. Greenwell; M. Dobbins;  
R. R. Whitehurst.  
**Transfer :**  
**From Associate Member to Member**  
J. Doyle.

## NORTHERN IRELAND SECTION

**As Associate Member**  
W. K. McWilliam.  
**Transfer :**  
**From Associate Member to Member**  
T. A. Rose.

## NOTTINGHAM SECTION

**As Member**  
K. E. Middleton.  
**As Graduate**  
B. A. Golding.

## OXFORD SECTION

**Transfers :**  
**From Associate Members to Members**  
C. L. Field; A. A. C. Jacobsen.  
**From Students to Graduates**  
B. C. Baker; D. M. Sellwood.

(continued on facing page)



## THE PRESIDENT

Members will have learned with pleasure that Mr. G. Ronald Pryor, President of the Institution for 1959 - 1960, has been elected to a second term of office. Mr. Pryor has over many years served the Institution, in various capacities, with untiring enthusiasm and complete selflessness, and his activities as President, during a particularly arduous year, have rendered even greater the debt which the Institution owes him. In the past 12 months he has travelled over 10,000 miles to visit Sections and Regions in the United Kingdom, and his programme for the current year is no less extensive.

Mr. Pryor was educated at Wellington College, Salop, and apprenticed, in 1919, to the family firm of Edward Pryor & Son Ltd., of Sheffield, of which Company he is now Chairman and Managing Director. He is also Chairman of Punch Forgers Ltd., of Sheffield. A well-known and widely-respected figure in Sheffield, he is a Past President of the Institution's Section there. He is also a Vice-Chairman of the Council of PERA, on which body he has served since 1950. He has served on the Council of the Sheffield Chamber of Commerce since 1951, and was subsequently appointed Vice-Chairman of the Education Committee of the Chamber.



The Institution is indeed fortunate that Mr. Pryor has agreed to remain in office for a further year, and will unquestionably derive much benefit from his continued advice and guidance.

## THE VICE-PRESIDENT

The election to the Vice-Presidency of Mr. Harold Burke will be warmly acclaimed. Mr. Burke has been a member of the Institution since 1932, and has been prominent in Institution activities for many years, including service as Chairman of Council from 1952 to 1954. He is, however, probably best known to the membership for his work as Chairman of the Special Committee on Reorganisation, which in 1952 produced what has come to be known as "The Burke Report".

Mr. Burke is Group Joint Managing Director of The Concentric Manufacturing Company Limited.



The Principal Officers (among whom is included the Immediate Past Chairman of Council, Mr. H. W. Bowen, O.B.E.) take office on 1st July, 1960.

# PAD OFFICERS, 1960-61

## THE CHAIRMAN OF COUNCIL

**Mr. R. H. S. Turner, M.A.(Cantab.),** *Director and Works Manager of Associated Electrical Industries (Manchester) Limited,* joined the Institution in 1936, and his election to the Chair will give immense pleasure and satisfaction to his countless friends and colleagues, particularly in the North-West. He holds the additional distinction of being the first member who, having joined the Institution as a Graduate, has ultimately achieved this high office.




Mr. Turner has made a notable contribution to the success and development of the Institution in the North-West Region. He is a Past President of the Manchester Section, a Past Regional Chairman, and serves currently on the Section and Regional Committees.

Educated at King's College School, Wimbledon, and St. John's College, Cambridge, Mr. Turner was a college apprentice at Metropolitan-Vickers Electrical Company Limited during 1930 - 1932. Following appointments in the Erection, Instrument and Meter, and Plant Departments, he became Superintendent of the Plant Department in 1948, and was appointed Assistant Works Manager, Main Works, Trafford Park in 1952. In 1954, he became Works Manager, and was made a Director in 1955.

In addition to his Institution activities, he is a member of the Technical Policy Committee of PERA, and is Chairman of the Association's Metal Cutting Committee. He is also a member of the Institute of Directors.

Mr. Turner brings to the office of Chairman of Council a well-deserved reputation for balanced judgment and the ability to make rapid and accurate assessments of both situations and individuals, together with a quiet charm which impresses all with whom he comes into contact. The Institution can undoubtedly look forward to a stimulating year under his leadership.



## THE VICE-CHAIRMAN OF COUNCIL

**Mr. A. L. Stuchbery, M.I.Mech.E.,** has been elected Vice-Chairman of Council. Mr. Stuchbery, who is Chief Technical Engineer of The Metal Box Company Limited, and Immediate Past Chairman of the South Eastern Region of the Institution, was one of the earliest members of the Institution, having been elected in 1924.

He has a long record of continuous service to the Institution and his election to office will be unanimously approved by the membership.

# REPORT OF THE MEETING OF COUNCIL

28th April, 1960

THE fourth and last meeting of the Council for the year 1960 - 61 took place at 10 Chesterfield Street, Mayfair, London, W.1, on Thursday, 28th April, 1960, at 11 a.m. The Chairman (Mr. H. W. Bowen, O.B.E.) presided over a meeting of 35 members. Before proceeding with the business of the meeting, he welcomed as visitors Mr. R. H. Cannon, Hon. Secretary of the Luton Section, and Mr. L. P. Coombes, Chairman of the Oxford Section.

## Election of Principal Officers, 1960 - 61

The motion by the Chairman that Mr. G. Ronald Pryor and Mr. Harold Burke, respectively President and Vice-President of the Institution for the current year, should be re-elected for a further term of office, was carried by acclamation.

In response, Mr. Pryor said he had found the Presidential office to be a most exacting and exhausting occupation. But it was also a very great privilege and a most rewarding assignment, and he was most appreciative of the confidence vested in him by the Council's action.

Mr. Burke, expressing his thanks to the Council, said he would do his best to continue to serve the Institution on the pattern laid down by Mr. Pryor.

The Chairman also moved the election to the Chair for 1960 - 61, on the completion of his own term of office, of Mr. R. H. S. Turner. Mr. Turner had carried out his duties as Vice-Chairman in exemplary fashion, and his reports on the overseas Sections had been outstanding. *The motion was carried by acclamation.*

Mr. Turner, in response, said he regarded his election as a great honour. He hoped he would be able to live up to the very high standard set by his predecessors. It would be a privilege to serve under the Presidency and Vice-Presidency of Mr. Pryor and Mr. Burke.

It gave him considerable pleasure to nominate as Vice-Chairman of the Council an old friend, Mr. A. L. Stuchbery. Mr. Stuchbery was very well-known to members and had served the Institution for many years in many capacities. He had deservedly earned a reputation for keeping a close eye on the financial side of the Institution. It was long overdue that Mr. Stuchbery should fill the office to which he was nominated. *The motion was carried by acclamation.*

Mr. Stuchbery, in reply, said he had been touched by the invitation to serve as Vice-Chairman of Council. He would carry out faithfully any duties he undertook, with loyalty to the Chairman and, it was hoped, with benefit to the Institution.

## Subscription Rates for Members Outside U.K.

The Council adopted the recommendation put forward by the Vice-Chairman, and seconded by Mr. H. Gregory, that the subscription rates for members outside the U.K. be revised as shown on page 433.

## Finance

The Council adopted the report on the Institution's finances for the period July, 1959 - March, 1960. It appeared likely that the budgeted surplus of income over expenditure would be achieved by the end of the Institution year.

## Polish Conference on Teaching Production Engineering

It was reported by the Finance and General Purposes Committee that the Polish Society of Mechanical Engineers had invited the Institution to send a delegate to a Conference on the teaching of production engineering. It had been agreed that the Education and Technical Officer, Mr. F. W. Cooper, should represent the Institution.

## Secretary's Commonwealth Tour

The Secretary advised the Council that he was preparing a comprehensive report on his tour which would be circulated to members in advance of the next meeting.

He wished, however, to take this earliest opportunity of expressing his gratitude to the Council for making the tour possible. It had been an experience such as he had never had before, and from a personal point of view, it had been a great adventure.

The most dominant impression he had formed was that there was an infinite future for production engineering and for the Institution in the Commonwealth countries, and he would enlarge on this in his written report.

He had been received with the utmost kindness and interest wherever he went, and in general terms he was convinced that his tour had done a great deal of good.

Sir Walter Puckey, who had been in India and in Australia at the same time as the Secretary, said he could state emphatically that Mr. Woodford had done a very good job indeed. He had heard him expressing the views of the Institution on several occasions during his tour and, in Sir Walter's view, he was a very worthy representative.

### Formation of Indian Council

Sir Walter Puckey advised the Council that he had attended the very impressive inaugural meeting of the Indian Council, held in New Delhi. The day's ceremonies concluded with a reception, to attend which some of the guests had travelled over 2,000 miles. At the invitation of the Indian Council, Sir Walter had addressed the assembly on the Institution's past, present and future activities.

### Education

It was reported that the Education Committee were currently reviewing two important documents recently issued by the Ministry of Education: The Crowther Report, and "The Routes into National Certificates and City and Guilds Courses".

Work was also proceeding on the final report of the Practical Training Sub-Committee.

### Membership

The Council approved a number of applications for membership and transfer, details of which appear on pages 428-429.

In regard to Theses, the Membership Committee had revised the Notes for Guidance issued to candidates submitting a Thesis, and had considered an amended marking scheme.

### The Journal

The Editorial Committee reported that "The Production Engineer" had been well-received, particularly by advertisers. The steep and unexpected rise in membership of the Institution over the past nine months had meant that production costs had risen more than was anticipated, but the Journal continued to show a small surplus of income over expenditure.

Discussions were continuing with the appropriate Committees on the publication by the Institution of original research Papers.

The Secretary commented that there was great satisfaction in the Commonwealth with the new Journal. Overseas members, he added, would like to

## ANNUAL SUBSCRIPTIONS OUTSIDE U.K.

Grade	NEW RATE	U.K. Rate	Differentials	Increases
	£ s. d.	£ s. d.	£ s. d.	£ s. d.
Member ... ..	7 7 0	8 8 0	1 1 0	1 11 6
Associate Member ...	5 5 0	6 6 0	1 1 0	10 6
Associate ... ..	5 5 0	6 6 0	1 1 0	10 6
Graduate over 35 ...	5 5 0	6 6 0	1 1 0	2 2 0
30 - 35 ... ..	3 13 6	4 4 0	10 6	10 6
under 30 ... ..	3 3 0	3 13 6	10 6	—
Student ... ..	1 11 6	2 2 0	10 6	—
Affiliated Organisation				
(per representative)	10 10 0	10 10 0	—	—

(The membership subscription for Australian members to be in £A's. At the present time, the Australian £ is equivalent to 15s. in U.K. £'s.)

The overseas Councils and Sections have agreed that the present capitation fee be abolished, and that the standing charge of 25% of subscription income be remitted to the United Kingdom each year, the subscription income to include:-

Subscription renewals (including affiliated organisations)

Subscription arrears

New Subscriptions

Transfers (additional subscriptions).

(A standing charge of 25% based on last year's accounts would have equalled (to within a few pounds) the amount remitted to the United Kingdom on the 25s. capitation fee. Furthermore, since the increased subscriptions will mean additional income for the overseas Sections, a proportionate amount of the increase will accrue to Headquarters.)

Subject to the Council's agreement, the new subscription rate for all members outside the United Kingdom and the standing charge to be remitted to the United Kingdom each year, will come into operation as from 1st July, 1960.



see the publication of more case study work of a practical nature.

### Research

The Chairman of the Research and Technical Committee, Mr. B. G. L. Jackman, reported that in the previous week a most successful seminar on Operational Research had been held at Headquarters, conducted by Professor Shephard of the University of California. (*A report appears on pages 436 - 437.*) The seminar had been oversubscribed, and in response to many requests, would probably be repeated.

Mr. Jackman also drew the Council's attention to the Annual Conference of the European Organisation for Quality Control, which was to be held in London in September, 1960. The theme of the Conference was "Control in Production Quality and Its Value to Industry" and he commended it to all members of the Institution.

The following reports were also received on behalf of the Research and Technical Committee :-

### Materials Handling Group

A Sub-Committee of members of the Materials Handling Group within the London area had been formed, the Chairman being Mr. L. W. Bailey. The first official activity of this Sub-Committee was a visit to the Mechanical Handling Exhibition on 11th May. (*See page 437.*)

The Group Committee had undertaken to produce a philosophy of materials handling for publication and work on this was proceeding. Work continued on the report of the Study Group with the Building Research Station, for publication in the Journal.

### Computers and Production Control

Three meetings of the Sub-Committee had been held during the quarter, additional members had been co-opted, and it was hoped to produce an interim report this year.

### Control of Quality

The Sub-Committee had been reconstituted and an inaugural meeting was held on 24th February. It was planned to supply material for publication in the Journal, drawing attention to the Sub-Committee's aim of creating awareness of the value of product quality and supplying information for its achievement.

The Institution was represented on the Organising Committee for the E.O.Q.C. Conference to be held in London later in the year.

### Co-ordination of Production Management Techniques

The Sub-Committee continued its work and aimed to produce an essay, posing rather than solving the problem, within the next 12 months.

### Materials Utilisation

This Sub-Committee was now in recess, after the publication of its successful report "Improved Materials Utilisation".

### Standardisation

It was reported that the Chairman of the Standards Committee, Mr. R. E. Mills, had been invited to preside over the Sixth Conference of Standards Engineers, organised by the Joint I.Prod.E./B.S.I. Committee. The Conference was now firmly established and had again been fully subscribed. (*A report appears on pages 427 - 428.*)

The Sub-Committee on International Standardisation had met several times during the quarter and had prepared comments on several I.S.O. recommendations.

### The Library

It was reported by the Library Committee that a second supplement to the Library Catalogue was in course of preparation. Work continued on the history of the manufacture of the small electric motor, which is intended to illustrate the history of production engineering.

### Region and Section Quarterly Reports

The Council discussed very fully policy in regard to Quarterly Reports. It was suggested that the system be changed so that Sections reported quarterly to Regions — and not to Council as at present — and that Regions should report annually to the Council; such Regional reports to form the basis of Council discussion.

It was finally agreed that this proposal should be referred to the Finance and General Purposes Committee, and subsequently to the next meeting of Council for further consideration.

### Liaison with Overseas Sections

The Vice-Chairman of Council reported that he had received from some overseas Sections letters expressing appreciation of the Secretary's visit. There was also a communication from the Chairman of the Canadian Section, enquiring about the possibility of a visit from Mr. Woodford, accompanied by a senior member of the Council, sometime during 1960.

The Vice-Chairman had also received a letter from the Chairman of the Bombay Section, conveying thanks for the work done by Sir Walter Puckey, Mr. Woodford and Mr. F. W. Cooper on their recent visit.

Mr. Steer, President of the Australian Council, had advised the Vice-Chairman that he hoped to attend the next meeting of the Council.

### Obituary

The Council recorded with deep regret the deaths of the following members :-

*Members :* F. Guylee; R. W. Harris; H. Ellis; G. Marsh; J. W. Messinger; H. G. Ramsell; L. W. Smith; Col. C. G. Warren-Boulton.

*Associate Members :* A. C. Badger; J. Buckley; J. Boddy; J. S. Sanders; R. B. Scott.

*Graduates :* P. L. Felton; K. K. Kapur.

### Other Business

Before concluding the business of the meeting, the Chairman, Mr. H. W. Bowen, O.B.E., expressed his thanks to all those members who had served on the Council during his two years of office. He thanked them not only for their hard work, but also for the support which they had given him personally. He also acknowledged with gratitude the support he had received from the President, Mr. Pryor, his predecessor, Lord Halsbury, and the Vice-Chairman, Mr. Turner. Last, but by no means least, he thanked Mr. Woodford and Mr. Caselton for their assistance, which had been of a very high order. Everything possible had been done to make his path an easy one.

The President said that Mr. Woodford had received a number of compliments, but one point had been missed. This was that he had retained the services of a first lieutenant so efficient that during Mr. Woodford's very long absence at the busiest time of the year, the affairs of the Institution at Headquarters had been continued efficiently and smoothly, without trouble of any sort. The President therefore moved

that the Council should record their appreciation of all the work done by Mr. Caselton during this period. *The motion was carried by acclamation.*

Mr. J. Winskill moved a hearty vote of thanks to Mr. Bowen for his able Chairmanship of the Council during the last two years. Every man brought to the Chair his own individual talent, and in Mr. Bowen's case it was his aptitude for saying to somebody, when something had to be done: "You are the man to do it", whether it be in London or 200 miles away, and then waiting for the bread which he had cast upon the waters to come back. Mr. Bowen had done that with great success, and members of Council had enjoyed sitting under his excellent Chairmanship.

*The vote of thanks was carried by acclamation.*

### Date of Next Meeting

It was agreed that the next Meeting of the Council should take place on Thursday, 21st July, 1960, at 10 Chesterfield Street, Mayfair, London, W.1, at 11 a.m.

---

## COUNCIL ELECTIONS, 1960-61

The number of vacancies for Elected Members of Council was nine; (eight Members and one Associate Member). As the number of nominations received equalled the number of vacancies, no ballot was necessary. The following members are, therefore, elected to serve on Council for the year commencing 1st July, 1960.

#### Members :

C. E. Darlington

J. G. Noble

J. W. H. Smith

P. Jeffrey

P. J. Shipton

J. H. Winskill

R. E. Leakey

L. P. Simpson

#### Associate Member :

G. V. Bevan

## OPERATIONAL RESEARCH SEMINAR

ON 19th-20th April, 1960, the Institution's Council Chamber was filled to capacity with members attending the first seminar on Operational Research to be organised by the Institution.

**Mr. B. G. L. Jackman**, in opening the seminar, stated that the Research and Technical Committee, of which he had the honour to be Chairman, was increasingly aware that modern scientific techniques as applied to production engineering were developing rapidly. In order to keep members abreast of these developments, the Institution had taken the opportunity offered by the European Productivity Agency to utilise the services of specialist consultants from the U.S.A.

The first of these seminars would be conducted by **Professor R. W. Shephard**, of the University of California. He went on to say that Professor Shephard, after graduating in Mathematics and Economics from the University of California, had held various posts in industry and had also undertaken various assignments for U.S. Government Agencies, these being mainly in the field of Industrial Application of Statistics and Operational Research techniques.

In 1956 he was appointed to his present position as Professor of Industrial Engineering and during this time he once again undertook various research projects. In addition, he was the author of a number of publications on economic and mathematical subjects.

Professor Shephard in presenting, in a clear and witty style, various aspects of Operational Research, showed the members of the seminar that mathematical methods could be of immense value in overcoming industrial problems. He demonstrated by means of worked examples methods of tackling such problems as machine shop loading; least cost scheduling of deliveries; production planning for minimisation of manufacturing and inventory costs and problems of inter-process storage.

The seminar was divided into four main sessions, the first of which dealt with linear programming; the example worked was in determining a machine loading problem with linear constraints. A graphical solution was worked out, but Professor Shephard recommended that the majority of these problems would be better dealt with by the "Simplex Method", developed by Philip Wolfe of the Rand Corporation, since the number of constraints met with in actual practice did not allow graphical solutions to be used.

In non-linear problems, particularly where the objective to be optimised could be expressed as a



Mr. Bernard Jackman, Chairman of the Research and Technical Committee, opens the Seminar. Professor Shephard is on his left.

sum of separable concave functions, the method normally adopted was to break the problem down to one of a linear nature.

For both linear and non-linear problems the Simplex method utilised the concept of the slack variable which reduced inequalities in the constraints to those of equalities.



Part of the Seminar in session.

Where the number of constraints was large and manual computation became exceedingly tedious, the use of a computer was desirable. Standard programmes were now available and at the present time could accommodate a total of approximately 200 constraints.

Professor Shephard was of the opinion that this number had not been increased because it was felt that it should be possible to simplify most industrial problems to well below this number.

Where optimisation of the programme was not a simple linear function, because of the existence of certain relationships, and the discrete nature of the assignment variables, recursion methods, usually described as Dynamic Programming, were used. Two case histories were worked, the first on minimisation

of manufacturing and inventory costs and the second on least cost scheduling of daily local deliveries of a factory making glass bottles.

In the last session of the seminar Professor Shephard briefly covered the problems of queuing, and the specific cases where they arise and can be dealt with by many mathematical processes available today.

In conclusion, Professor Shephard pointed out that in his experience the concepts of Operational Research techniques could be dealt with by engineers with only a limited knowledge of mathematics at their command, but if the full benefits of these techniques were to be fully realised, then a good working knowledge of mathematics and statistics was necessary, particularly when attempting to deal with situations containing factors liable to variation.

### FORMATION OF MATERIALS HANDLING GROUP (LONDON SECTION)

On Friday, 4th March last, a meeting was held at the Institution's Headquarters to discuss the possibility of setting up a London Section of the Materials Handling Group, and about a dozen interested members attended.

Mr. F. E. Rattlidge, the Chairman of the Institution's Materials Handling Group Committee, who had come specially from Birmingham to attend the meeting, outlined the aims of the Materials Handling Group and gave details of the attempts being made to stimulate interest in other Sections of the Institution. As a result of this initial meeting it was decided to set up a London Section of the Materials Handling Group. The members attending constituted themselves, for the time being, a Committee, under the Chairmanship of Mr. L. W. Bailey.

Since that time, two further meetings have been held and by the time these notes appear the Committee will have met once again, on 2nd June.

It is the intention of the London Section Committee to organise various activities connected with Materials Handling, and it is hoped eventually to build up a very active Group.

There is at present under consideration a number of works visits and the organisation of seminars dealing with Materials Handling and allied subjects, and it is also intended to initiate some research projects.

These various activities are, however, wholly dependent upon the support of the members of the Institution and of the London Section members in particular, and the Committee will welcome hearing from all those having an interest in this important sphere of the production engineer's work.

Membership of the Materials Handling Group is of course confined to members of the Institution of



During the 1960 Mechanical Handling Exhibition at Olympia, the London Section Group took the opportunity of making an official visit, and were honoured by having with them the President of the Institution, Mr. G. Ronald Pryor. This photograph, taken during the visit, includes (left to right) Mr. D. Gwynne; Mr. P. H. Steer, Chairman, Brighton Sub-Section; Mr. B. L. Soane; Mr. L. Holt; Mr. R. H. Norris; Mr. L. Cook; Mr. W. F. S. Woodford, Institution Secretary; the President; and the Committee Chairman, Mr. L. W. Bailey.

Production Engineers (all grades) but it is free, and application forms are readily available from the Head Office at 10 Chesterfield Street, Mayfair, London, W.1.

For those members centred along the South Coast the Brighton Sub-Section are keen to build up a group and those interested should contact Mr. D. Gwynne, at Underwood Business Machines Ltd., Brighton.



## NORTH MIDLANDS REGIONAL CONFERENCE

The One-Day Conference organised by the North Midlands Region of the Institution, on the theme, "The Production Engineer in a Changing Economy", attracted an attendance of some 200 members and their ladies, who enjoyed a most interesting day.

The delegates were welcomed by the Mayor of Derby, who is shown (right) with the Mayoress; Mr. A. G. Clark, Regional Chairman; Mr. Harold Burke, Vice-President of the Institution and one of the Conference speakers; and Mr. F. Morley, Chief Design Engineer, Rolls-Royce Ltd. (Aero-Division), who also gave a Paper. A report of the proceedings will appear in the August issue of "The Production Engineer".



Photograph by courtesy of "Derby Evening Telegraph"

## NEWS OF MEMBERS

**Mr. W. G. Ainslie**, Member, has been promoted to Senior Lecturer in Engineering Production in the University of Birmingham. Mr. Ainslie is Chairman of the Institution's Education Committee.

**Lt. Col. E. Hebblethwaite**, Member, is now Production Manager of 34 Base Workshop, R.E.M.E., Wellington, Salop.




**Mr. F. G. Phipps**, Member, has now relinquished his appointment as Director in charge of Production, in view of his impending retirement from Davy United Ltd. on 30th June, 1961. Until his retirement, Mr. Phipps will remain a Director of Davy and United Roll Foundry and of Davy and United Instruments Limited.

**Mr. E. L. Tuff**, Member, has been appointed a Director and Deputy Chairman of Peco Machinery Sales (Westminster) Limited.

**Mr. E. W. Bird**, Associate Member, has now left his position as Works Manager to Messrs. C. Abrey & Co. Ltd., and has taken up an appointment with Messrs. Bailey (Malta) Ltd., of Valetta, Malta, G.C.

**Mr. E. N. Corlett**, Associate Member, until recently Tube Investments Research Fellow, has now been appointed D.S.I.R. Senior Research Fellow in the Department of Engineering Production in the University of Birmingham. Mr. Corlett is a Corresponding Member of the Institution's Papers Committee.

**Mr. Arthur Sykes**, O.B.E., Member, a Past Chairman of the Yorkshire Section, was recently presented by the British Gear Manufacturers Association with a gold medal, to mark his outstanding services to the industry. Mr. Sykes, who is technical consultant to the David Brown Gear Group, is the first member of the B.M.G.A. to receive this honour.



**Mr. J. Pearson**, Associate Member, has recently been transferred from the Automobile Division of David Brown Industries Ltd., to the Tractor Division of the same concern where he has taken up an appointment as Assistant Works Engineer.

**Mr. R. D. Turner**, Associate Member, has been appointed Managing Director of Metal Castings Ltd.

**Mr. J. C. Wood**, Associate Member, is now Works Manager with I. Ross & Co., Morley, Yorks.

**Mr. R. Archibald**, Graduate, is now a Junior Production Engineer with The Glacier Metal Company, Kilmarnock.

**Lieutenant J. H. A. Mason**, Graduate, is now Air Engineer Officer at 89 Naval Air Squadron, Lossiemouth, Morayshire.

**Mr. F. J. Silvester**, Graduate, has recently left the United Kingdom to take up an appointment on behalf of his firm, with the Union Carriage & Wagon Co. (Pty.) Ltd., Transvaal, South Africa. Mr. Silvester will be in South Africa for at least 12 months.

## DIARY FOR 1960-61

AUGUST 24-28	...	...	Symposium, at The College of Aeronautics, Cranfield. Subject: "Machine Tool Control Systems" (see Supplement).
SEPTEMBER 17	...	...	Fourth Graduate and Student Convention, Birmingham (see Supplement).
SEPTEMBER 21	...	...	The 1960 E. W. Hancock Paper, in London.
OCTOBER 12-14	...	...	National Conference, at Brighton. Theme: "Modern Trends in the Manipulation of Metals" (see Supplement).
NOVEMBER 2	...	...	Annual Dinner, at the Dorchester Hotel, London.
NOVEMBER 10	...	...	The 1960 Sir Alfred Herbert Paper, at The Royal Institution, London.
JANUARY 12-13	...	...	Eighth Aircraft Production Conference, Southampton.

## Hazleton Memorial Library

### ADDITIONS

Members are reminded of the following Library rule, which is frequently ignored:

"The initial loan period is one month, and borrowers may keep books and periodicals for further periods of one month, if they ask the Librarian, and if no other borrower wants them. Applications for renewal may be made by post or telephone."

Muchnick, Samuel N. "Adhesive Bonding of Metals." Presented at Rubber and Plastics Session, American Society of Mechanical Engineers Meeting, June, 1955. Philadelphia, the Franklin Institute, 1955. 15 pages Graph.

Niedzwiedzki, Antoni. "Manual of Machinability and Tool Evaluation: a treatise built upon advanced European and American concepts and theories, and the results of the author's own experimentation and practical experience in engineering and machine shop." Cleveland, Ohio, Huebner Publications, 1960. 97 pages. Illustrated. Diagrams. Graphs. Tables. \$6.00.

In this book the author attempts to bridge the gap between theory and practice, and between European and American concepts of machining with carbides and high-speed steel tools. The ideas of many technical groups in Europe and the United States have been evaluated and analysed by the author, who has combined them with the results of his own experiments, calculations and observations. The manual shows how it is possible to

predict the amount of tool wear obtained in a given cutting time from a given set of machining conditions, and to calculate power consumption in advance of machining. The manual's spiral binding makes it easy to hold and work with.

Contents:- Chapter 1. Scope of the report. Objective—Tool wear—Designations—Mathematics. Chapter 2. Tool life formulas. General remarks—Tool life criterion—Cutting speed influence—Chip load influence—Depth of cut influence—Diameter turned influence—Hardness influence. Chapter 3. Power consumption formulas. General remarks—Cutting Speed influence—Chip load influence—Chip load and workpiece hardness. Chapter 4. Cutting tests. Tool geometry—Test records—Test evaluation. Chapter 5. Test results. Small scattering of test results—Large scattering of test results—Abrasive steels. Chapter 6. Computation of Standards. Machinability classification—Development sheets—Recommendation sheets—Crossed charts. Chapter 7. Practical Conclusions. Material specifications—Tool inspection—Machine tool selection—Possible extension of applied methods. Appendices. Bibliographical references—Index to charts and tables—Index to figures and graphs.

Rippen, Kenneth H. **"Office Buildings and Office Layout Planning."** London, New York, etc., McGraw-Hill Book Company, 1960. 182 pages. Illustrated. Diagrams. Plates.

The first half of this book deals with the planning of offices and office space administration. The remainder deals with office construction, and the factors which management needs to consider in its choice of site, architect, rent of building and so on.

Shephard, Ronald W. **"Non-linear Programming."** (Distribution between products manufactured with the same facilities and resources.) Paris, Organisation for European Economic Co-operation, European Productivity Agency, 1960. 50 pages. Mimeo. (E.P.A. Project 6/02-A1-Operations Research.)

Smith, J. Sandford. **"Punched Cards."** London, Macdonald and Evans, 1960. 161 pages. Illustrated. Diagrams. £2 10s. 0d.

Punched cards are used chiefly for accountancy and allied office procedures. The reason for this, in the opinion of the author, is that most of the people concerned in installing punched card machines, are, like himself, accountants and not engineers. But, he says, punched cards should by their very nature be an almost perfect medium for controlling production. The three production control case studies presented in this book should be of especial interest to production engineers.

The first part of the book explains what punched cards are, how they work, and the equipment and types of equipment necessary in their operation. The author then discusses the managerial aspects of punched card installation: when and in what circumstances to instal punched cards; how to prepare for a punched card installation (e.g., staff training; arranging a smooth changeover from conventional methods; type of accommodation and layout necessary); The organisation of a "punched card department"; the adaptation and design of procedures to fit punched card operation. The author then describes actual and potential relationships between punched cards and other type equipment. In assessing the future development of punched cards, he says that there is a probable link between punched cards and full computer application.

There follow 15 case studies showing the application of punched cards to day-to-day routines of business, grouped under the following heads:- sales accounting; payroll; stock control; production control; unusual applications. This section is illustrated by pictures of currently available cards, and the companies whose procedures are described are named.

Although there is necessarily emphasis laid on non-engineering applications of punched cards, there is much in this book to interest production engineers.

Svensson, Yngve. **"Arbetsstudier i England."** Stockholm, Arbetsstudietekniska Institutet, 1959. 73 pages. Illustrated.

The Swedish Work Study Institute, publisher of this report, studies the development and application of work study in Sweden and other countries. On its behalf, the author visited England in 1959, and spent five weeks visiting government, professional, teaching, research and industrial establishments, which either practice work study or promote its use. In this well-arranged report he describes their policies and practices. Twenty-nine such organisations are listed in the directory section, together with the responsible officer or "contact". The author concludes his report by expressing the hope that it will help to establish co-operation between English and Swedish work study people. "We have so many interests in common with the English, that a continuous exchange of experience should be of the greatest value for us both." In Swedish.

Thompson, A. G. **"High Productivity in Heavy Engineering: Production, Inspection and Cost Control in Welded Fabrication."** London, Iliffe, 1960. 339 pages. Illustrated. Diagrams. 65s.

The introduction of welded fabrication into heavy engineering has led to the development of a whole range of new techniques, which have considerably altered the production methods of many firms and industries (e.g., the shipbuilding industry). This book, as far as possible, avoids repeating what has already been published about welding and concentrates on the technology which has been built up round welded fabrication: accurate dimensioning, cutting machines, including computer controlled flame profiling machines, and welding machines. There is a chapter on the latest metal-working processes essential for efficient fabrication, which includes details of the various machines which have been evolved for performing sheet and plate. The second half of the book is devoted to costing.

Contents:- Introduction — Layout and organisation of modern fabrication shops — Dimensioning for accurate fabrication — Metal working processes — Assembly and handling — Welding processes — Quality control and inspection — Cost in relation to output — The time to do the job — Use of cost data — Productivity improvement.

Tin Research Institute, Greenford, Middlesex. **"The Properties of Tin."** Greenford, the Institute, 1954. 55 pages. Tables. 2s. 6d.

Town, H. C. **"Cutting Tools, Jigs and Fixtures."** London, Odhams Press, 1960. 247 pages. Illustrated. Diagrams. 25s.


The first part of this book surveys recent developments in various types of cutting tools, and introduces cutting materials such as ceramics. Diamond tools are dealt with also. The basic features of cutting tool design are considered including such matters as negative rake cutting for the efficient utilisation of cemented carbide tools, and the design of cutters for down-cut milling and square-hole milling. Heat treatment, cutting speeds and feed rates, and form tool design and calculations are included. Jigs and fixtures are described and discussed in the second part, and examples are given of a wide range including pneumatic and hydraulic devices. Although the book is not concerned with machine-tool design, a comparison of machining methods is presented, and a selection of machines and equipment is described for unit construction, attachments, or conversion from single to general purpose machines. There are sets of worked examples in cutting tool and jig and fixture design. In writing this book, the author, who is Principal of Keighley Technical College, has had in mind technical college students, taking courses in tool design and principles of engineering production, and those working for the appropriate examinations of the Engineering Institutions and the City and Guilds examinations in Machine-Shop engineering.

Contents:- Theory of metal cutting — Cutting materials — Heat treatment and grinding of tools — Lathe and planing machine tools — Drilling, boring and reaming tools — Milling cutters — Broaching practice — Cutters for spur and work gearing — Worked examples in tool and cutter design — Economics of jig and fixture practice — Factors in design — The choice of machining methods — Selection of machines and tooling equipment — Pneumatic and hydraulic jigs and fixtures — Router, welded and non-metallic jigs and fixtures — Worked examples in jig and fixture design

Wiggin (Henry) and Company Limited, Birmingham. **"Wiggin Electrical Resistance Materials."** Birmingham, the Company, 1952. 102 pages. Tables.

# THE LEADERS IN ALL FIELDS OF INDUSTRY RELY ON **RIC** FOR THE FINISH TO MATCH THE HIGH STANDARD OF THEIR PRODUCTS

**S&C**  
and other famous firms  
specify R.I.C. finishes  
—they're the finest



G.E.C. "Double-Plus"  
Washing Machine



G.E.C.  
"Fabulous Four" Refrigerator




## INDUSTRIAL FINISHES

**ROBT INGHAM CLARK & COMPANY**

Head Office: 93-97 New Cavendish Street • London W.1 • Tel: LAngham 0831

Depots: Belfast, Birmingham, Bristol, Glasgow, Leeds and Liverpool





Mobil D.T.E. Oils stand head and shoulders above all ordinary oils. They give *balanced* protection and performance that no oil on the market today can equal.

**Mobil D.T.E. Oils give you the following advantages:**

**LONGER OIL LIFE**

**QUICK SEPARATION FROM WATER**

**FREEDOM FROM DEPOSITS**


**PROTECTION AGAINST RUST AND CORROSION**

**LESS WEAR**

**HIGH TEMPERATURE STABILITY**

# Balanced

**Mobil D.T.E. Oils  
to reduce  
maintenance  
costs and  
increase  
production**



**ASK THE MAN  
FROM MOBIL ABOUT  
BALANCED OILS**

Our representative will give you the facts—the facts about the performance of Mobil D.T.E. Oils in comparison tests with other well-known hydraulic and circulating oils. Ask the man from Mobil to call and explain how Mobil D.T.E. oils can reduce maintenance costs and increase production



**ECONOMY SERVICE**

# The Council of the Institution

1960/1961

## President

G. Ronald Pryor

## Vice-President

H. Burke

## Chairman of Council

R. H. S. Turner

## Vice-Chairman of Council

A. L. Stuchbery

## Immediate Past Chairman of Council

H. W. Bowen, O.B.E.

## Past Presidents

Major-General K. C. Appleyard, C.B.E. Sir George Bailey, C.B.E. E. W. Hancock, O.B.E. The Rt. Hon. the Earl of Halsbury  
Sir Leonard Lord, K.B.E. The Rt. Hon. Viscount Nuffield, C.H., G.B.E. Sir Walter Puckey Norman Rowbotham, C.B.E.  
J. D. Scaife Dr. H. Schofield, C.B.E. The Rt. Hon. the Lord Sempill, A.F.C. Sir Cecil Weir, K.C.M.G., K.B.E., D.L., M.C.

## Presidents of Councils outside the United Kingdom

AUSTRALIAN COUNCIL — J. M. Steer

SOUTH AFRICAN COUNCIL — C. J. Mogford

## Chairmen of Regional Committees

### East & West Ridings

H. Crompton

### Eastern

L. A. Childs

### Midlands

T. W. Elkington

### North Midlands

A. G. Clark

### Northern

A. Cameron

### North Western

H. Mason

### Northern Ireland

E. W. Huggins

### Scotland

H. W. Townsend

### South Eastern

W. Robinson

### Southern

C. Sumner

### South Western

F. G. C. Sandiford

### Wales

W. H. Bowman

## Additional Representatives on Council

### East & West Ridings

R. W. Asquith

### Midlands

E. P. Edwards

### North Western

H. G. Gregory

### South Eastern

G. Kelly

## Chairmen of Standing Committees

B. E. Stokes

(Editorial)

B. G. L. Jackman

(Research and Technical)

F. C. Cooke

(Papers)

L. W. Bailey

(Library)

W. G. Ainslie

(Education)

R. F. Mills

(Standards)

A. Betts Brown

(Membership)

## Elected Members

G. V. B. Bevan C. T. Butler R. S. Clark C. E. Darlington Prof. N. A. Dudley B. H. Dyson J. France P. G. H. Jeffrey  
R. E. Leakey S. G. E. Nash J. G. Noble J. Silver P. J. Shipton L. P. Simpson J. W. H. Smith H. Unsworth J. H. Winskill  
G. A. J. Witton

## Chairmen of Sections outside the United Kingdom where Councils are not established

### Bombay

A. Miller

### Canada

S. Carroll

### Calcutta

N. N. Sen Gupta

### New Zealand

J. C. Fantham

## Overseas Councils

### AUSTRALIA

#### President

J. M. Steer

#### Chairman

E. J. W. Herbert

#### Immediate Past President

W. Gwinnett

#### Vice-Chairman

H. J. Baker

#### Honorary Secretary

L. W. Worthington

#### Honorary Treasurer

K. G. Slorach

#### Delegates

B. H. Coombes C. Curtis R. W. Deutsher S. Downie N. L. Eaton N. A. Esserman C. A. Gladman  
R. Harris A. G. Jones A. E. Newcombe A. Pead F. W. Penny C. Pullen

### SOUTH AFRICA

#### President

C. J. Mogford

#### 1st Vice-President

D. A. Petrie

#### 2nd Vice-President

G. G. Tardrew

#### Past Presidents

A. B. Anderson R. H. Arbuckle L. H. L. Badham D. N. S. Clare W. G. Gillespie H. J. G. Goyns J. Henry T. H. Hunter  
D. Lion-Cachet J. Renwick D. E. Hamm

#### Elected Members

R. W. Chapple G. T. Chawner E. H. Dallas P. C. Ellett D. A. Horton M. McKenzie Hunter G. K. Melvill  
H. H. Waters R. Young

### SECTION CHAIRMEN

H. J. Baker	Adelaide	E. J. W. Herbert	Melbourne
J. Silver	Birmingham	J. C. Fantham	New Zealand
A. Miller	Bombay	C. E. Darlington	Newcastle upon Tyne
N. N. Sen Gupta	Calcutta	E. W. Huggins	Northern Ireland
S. Carroll	Canada	W. A. Pitt	Norwich
G. R. Faulks	Cardiff	G. H. Hodgkins	Nottingham
F. B. Coombes	Cornwall	C. L. Field	Oxford
A. S. Dick	Coventry	L. P. Simpson	Peterborough
H. L. Barman	Derby	H. Kench	Preston
G. L. A. Draper	Doncaster	A. H. Ralph	Reading
J. N. Low	Dundee	R. Bradford	Rochester
R. Grant	Edinburgh	H. Steel	Sheffield
G. V. Stabler	Glasgow	S. L. Robinson	Shrewsbury
D. Stocks	Gloucester	C. J. Mogford	South Africa
R. W. Asquith	Halifax & Huddersfield	E. S. Hammett	South Essex
L. L. Bott	Ipswich & Colchester	J. S. Hopkinson	Swansea
R. Shilton	Leeds	C. Sumner	Southampton
J. H. Devonald	Leicester	H. A. Armstrong	Stoke-on-Trent
R. Preston	Lincoln	C. S. Curtis	Sydney
H. O. Pate	Liverpool	R. Horn	Tees-Side
G. A. J. Witton	London	F. G. Sandiford	Western
G. Kelly	Luton	J. A. W. Styles	Wolverhampton
H. C. Knott	Manchester	J. D. Nicholls	Worcester

### GRADUATE SECTION CHAIRMEN

R. G. F. Lowe	Birmingham Graduate	E. K. Stephenson	Melbourne Graduate
E. R. S. Marrs	Coventry Graduate	P. G. Jenkins	Newcastle upon Tyne Graduate
W. Shelton	Leeds Graduate	J. R. Anderson	Rochester Graduate
J. R. Jones	Liverpool Graduate	R. H. Clarke	Sheffield Graduate
W. G. Peters	London Graduate	R. E. Everhard	Western Graduate
D. S. Bone	Luton Graduate	T. J. Harrison	Wolverhampton Graduate
P. Whitehead	Manchester Graduate		

### REGIONAL HONORARY SECRETARIES

East & West Ridings	...	J. Keightley	Northern Ireland	...	J. G. Easterbrook
Eastern	...	A. B. Brook	Scotland	...	W. H. Marley
Midlands	...	A. C. Turner	South Eastern	...	J. Aikman
North Midlands	...	J. Cox	Southern	...	J. W. Taylor
Northern	...	T. Young	South Western	...	A. Eustace
North Western	...	J. P. Speakman	Wales	...	A. E. Haynes

*"Maybe you  
could express it  
a little better..."*

*"Well, a chuck is just a  
chuck unless it is a chuck made  
by Jacobs when it is a genuine  
Jacobs chuck the best known  
name in chucks!"*

*"Your dealer can supply  
genuine Jacobs chucks  
in all sizes for light medium  
or heavy duty tools and  
machines"*

**INSIST  
ON  
GENUINE**

**Jacobs**

**CHUCKS**


THE JACOBS MANUFACTURING COMPANY LIMITED, ARCHER RD., SHEFFIELD, 8



# E·M·I

## automate accurate rotary indexing

Within  $\pm 3$  seconds of arc setting accuracy-repeatability within 1 second guaranteed with new O.M.T. 30-inch auto-positioning rotary indexing table.



### mechanical features

Platen, pivot mounted in ultra-precision, radially pre-loaded bearings and driven by ground worm and wheel rotates in one plane to within 0.0002"—Central setting plug revolves to within 0.0001" of absolute concentricity—Automatic clamping and unclamping by solenoid operated pneumatic cylinder—Maximum table load, 1,500 lbs.

### positioning system


E.M.I. electronic positioning system with inductosyn rotary scales measures table movement direct and not by way of worm drive—Accuracy is built-in and will not vary due to mechanical wear—Control by pre-set knobs or punched tape permitting an unlimited number of settings to be made—Setting accuracy within  $\pm 3$  seconds of arc, repeatability within 1 second.

### A PRODUCT OF OPTICAL MEASURING TOOLS LTD

Full details on request to:-

### NEWALL GROUP SALES LIMITED

PETERBOROUGH Tel: 3227 MAIDENHEAD Tel: 3704




Basic element of E.M.I. positioning system is 12-inch rotary inductosyn scale mounted at end of table bearing.


POSITION IN DEGREES	ERROR IN SECONDS
0 (360)	0
330	0
300	-1
270	-0.5
240	-0.8
210	0
180	-0.4
150	-0.6
120	0
90	-1.4
60	0
30	-0.8
0	-0.4

PROOF OF PRECISION—Authentic records of checks taken at 30 degree intervals by means of calibrated polygon and auto-collimator. Known polygon errors discounted by pre-setting control system.

Angular positions are obtained by punched tape fed into reader (top) or by pre-setting dials.



Accessibility for servicing is a feature of the E.M.I. control unit.



## SECTION HONORARY SECRETARIES

### AUSTRALIA

Adelaide (South Australia) ...	B. H. M. Coombes, 11 Elmo Avenue, Westbourne Park, Adelaide, Australia.
Melbourne (Victoria, Australia) ...	A. G. Jones, 13 Laburnum Street, Middle Brighton, Victoria, Australia.
Melbourne Graduate (Victoria Australia) ...	E. P. H. James, 455 Stephenson Road, Mount Waverley, Melbourne, Victoria, Australia.
Sydney (New South Wales) ...	K. G. Slorach, 98 Church Street, Castle Hill, New South Wales, Australia.

### CANADA

Canada ...	A. M. Hand, 18 Rintella Court, Scarborough, Ontario, Canada.
------------	--

### INDIA

Bombay ...	R. D. Mistry, "Churchgate House", 32 Veer Nariman Road, Bombay, India.
Calcutta ...	C. K. Haldar, Asst. Director General, Ordnance Factories, 6 Esplanade East, Calcutta, I.

### NEW ZEALAND

New Zealand ...	A. F. Nouth, 6 Trafalgar Road, Milford, Auckland, New Zealand.
-----------------	--

### SOUTH AFRICA

South Africa ...	A. Aitken, 209-211 Pharmacy House, 80 Jorissen Street, Johannesburg, P.O. Box 10837 South Africa.
------------------	---

### UNITED KINGDOM

Birmingham ...	W. Silberbach, 45 Bagnell Road, Kings Heath, Birmingham, 14
Cardiff ...	A. E. Haynes, c/o A. B. Metal Products Ltd., Abercynon, Glamorgan.
Cornwall ...	F. G. Hawke, 3 Bellevue Terrace, East Hill, Tuckingmill, Camborne, Cornwall
Coventry ...	A. S. Hopkins, 39 Oaks Road, Kenilworth, Warwick.
Derby ...	W. F. Radford, 15 Sherwood Avenue, Chaddesden, Derby.
Doncaster ...	G. R. Wimpenny, 16 Tickhill Square, Denaby Main, Doncaster.
Dundee ...	A. J. Fraser, 51 Fintry Drive, Dundee.
Edinburgh ...	D. A. Bowman, The Scottish Council (Dev. and Ind.), 1 Castle Street, Edinburgh.
Glasgow ...	W. H. Marley, North British Locomotive Co. Ltd., Springburn, Glasgow, N.I.
Gloucester ...	A. M. Blew, Field Place, Badgworth Road, Cheltenham, Gloucestershire.
Halifax & Huddersfield ...	C. W. Overin, 353 Whitehall Road, Westfield, Wyke, near Bradford, Yorks.
Ipswich & Colchester ...	M. D. Blake, Davey, Paxman & Co. Ltd., Standard Ironworks, Colchester, Essex.
Leeds ...	J. Keightley, 42 Kingsley Avenue, Adel, Leeds, 16.
Leicester & District ...	J. A. Stovin, 14 Queens Drive, Leicester Forest East, Leicester.
Lincoln ...	H. Wright, 101 Longdales Road, Lincoln.
Liverpool ...	H. Mason, 51 Stairhaven Road, Liverpool, 19.
London ...	H. R. H. Palmer, Creed & Co. Ltd., Telegraph House, Croydon, Surrey.
Luton ...	J. F. W. Galyer, Engineering Department, Luton & South Bedfordshire College of Further Education, Park Square, Luton, Bedfordshire.
Manchester ...	J. P. Speakman, 223 Douglas Road, Atherton, near Manchester.
Newcastle upon Tyne ...	L. R. Douglass, Gateshead Technical College, Durham Road, Gateshead, Co. Durham
Northern Ireland ...	J. G. Easterbrook, "Hilleen", 22 Ascot Park, Knock, Belfast.
Norwich ...	J. I. Hilder, 2a Gorse Road, Thorpe, Norwich.
Nottingham ...	K. Liqueurish, 28 Mona Street, Beeston, Nottingham.
Oxford ...	K. F. Watson, 30 Stanway Road, Headington, Oxford.
Peterborough ...	N. Holmes, "Arncliffe", 11 Mary Armin Road, Orton Longueville, Peterborough.
Preston ...	M. A. Goody, 1 Langdale Crescent, Ribbleson, Preston, Lancashire.
Reading ...	P. J. Smallbone, "Maryfield", Darlington Road, Basingstoke, Hants.
Rochester & District ...	W. G. Clements, 11 Charing Road, Gillingham, Kent.
Sheffield ...	W. Edwards, c/o E. Pryor & Son Ltd., West End Works, Broom Street, Sheffield, 10.
Shrewsbury ...	W. M. Buchan, Llanberis, 36 Mytton Oak Road, Shrewsbury.
Southampton ...	J. W. Taylor, High Mead, Kane's Hill, Thornhill, Southampton
South Essex ...	F. Hopkinson, "Woodley", 40 Highfield Road, Chelmsford, Essex.
Stoke-on-Trent ...	W. Elliott, 1 Longview Avenue, Alsager, Stoke-on-Trent.
Swansea ...	C. L. Clarke, 11 Alder Road, Cyma, Neath, South Wales.
Tees-Side ...	W. Roberts, "Rosecroft", Thirsk Road, Yarm-on-Tees, Yorkshire.
Western ...	A. Eustace, 19 Ferndale Road, Northville, Bristol, 7.
Wolverhampton ...	W. T. Vaughan, "Windsor", 24 Windermere Road, Palmers Cross, Tetterhall, Staffs.
Worcester ...	R. Wheeler, Old Farm House, 7 Parish Hill, Bournheath, near Bromsgrove, Worcestershire

#### CORRESPONDING MEMBER IN MIDDLE EAST

J. Merkin, 45 Arlozoroff Street, Ramat-Gan, Israel.

#### CORRESPONDING MEMBER IN RANGOON

J. T. Foster, Office of the Principal, Regional Marine Diesel Training Centre, Dalla Dockyard, Inland Water Transport Board, Phayre Street, Rangoon, Burma.

#### CORRESPONDING MEMBER IN WEST AFRICA

H. P. Halfter, Gold Coast Railways & Harbour Admin.,  
P.O. Box 202, Takoradi, Ghana, West Africa.

#### GRADUATE SECTION HONORARY SECRETARIES

Birmingham ...	...	J. R. Brownsword, 202 Buryfield Road, Solihull, Warwickshire.
Coventry ...	...	N. H. Martin, 2 Home Farm Crescent, Whitnash, Leamington Spa.
Leeds ...	...	B. Noble, 8 Springwell View, Birstall, near Leeds.
Liverpool ...	...	S. D. Allanson, 27 Scargreen Avenue, West Derby, Liverpool, 11.
London ...	...	B. W. Jenney, 58 Langdale Gardens, Perivale, Middlesex.
Luton ...	...	D. A. Slough, 41 Felix Avenue, Luton, Bedfordshire.
Manchester ...	...	T. A. Bainbridge, 7 Jubilee Milnrow Road, Shaw, Nr. Oldham, Lancashire.
Newcastle upon Tyne	...	M. Dewhurst, 6 Gerrard Road, Whitley Bay, Northumberland.
Rochester & District	...	D. M. Samson, 123 York Road, Maidstone, Kent.
Sheffield ...	...	P. Brown, 21 Rowan Tree Dell, Totley, Sheffield.
Western ...	...	R. J. M. Watt, 19 Cranham Road, Henleaze, Bristol.
Wolverhampton ...	...	I. R. Jones, "Shalimar", Clive Road, Pattingham, Wolverhampton, Staffordshire

#### LOUGHBOROUGH COLLEGE STUDENT SECTION

##### *Chairman :*

D. R. Stockdale, 12 Northwood Road, Hilsen, Portsmouth, Hants.

##### *Honorary Secretary :*

B. G. Cousins, College of Technology, Loughborough, Leics.

#### MATERIALS HANDLING GROUP

##### *Chairman :*

F. E. Rattlidge, Evered & Company Ltd., Smethwick, 40, Staffordshire.

##### *Secretary :*

I. B. King, Assistant Education and Technical Officer, 10 Chesterfield Street, London, W.1

#### EDUCATION DISCUSSION GROUPS

##### **London Centre**

##### *Chairman :*

C. C. Spanswick, 24 Mill Drive, Hove, 4, Sussex.

##### *Honorary Secretary :*

D. R. C. Holmes, 35 Sandringham Drive, Ashford, Middlesex.

##### **Midland Centre**

##### *Chairman :*


W. L. Jackson, Senior Lecturer in Production Engineering, Chance Technical College, Smethwick.

##### *Honorary Secretary :*

N. Ward, 88 Sutton Oak Road, Streetly, Sutton Coldfield.








# L12

## CYLINDRICAL GRINDING MACHINE

NEWALL-KEIGHLEY

SIZE RANGE 12" X 24" TO 12" X 72"



NEWALL



ESTABLISHED IN 1900

### NEWALL GROUP SALES LIMITED

PETERBOROUGH TELEPHONE 3227 or KEIGHLEY TELEPHONE 4294

# PARKSON VERTICAL MILLER

## 2V



Capacity: 30 x 10 x 18 $\frac{5}{8}$  in.

Power feeds and rapid  
traverse to all table  
movements

24 Spindle speeds:

18-1000 rpm  
or 24-1330 rpm  
or 27-1500 rpm

Spindle Nose: 5 $\frac{1}{16}$  in. dia  
no. 50 taper hole

Range of

**PARKSON**

Horizontal Milling Machines

1NA Universal

2N Universal

2N Plain

3N Universal

3N Plain

Adapta Model N



## J. PARKINSON & SON

(SHIPLEY) LTD

SHIPLEY Telephone 53231 YORKSHIRE

International Machine Tool Exhibition, London, 1960.

Parkinson machines will be demonstrated on Stand 63, Grand Hall, Olympia, June 25 to July 8.










# AUTOMATIC

**SIZING**  
OF  
WORKPIECE

**TRUING**  
OF  
GRINDING  
WHEEL

**COMPENSATION**  
FOR  
WHEEL  
TRUING

**CYCLE CONTROL**  
FOR NUMBER OF  
WORKPIECES




on  
*Model 'BW'*  
*Plain*  
*Grinding Machine*

**THE CHURCHILL MACHINE TOOL**  
Broadheath, nr. Manchester. Co Ltd  
*Altrincham 3262*

Export Sales Organisation

**ASSOCIATED BRITISH MACHINE TOOL MAKERS LTD**  
London, Branches & Agents

Home Selling Agents  
**CHARLES CHURCHILL & CO. LTD**  
Birmingham & Branches





International Machine Tool Exhibition, London, 1960.  
Churchill Grinding Machines will be demonstrated on Stand 116, National Hall, June 25 to July 8.

C675-1D

# Maximum Production Special Tool Layouts

SCREWED RING




## Ward

### No. 7 TURRET LATHE

FITTED WITH 12" TUDOR 3-JAW CHUCK

#### STEEL FORGING

40 Ton Tensile Steel  
En.8.



DESCRIPTION OF OPERATION	Tool Position		Spindle Speed R.P.M.	Surface Speed Ft. per Min.	Feed Cuts per inch
	Hex. Turret	Cross-slide			
1. Grip Forging in Three-Jaw Chuck	—	—			
2. Turn Outside Diameter	—	Front 1	416	765	266
3. Undercut and Face Flange and Chamfer O/dia.	—	Front 2	416	765	Hand
4. Screwcut O/dia. x 11 T.P.I. (7 cuts)	—	Front 3	280	495	11 T.P.I.
5. Face End	—	Front 1	675	1193	52
6. Bore Undercut and Chamfer	1	—	416	408	134
7. Screwcut Internal Thread 11 T.P.I. (7-cuts)	—	Rear	416	408	11 T.P.I.
8. Remove Part from Chuck	—	—			

Total Floor-to-Floor Time for above operations: 5 minutes.

NOTE:— Time for cutting external thread 11 T.P.I. (7 cuts) 40 seconds

Time for cutting internal thread 11 T.P.I. (7 cuts) 36 seconds

All Tungsten Carbide Cutting  
Tools

# H.W. WARD & CO LTD

SELLY OAK  
BIRMINGHAM 29

TELEPHONE SELLY OAK 1131



International Machine Tool Exhibition, London, 1960.

Ward Lathes will be demonstrated on Stand 205, Empire Hall, Olympia, June 25 to July 8.


W654

# cast in steel at 15% less cost

This Furnace Charging Arm used less material and reduced machining time drastically when made as a one-piece casting in a modern steel foundry. Compared with earlier production methods, a steel casting gave increased resistance to thermal and mechanical shock loading, thus lengthening life expectation, and showed a direct cost saving of 15% on each arm.

You can take advantage of steel foundry know-how and ensure that your steel components are produced economically by calling in a steel foundry engineer at the design stage.

*with reduced machining  
and longer life*



THE BRITISH STEEL FOUNDERS ASSOCIATION

Broomgrove Lodge, Broomgrove Rd., Sheffield





# 'HOBLIQUE' GEAR HOBGING MACHINE



**DRUMMOND BROS. LTD.**  
GUILDFORD · ENGLAND  
*Member of the Asquith Machine Tool Corporation*

This new Gear Hobber—British Built by Drummond Bros. forms part of a Link Line for Cluster Gear production to be shown at Olympia. Equipped for automatic loading and unloading, the Hoblique machine will be cutting a 43 tooth helical gear. See it at Olympia!

*Sales and Service for the British Isles*


**DRUMMOND-ASQUITH LIMITED**

*Member of the Asquith Machine Tool Corporation*

KING EDWARD HOUSE, NEW ST., BIRMINGHAM Phone: Midland 3431. Also at LONDON Phone: Trafalgar 7224 & GLASGOW Phone: Central 0922

D404

**NEW**  
**ON STAND**  
**43**  
**GRAND HALL**  
**AT**  
**OLYMPIA**  
JUNE 25 - JULY 8



## 3PS RADIAL DRILLING MACHINE



**NEW**  
**ON STAND**  
**43**  
**GRAND HALL**  
**AT**  
**OLYMPIA**  
**JUNE 25 - JULY 8**



A new radial of pillar and sleeve design with extra precision taper roller bearings on which the spindle is mounted to ensure rigidity and accuracy for boring or drilling.

Available with pre-selection to speeds and feeds if required. Max. Radius up to 12 ft. Drilling capacity from solid in steel,  $3\frac{1}{2}$  in.

**WILLIAM ASQUITH LTD**

**HALIFAX · ENGLAND**

*Member of the Asquith Machine Tool Corporation*

*Sales and Service for the British Isles*

**DRUMMOND-ASQUITH LIMITED**


*Member of the Asquith Machine Tool Corporation*

KING EDWARD HOUSE, NEW ST., BIRMINGHAM Phone: Midland 3431. Also at LONDON Phone: Trafalgar 7224 & GLASGOW Phone: Central 0922

A408

# Visit Stand 414 National Hall Gallery

and see the **DAWSON** fully automatic "in-line"  
cylinder block washing machine



At Olympia from June 25—July 8 Dawson Bros. Ltd., will demonstrate machines from their range of cleaning and degreasing machines. The outstanding exhibit is the fully automatic machine shown above which is of particular interest to the Automobile Industry. It is arranged to handle 80 blocks per hour, and remove all cast iron swarf and cutting oils from cylinder blocks prior to assembly. Components are passed through the machine by means of a traverse bar and are conveyed through two flushing stations, a drain station, a wash station with swing type jet boxes, a further drain station, and an air blasting station to the discharge station.

Other Dawson Exhibits at Olympia include :-

## **DAWSON AUTOMATIC ROTARY MACHINE FOR HIGH PRECISION METAL CLEANING OR TREATMENT APPLICATIONS**

A fully automatic machine for a wide range of applications such as alkaline, trichlorethylene or ultrasonic cleaning and for metal treatment such as phosphating or pickling. Parts to be cleaned or treated may range from small instrument assemblies to small billets for massive phosphate coating prior to cold forging.

## **DAWSON "MINOR" CABINET TYPE METAL PARTS CLEANING AND DEGREASING MACHINE**

A popular, small general purpose cleaning machine particularly suitable for factories where quantities produced only justify batch cleaning of small parts in baskets or single piece cleaning of larger components.

## **DAWSON DUNKING MACHINE**

Designed for the general cleaning of components such as cylinder blocks and cylinder heads by agitating them in a tank of alkaline solution.

Sales and Service for the British Isles

# **DRUMMOND-ASQUITH LIMITED**

Member of the Asquith Machine Tool Corporation

KING EDWARD HOUSE, NEW ST., BIRMINGHAM Phone: Midland 3431. Also at LONDON Phone: Trafalgar 7224 & GLASGOW Phone: Central 0922


HF418

**ORCUTT  
SHAFT GRINDING MACHINE  
ADAPTED FOR SPECIAL  
APPLICATION BY**

**WOLSELEY**




The Orcutt Hydraulic Shaft Grinding Machine was installed by Morris Motors Limited at their Coventry Works for accurate grinding of angular lug faces on synchromesh hubs for the new Wolseley 6-99.



*Write for our latest literature on the Orcutt 20 in. and 36 in. Grinding Machines.*



*Comprehensive gear grinding service  
Gear manufactured and ground complete  
Makers of the Orcutt range of gear and spline grinding machines and measuring machines*




**The Gear Grinding Co. Ltd.**

**CRANMORE BOULEVARD : SHIRLEY : SOLIHULL : WARWICKSHIRE**

Telephone : SHIrley 2231 (6 lines)    Telegrams : Orcutt, Birmingham





**'DOWTY  
ROTOL'**

**RELY ON**

***Galtona***

**SERRATED  
BLADE  
CUTTERS**

By courtesy of Dowty Rotol Ltd., Gloucester, we are able to illustrate the milling of main legs for the Bristol Britannia undercarriage. This operation is typical of many in this firm on which GALTONA serrated blade cutters are used. Our range covers all requirements. Ask for catalogue.

**RICHARD LLOYD LIMITED**

**GALTON HOUSE, ELMFIELD AVENUE, TYBURN, BIRMINGHAM, 24**

Telephone: Ashfield 1801. Telegrams "Cogs, Birmingham"


NORTHERN AREA OFFICE: Britannia House, Wellington Street, Leeds, 1. Phone: Leeds 21212. LONDON AREA OFFICE: 240 Romford Road, Forest Gate, London, E.7. Phone: MARYland 7304-5. NORTHERN IRELAND: Garage & Engineering Supplies Ltd., 78 Great Victoria Street, Belfast. SCOTLAND: Stuart & Houston, 5 York Street, Glasgow, C.2.



First  
coupl  
fitted  
profil

The  
forwa  
while  
bore  
then r  
slide  
simul  
the tu  
the bo

Flo





# HERBERT

No. 2 FLASHCAP LATHE for the high production of non-ferrous work, including threaded components requiring frequent spindle reversals.

First operation for producing fire hose couplings from brass pressings on a machine fitted with a special cross-slide and profiling slide.

The tools on the profiling slide are fed forward by operation of the cross-slide while the component is supported in the bore by a revolving steady. The turret is then moved forward to actuate the profiling slide and so turn the two 32 mm. diameters simultaneously. Continued movement of the turret radiuses the end and chamfers the bore.

Floor to floor time—12 seconds.



In the second operation on the couplings, the 42 mm. diameter, the taper, the radius on the end and the chamfer in the bore are simultaneously machined with tools held in a standard combined holder on the turret.

Tools held on the cross-slide are then used to radius the flange, undercut and chamfer the thread diameter and undercut the taper. The 42 mm. thread is cut with a 2½ in. Solid Adjustable Diehead mounted on the third turret face.


Floor to floor time—25 seconds.

Most Herbert Capstan and Combination Turret Lathes are now available for early delivery.


ALFRED

**HERBERT**

LTD., COVENTRY



DIMENSIONS IN MILLIMETRES





Accuracy is "built in" our products by the extensive use of optical instruments in the shaping of diamonds used in the manufacture of Diatip tools



**L.M. VAN MOPPES & SONS (DIAMOND TOOLS) LTD**  
**BASINGSTOKE · HAMPSHIRE · ENGLAND**

TELEPHONE: BASINGSTOKE 1240 · TELEGRAMS: DIATIP, BASINGSTOKE





## **SPLINE GAUGE MAKERS FOR THE WORLD**

As specialists we offer a complete advisory, design and manufacturing service to all makers of splined products.

SPLINE RING AND PLUG GAUGES OF ALL TYPES, ALL SIZES AND ALL FORMS TO SAE, DIN, ETC  
MOST BRITISH STANDARD SERRATION RING AND PLUG GAUGES IN STOCK OR FOR VERY EARLY DELIVERY



MANUFACTURERS OF FORM GROUND GAUGES AND TOOLS  
**STATION ROAD • COLESHILL • BIRMINGHAM**

Tel: Colehill 3351 (5 lines)

SCOTTISH OFFICE: 19 WATERLOO STREET, GLASGOW, C.2. Tel.: CENTRAL 6958

European Agents: Technisch Handelsbureau R. Meininger, Laan Van Meerdervoort 91, Den Haag, Holland.  
Lundwall & Co. A.B., V. Hamngatan 5, Gothenburg 1, Sweden.



# *Fine Boring* *The* **PRECIMAX** *Way*



★ **THREE-POSITION AUTOMATIC HYDRAULIC CROSS SLIDE SOLVES PROBLEM OF BORING CLOSELY SPACED HOLES AT ROVER CO. LTD.**

The problem of fine boring close centre holes in this Rover gearbox is ingeniously overcome by use of the PRECIMAX three position hydraulically operated cross slide. The necessary transverse movements are preselected and linked with the longitudinal feed motions in a fully automatic cycle.

The three bores (two at 0.625 in. dia. and one at 0.6875 in. dia.) are repeated by two spindles at the opposite end and in addition to close limits on diameter and relative position, this multiple operation fulfils exacting demands in the accurate alignment of the opposing bores. The six holes are bored using solid tungsten carbide shank boring bars in a floor-to-floor time of 2.85 minutes.

Send for full details of PRECIMAX Fine Boring Machines to . . .

## **LANDIS LUND LIMITED**

CROSS HILLS, KEIGHLEY, YORKS. 'Phone: Cross Hills 3211

NRP/M6

SING  
PHAS  
A.C.  
MAIN


## WHODUNITRY

or who solved the problem?


who else but HEENAN & FROUDE LTD., solved the problem of automatically ensuring **MAXIMUM** possible production from Grinding Mills, by using their **HEENATRON DRIVE** to control the rate of feed to the grinder.

This is only one of hundreds of drive problems solved in a diversity of industries, by using Heenatron Drives—and there is, in fact, an application in **EVERY INDUSTRY** for the **HEENATRON**—or, for bigger duties, **HEENAN DRIVES**.

May we send our Technical 'sleuth', without obligation, to see if we can assist **YOU**—to maximum possible production.



# Heenatron DRIVES



were especially designed to meet the demand for a drive for smaller duties. They have rapidly found favour in many industries due to their extreme adaptability in solving many drive problems, advantages include—

- WIDE AND STEPLESS SPEED RANGE
- VERY CLOSE SPEED HOLDING
- REMOTE OR LOCAL CONTROL
- SMOOTH CONTROLLED ACCELERATION AND DECELERATION
- TORQUE LIMITATION—IMPOSSIBLE TO OVERLOAD MOTOR
- DIRECT STARTING—NO STARTER REQUIRED
- DIRECT REVERSING
- DYNAMIC BRAKING
- VERY COMPACT INSTALLATION
- DEPENDABILITY AND LOW MAINTENANCE

Please let us have details of YOUR drive problems—or write for further details of the HEENATRON or HEENAN DRIVE.


*Remember - There is no substitute for experience*




**HEENAN & FROUDE LTD. Worcester . England**

## How costs are cut with **SALTER** RETAINERS

Salter retainers simplify design of air, water, steam union, with great savings



**THE OLD WAY** Air, water, steam union involved drilling, threading and milling operations. Maintenance was difficult.



**THE SALTER WAY** Salter retainers permit rapid, simple assembly and maintenance with a reduction in manufacturing costs.

### MATERIALS SAVED

decreased wall thickness of housing	$2/9\frac{3}{4}$
eliminated bearing lock nut and washer	$7\frac{3}{4}$

### MACHINE

#### OPERATIONS ELIMINATED

bore, undercut, and tap cap end of housing	$1/4\frac{3}{4}$
locate cap on arbor, and chase threads	$1/-$
drill spanner wrench holes	$4\frac{1}{4}$
cut thread on rotor for lock nut	$3\frac{3}{4}$
mill slot in thread for tang on lock washer	$7\frac{1}{2}$
drill spanner wrench holes in rotor	$4\frac{1}{4}$

### ASSEMBLY

#### OPERATIONS ELIMINATED

install lock washer, tighten lock nut, bend lug	$8\frac{1}{2}$
assemble cap into housing	4

### TOTAL SAVING WITH SALTER RETAINERS

$8/6\frac{1}{2}$

### 4 SALTER

### RETAINERS

simplify

design,

assembly

and

maintenance

with a

saving of

$8/6\frac{1}{2}$  per unit



NEATER — MORE POSITIVE — PERMANENT RETAINING

# SALTER



Circlips



Fasteners



Retainers



Fixes


Geo. Salter & Co. Ltd., West Bromwich. Spring Specialists since 1760



## 12" SWING LATHE

Increased centre height and swing  
Hardened and ground bed of wide  
heavy section  
New design clutch and brake  
Built-in motor and suds tank  
More horse power  
Higher speeds

offers you greater production  
than you would believe possible  
at the price



### BRIEF SPECIFICATION

Swing over bed 12"      Swing in gap 19½"  
Between centres 24" (or 40")      Speeds & feeds 36  
Spindle Speeds 34-1500 or 45-2000

Standard equipment includes 2 h.p. motor,  
push-button starter, chromium plated handles  
and hand wheels, bed wipers and steady rest.

ALSO AVAILABLE WITH IN-BUILT COPYING EQUIPMENT

Fully detailed leaflet available on request

**T. S. HARRISON & SONS LIMITED • HECKMONDWIKE • YORKSHIRE**





- \* Save idle machine time
- \* Increase output per machine
- \* Minimise setting errors
- \* Increase accuracy
- \* Speed operator training



## DIMENSION INDICATORS

Workpiece dimensions read off directly to .001" or .01 mm.

Send for full technical details

**English Numbering Machines Ltd**

Dept. 5K • QUEENSWAY • ENFIELD • MIDDLESEX • Tel. HOWARD 2611 (5 lines) • Telegrams: Numgravco, Enfield

A leading  
and cu  
compre  
ponents  
to 7½"  
over, in  
the lim  
tube di  
He w  
was a d  
need to



## There's talk of Sykes at the airport . . .

A leading aircraft engine manufacturer wanted machines and cutters to generate internal gears and splines on compressor centre shafts for jet engines. The components were hollow, high tensile steel tubes from 3" to 7½" diameter in a number of lengths up to 3ft. Moreover, in places the wall thickness was less than ⅛", and the limit of eccentricity between gear pitch line and the tube diameter was .0005" maximum.

He went out for the best advice because the problem was a difficult one—unusual component length, plus the need to maintain the highest precision in a part which

could distort very easily.

Sykes Technical Advisory Service introduced him to Sykes horizontal gear generators, highly versatile machines for the production of internal spur and helical gears and splines.

Today, a Sykes horizontal gear generator—with a modified internal cutting attachment and special work-holding equipment—is producing the whole range of required components to limits well within those specified in the original enquiry drawings. And the machine can always be quickly adapted for conventional work.

Talk to  **SYKES** about gear production

## In search of THE RIGHT SOLUTION



*FOR the efficient cleaning and degreasing of every known metal and alloy there is an "S.A.C." specific. For treatment in circumstances complicated by unusual conditions—the answer can be found by the "S.A.C." technicians. Consultation with "S.A.C." is the shortest, most economical way of finding the right solution for your metal cleaning problems. We have the equipment of today—the experience of many years.*



### SUNBEAM ANTI-CORROSIVES LTD.

CENTRAL WORKS • CENTRAL AVENUE • WEST MOLESEY • SURREY

Telephone: Molesey 4484 (5 lines)

Telegrams: Sunanticor, East Molesey

Manufacturers of  
STRIPALENE • FERROCLENE • ALOCLENE • FERROMEDE • BRAZOCLENE  
(Regd. Trade Marks)

APPROVED BY ADMIRALTY, WAR OFFICE AND AIR MINISTRY

Machin  
by Ki  
conce

Exhibi  
Unit H  
cycle.

6 ft.,  
meter

3 ft. 6  
diamet

5 ft., T  
meter

8 ft., T  
meter

6 ft., T  
capaci

Horizo  
spigott  
plate c

Horizo  
diamet

3½ in. c

40 in.,  
Machin

5 ft., T  
21 in.,

28 in.,  
2 in. di

Vertica  
diamet


15 in.,  
Angula

Oil G  
10¼ in.

The exh  
TOP. I

CENTR  
BOTTO

KI



At the International Machine Tool Exhibition, Olympia  
June 25 - July 8  
**On Stand 70 Grand Hall Annexe**

Machine Tools representing the range of products manufactured by Kitchen & Wade Ltd., should prove of interest to engineers concerned with planning production in a wide variety of Industries.

**Exhibits:**

**Unit Head Type, D.7D**, electro mechanical screw feed, automatic cycle.

**6 ft., Type E.24, Elevating Arm Radial Drilling Machine**, 3 in. diameter capacity.

**3 ft. 6 in., Type E.25 Elevating Arm Radial Drilling Machine**, 1½ in. diameter capacity.

**5 ft., Type E.26, Elevating Arm Radial Drilling Machine**, 2 in. diameter capacity. Multi-plate friction clutch.

**8 ft., Type E.28, Elevating Arm Radial Drilling Machine**, 3½ in. diameter capacity. Multi-plate clutch.

**6 ft., Type G.5, Grinder Radial Drilling Machine**, 1½ in. diameter capacity.

**Horizontal Pipe Flange Facing Machine, Type H.12**, for recessing, spigotting, grooving and turning pipe flange and valve bodies. Face-plate diameter 24 in. facing up to 36 in. diameter.

**Horizontal Drilling, Boring and Tapping Machine, Type H.14**, 3 in. diameter spindle. 6 ft. vertical traverse. 10 ft. horizontal traverse 3½ in. diameter drilling capacity.

**40 in., Type T.7, Non-Elevating Arm Sensitive Radial Drilling Machine** with elevating table.

**5 ft., Type U.3, Portable Universal Drilling and Tapping Machine.**

**21 in., Type V.7, Production Drill Press.**

**28 in., Type V.10, Vertical Drilling, Boring and Tapping Machine**, 2 in. diameter capacity.

**Vertical Precision Drilling and Boring Machine, Type V.19**, 3 in. diameter capacity.

**15 in., Type V.20, Vertical Drilling Machine**, 1¼ in. diameter capacity.

**Angular Milling Attachment** for unit heads.




**Oil Grooving Machine.** Stroke, infinitely variable, 0 in. to 12 in. 10¼ in. chuck capacity.

The exhibits illustrated on the right are:

**TOP.** K & W, Type E26 Radial Drilling Machine.

**CENTRE.** K & W, Pipe Flange Facing Machine.

**BOTTOM.** K & W, Oil Grooving Machine.



**KITCHEN & WADE LTD.**



Member of the Asquith Machine Tool Corporation

ARUNDEL STREET, HALIFAX, ENGLAND Telegrams: 'KAW, Halifax'. Telephone: Halifax 67744 (3 lines)





# HEAVY DUTY BORING AND FACING LATHES



The illustrations are of a Crowthorn 36 in. swing Boring and Facing Lathe with, inset, detail of the automatic feed trip mechanism.

Features include:

1. Heavy design for rigidity and accuracy.
2. Square or hexagon turrets.
3. Tailstock available if required.
4. Large capacity gap 57 in. swing  $\times$  21 in. width with two removable gap pieces.
5. 30 in. swing model also available.

**CROWTHORN ENGINEERING COMPANY LIMITED**

*Makers of High Class Machine Tools for over half a century*

**REDDISH**

**STOCKPORT**

**ENGLAND**

Phone: STOCKPORT 7271-2-3


Grams: CROWTOOL, REDDISH





# PERMANENT FIXTURES

The checking fixture illustrated is used by The de Havilland Aircraft Co. Ltd. for the wheel-well aperture of the Comet 4. It consists of glass cloth laminated tubes bonded with Araldite to provide a fixture of excellent dimensional stability, highly resistant to wear and unaffected by changes of temperature and humidity, or chemical action. Such tools are light in weight and easy to handle, cheap to make and simple to modify if required. Tools now being made in Araldite include checking fixtures, reference jigs, drill jigs, assembly fixtures, duplicate models, Keller patterns, die aids, master models, negative patterns and interchangeability jigs.



## Araldite

*Araldite is a registered trade name*

*epoxy resins*


*Araldite epoxy resins are used*

- for casting high grade solid insulation
- for impregnating, potting and sealing electrical windings and components
- for producing glass fibre laminates
- for producing patterns, models, jigs and tools
- as fillers for sheet metal work
- as protective coatings for metals, wood and ceramic surfaces
- for bonding metals, ceramics etc.

Our publication 'Araldite Resins for Tooling' Manual L.T. will be sent gladly on request.


**GIBA (A.R.L.) LIMITED** Duxford, Cambridge. Telephone: Sawston 2121





**for perfection in diamond wheels**

MANUFACTURED BY IMPREGNATED DIAMOND PRODUCTS LTD • GLOUCESTER  
DISTRIBUTED BY UNIVERSAL GRINDING WHEEL COMPANY LIMITED • STAFFORD



1. Rin  
single  
genera  
2. Hig  
tooth  
indexi  
3. Un  
accura  
no ma  
4. Ma  
file an  
5. Eas  
the m  
6. Qu  
for st

V  
A

## Spiral Bevel Gear Generators

# Spiromatic



1. Ring gear and pinion roughed and finished in one single operation, thanks to combined plunge-cut and generating method.


2. Highly accurate and concentric teeth, because all tooth flanks are cut in one operation — with continuous indexing.

3. Uniform tooth height, which means theoretically accurate teeth and easy computing of all gear drives, no matter whether with intersecting or offset axis.

4. Maximum flexibility of the SPIROMATICS for profile and tooth bearing modification.

5. Easy cutter change. Cutters can be adjusted off the machine.

6. Quick and easy setting and re-tooling; efficient for small batches too.




# VAUGHAN

ASSOCIATES LIMITED

4 QUEEN ST., CURZON ST., LONDON, W.1  
Telephone: GROSVENOR 8362-5

Midland Office and Demonstration Dept:  
TRENT WORKS · WILFORD CRESCENT · NOTTINGHAM  
Telephone: NOTTINGHAM 88008

it's the little things that matter



High precision engineered components with an established reputation for quality . . . Minor items maybe . . . but of major importance to the efficiency of the modern motor vehicle.


Water Pumps, Oil Pumps, Steering Idlers, Clutch Plates, Gear Change Mechanisms, Bearing Boxes, Brake Drums, Push Rods, Ball Pins, Shackle Plates, Axle and Hub Assemblies, Thrust Plates and Assemblies, Machined Components of all kinds.

**CONCENTRIC**



**CONCENTRIC MANUFACTURING CO., LTD.**  
TYBURN ROAD - BIRMINGHAM 24

Telephone: EASt 2081-2-3-4-5


**Whatever it is...**



**can handle it**



Cars and their components, the by-products of whales, food in tins, food fresh from the fields, it's all the same to KING designers and engineers when it's a matter of moving materials at the right speed to the right spot at the right time. KING 'know-how', the product of over 40 years' experience in designing integrated materials handling systems for every part of the world and over the whole field of industry, can help you achieve maximum production at lower cost. Call in a KING representative, he will be pleased to visit you anywhere in the world.



**THE KING RANGE OF HANDLING EQUIPMENT**

Overhead conveyors  
Floor conveyors  
Cranes · hoists  
Ski-wrackers · Grabs  
Runways

**Geo. W. King Ltd.**  
MATERIALS HANDLING SPECIALISTS


ARGYLE WORKS      STEVENAGE HERTS.  
TELEPHONE: 440



# CRAWFORD RAPIDGRIP

**NEW  
LEVER  
-OPERATED  
CHUCK**

for use  
with  
Crawford  
Multibore  
Collets



This powerful new dead-length chuck is particularly suitable for bar and second operation work; fitted with a Crawford rear support stop it can hold exceptionally short pieces. It is designed for operating Crawford Multibore Collets with their  $\frac{1}{4}$ " size range. There's less operator fatigue, too, because Rapidgrip's simple, powerful rack and pinion gear is easier to operate than more direct lever systems of collet closing. Another special feature is the fixed front cap which ensures constant accuracy. An independent key allows easy bore adjustment.

**CRAWFORD  
COLLETS  
LIMITED**  
Witney · Oxon  
Witney 334



*London Stockists:* Acbars Limited 16-18 Macleod Street  
Walworth Road London SE17 Rodney 7191

*Midland & N.W. England Stockists:* Retselp Engineering Ltd  
Vulcan Road Industrial Site Lode Lane Solihull  
Birmingham Solihull 2239


*Agents for N.E. England:* Alfred Herbert Ltd Carlisle  
Square Newcastle 1 Newcastle 28864

*Agents for Scotland:* R. McSkimming & Co 65 West  
Regent Street Glasgow C2 Douglas 7391-2

Visit us on the Bestec Stand No. 313  
Grand Hall Gallery, Olympia at the International Machine Tool Exhibition June 25th to July 8th.

TA3800

# Another addition to the Range of Induction Heaters




## INDUCTION HEATING UNITS

These 6 kW induction heaters have been designed for continuous operation and incorporate the latest design techniques. The generators are of medium impedance output being suitable for general purpose heating applications such as annealing, brazing, hard and soft soldering, hardening and tempering. The availability of a high work coil kVA in association with multi-turn coils permit the heating of a wide range of ferrous and non-ferrous loads.

The oscillator value may be either air cooled (Type R.F. 3/A) or water cooled (Type R.F. 3/W) depending upon customer requirements. With the R.F. 3/A water is used only for cooling the tank and work coils. In the case of the R.F. 3/W a common water supply is employed for cooling the oscillator valve, tank and work coils.

Due to the simplicity of operation unskilled labour may be employed enabling production costs to be reduced. The controls, indicator lamps, anode current meter and process timer are conveniently grouped on the front panel. Compact design allows the equipments to occupy the minimum of floor space. The equipments in operation are extremely dependable as a result of advanced design and the use of components of proved reliability.



## PROCESS HEATING

**FREE TECHNICAL ADVICE** is offered on the applications of R.F. heating to Tempering, Brazing and Hardening processes etc. Our technical representatives are at your service, or we will send you full details—please tick the appropriate box in the coupon.

**PYE LTD. PROCESS HEATING DIVISION**  
Telephone: CAMBRIDGE 57590

To Pye Ltd. Process Heating Division, 28 James Street, Cambridge  
Please send me details of Pye Process Heating Equipment.

NAME .....

COMPANY .....

ADDRESS ..... IPE 7

Please ask your Technical Representative  
to telephone for an appointment


☐

Please send me  
full details

☐

# Save 12/- to 15/- in every £1

## ON SHORT AND MEDIUM RUN PIERCING-



Here's one example

18" x 12" x 16 S.W.G. Mild Steel Plate

63 openings  $\frac{1}{8}$ " to  $1\frac{3}{8}$ " diameter  
plus slots, corners and rectangles up to  $4\frac{3}{4}$ " x  $2\frac{3}{4}$ "

Time (secs.)

... 189

Rotate turret 14 times ... .. 28

Unload blank ... .. 8


**Total 225 secs.**

**Total floor-to-floor time 3 min. 45 secs. each**

No more setting up or marking out! No more costly tooling! Wiedemann tooling is *standard* tooling—circles, squares, clusters, shapes—mounted in rotatable turrets, always in accurate alignment, always ready for instant use. Piercing positions accurately located on the press itself and changes in layout made quickly, cheaply.

## British WIEDEMANN TURRET PUNCH PRESSES

Write for the New Brochure EE/182




### DOWDING & DOLL LTD

346 KENSINGTON HIGH STREET, LONDON, W.14

Telephone · WESTERN 9077 (8 lines)

Telegrams · ACCURATool HAMMER LONDON



# VDF Automatic Crankshaft LATHE

## MODEL 1365

For the simultaneous machining of crankshaft end and intermediate journals and flanges.

- Fully automatic, interlocked cycle
- Simple work loading from centre chuck
- Tools readily accessible and easily changed
- Rapid tool approach and retraction
- Equipped with two facing slides and one swivelling slide
- Efficient chip disposal and coolant system

See this model demonstrated at . . .

*International Machine Tool Exhibition*

*Olympia Stand No. 109.*

4-throw crankshaft, loaded and machined in 3.5 mins.

### BRIEF SPECIFICATION

Crankshaft, max. length	31½ in.
Speed range r.p.m.	28-140
Feeds	.002-.016 in.
H.P.	33-45
Floor space approx.	140 x 70 in.

Sole British Agents

## SYKES

Machine Tool Co. Ltd


Hythe Works, The Hythe  
Staines, Middlesex

Telephone

Staines 55474 (5 lines)

Telegrams Sytool Staines





## Hydraulic brakes for FORK LIFT TRUCKS

These new 10½-in. by 2½-in. brakes have been specially developed for fork-lift trucks, and have the following main features:

1. One leading shoe, one trailing shoe, giving the same response whether going forward or in reverse.
2. Large lining area, obtained by use of wide shoes and linings to compensate for limitation on drum diameter imposed by small wheels of fork trucks.
3. Exceptionally robust construction to stand up to frequent application.

Details: The brakes follow typical Lockheed practice, the shoes being operated by a double-piston hydraulic cylinder, with a simple adjuster at the heel of the shoes. Operation as a handbrake is effected through a very simple and efficient linkage.


# LOCKHEED

Regd. Trade Mark: 'LOCKHEED'

LOCKHEED HYDRAULIC BRAKE COMPANY LTD  
LEAMINGTON SPA, WARWICKSHIRE, ENGLAND

ONE OF THE  
AUTOMOTIVE  
PRODUCTS  
GROUP






# For furnace fans operating at 1100° C -Nimonic\*75

HEAT-RESISTING ALLOY

A high-temperature electric furnace of advanced design has been developed by Hedin Limited, for the heat-treatment of components during the overhaul of Rolls-Royce 'Avon' and 'Conway' turbo-jet engines.

To ensure even heat distribution within the furnace, four centrifugal fans are required to operate continuously at temperatures up to 1100°C. The nickel-chromium alloy, Nimonic 75, was selected for the construction of the fans and their drive shafts. The excellent high-temperature properties of Nimonic 75 enable it to resist oxidation and withstand the exacting centrifugal stresses at extreme heat.



#### TOP

In addition to the forced-circulation fans and drive shafts, Nimonic 75 is used for the air-guide furnace liner which directs circulating air over the heating elements.

#### INSET

Diagram shows forced-circulation system and the Nimonic 75 hollow fan-shafts cooled by compressed air.

\* Trade Mark

## SEND THIS COUPON

for a specimen copy of 'WIGGIN NICKEL ALLOYS'

NAME \_\_\_\_\_

APPOINTMENT OR DEPARTMENT \_\_\_\_\_

COMPANY AND ADDRESS \_\_\_\_\_

PE/H16/7



HENRY WIGGIN & COMPANY LIMITED • WIGGIN STREET • BIRMINGHAM 16


TGA H16

# ISOTAPES

for **choosing**  
your  
temperature


Illustration shows Isotapes (before application of lagging) as installed by Babcock & Wilcox Ltd., at the Generating Station of the C.E.G.B. at Plymouth.

Write for latest catalogues on surface heating units.



°F	°C
1500°	800°
1100°	600°
925°	500°
750°	400°
570°	300°
400°	200°
312°	100°
110°	50°
32°	0°

Choose any temperature you like in this new foolproof way. Finger-tip control by thermostats, ensuring an even temperature level throughout your entire piping system. Liquids will flow smoothly and freely down pipes of any length or gauge. This is what Isopad offer you. No waste, no clogging and no troublesome blockages, however extreme the conditions. Its' simple, it's clean, it's safe. The ideal solution to pipe-heating worries.



**ISOPAD**

ELECTRIC  
SURFACE  
HEATERS

**ISOPAD LIMITED**

Barnet By-pass, Boreham Wood, Herts.

Phone: ELStree 2817/8/9

*Strap  
Clamping  
Now made easy with the New*

**Speetol** REGD. TRADE MARK  
**UNIVERSAL STRAP CLAMP**

MODEL **ST.4600**

PATENT NO  
747778

## WIDE RANGE-EASY SETTING

Due to Centre Trunnion Design

This clamp gives firm, rigid clamping over a wide range of work thicknesses and at the same time it is extremely simple to operate. Centre Trunnion Design allows instantaneous rotation of the forged strap to give any work height up to 3 1/4" with the standard bolt and represents a big advance in clamping methods of this type.



**3 SIZES  
CLAMPING  
RANGE  
from  
0 to 3 1/4"  
WITHOUT  
PACKING**

**Speed Tools Ltd**

VEREKER HOUSE, GRESSE ST., LONDON W.1. Museum 1039/1099.

# Ingersoll-Rand

air powered

## Torque control Impacttools


*run nuts accurately and automatically to pre-set torque*



SIZE 5020T



SIZE 5081T



SIZE 5040T

BRITISH MADE

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

Ingersoll-Rand hand-held power tools are made and designed specifically for the following industries. Please tick the industry with which you are concerned. Descriptive literature will be mailed to you by return.

- |  |  |
|--|--|
| <input type="checkbox"/> Oil & Petroleum   | <input type="checkbox"/> Ship & Boat Building  |
| <input type="checkbox"/> Iron & Steel      | <input type="checkbox"/> Machinery (Mechanical)                                      |
| <input type="checkbox"/> Fabricated Metals | <input type="checkbox"/> Machinery (Electrical)                                      |
| <input type="checkbox"/> Automobile        | <input type="checkbox"/> Mining  |
| <input type="checkbox"/> Aircraft          | <input type="checkbox"/> Public Utilities (Electricity, Gas, Water, Telephone, etc.) |
| <input type="checkbox"/> Railway           |  |

*Power in hand with*

# Ingersoll-Rand

INGERSOLL-RAND COMPANY LIMITED

165 QUEEN VICTORIA STREET LONDON EC4 • TEL: CEN 5681  
 Scottish Office: 20 Renfrew Street Glasgow G2  
 Tel: Douglas 1233 • Grams: Ingersoll Glasgow





## ***First-class SERVICE and long EXPERIENCE***


By using Welded Components you save the costs of patterns for castings. By using Russell Welded Components you gain also the benefits of long experience, plus the knowledge of specialised craftsmen who are backed by a staff qualified to modify designs of castings to suit welding techniques.

Here, in fact, is a *complete* service, with prompt and expert attention to every enquiry—and right through to each completed job. Our normal range is for work up to 5 tons.

*We shall be pleased to receive your enquiries.*

### **S. RUSSELL & SONS LTD** **STRUCTURAL ENGINEERING DIVISION**

Bonchurch Street, Leicester. Telephone: Leicester 59488



**FIRST FOR WELDED COMPONENTS**

SR 591

## **VACU-BLAST**

**Will secure clean conditions in Reactor Vessels,  
Heat Exchangers, Pipes and Ducting.**



This mobile, dust-free shot blast machine is being used with outstanding success for in-situ cleaning of nuclear power plant installations. Heat exchangers, Reactor-vessels, Boiler elements and ducting, all require the super cleaning for which Vacu-blast is perfectly suited. Vacu-Blast equipment is equally well suited to on-site construction work or pre-fabrication in the workshop. Demonstrations can be arranged on request.

**VACU-BLAST LIMITED, WELLCROFT ROAD, SLOUGH, BUCKS., ENGLAND** Telephone: Slough 24507-8-9  
**VACU-BLAST (AUSTRALIA) PTY. LTD., AIRPORT WEST, VICTORIA, AUSTRALIA**

3 PAE/B

# NEWTON CHAMBERS

cast in all grades of

**MEEHANITE**

from a few pounds

to **20 tons**




Whether you require one casting or thousands, up to 20 tons each or as little as a few pounds each, for any service in any grade of Meehanite, *we can meet your needs*. Our foundry facilities are extensive, and include machine moulding, shell moulding, loom moulding and floor moulding, and with our 160 years' experience of serving every major industry, we are able to offer an exceptionally skilled and comprehensive service.

*All enquiries will receive immediate attention*



NEWTON CHAMBERS · ENGINEERING DIVISION  
THORNCLIFFE · SHEFFIELD

**ENGINEERS OF  
PROGRESS**




Our research team are for ever providing improved types of well-known Aeroquip hose lines, with detachable, re-usable fittings.

The latest development concerns the installation of our own plant for the production of P.T.F.E. (polytetrafluoroethylene) extrusion for the inner linings of Aeroquip P.T.F.E. Hose.

This means we shall be able to produce more hose, more quickly for all applications where resistance to high temperatures, and high pressures; and chemical inertness to acids, oils and corrosives are essential qualities required in hose lines.



*\* we think in terms of tomorrow*



*\* Write for full technical details of the Aeroquip range of P.T.F.E. hose to:-*



**SUPER OIL SEALS & GASKETS LTD • FACTORY CENTRE • BIRMINGHAM 30**


Telephone: KINGS NORTON 2041

**Goulders**

—*instruments*


*can test all gears*

\* No. 2H Lead Tester: Any helix angle. Standard 14 ins. diam. or 8 ins. diam. x 26 ins. long. Long Bed 10 ins. diam. or 8 ins. diam. x 54 ins. long.




\* Can be arranged to test pitch.

No. 2V Lead Tester: 10 ins. diameter up to 45° helix.



No. 3V Lead Tester: 24 ins. diameter up to 45° helix.



The Lead Testers illustrated are only part of a wide range. Goulders can supply Gear Testing Instruments for any type of gear which can be instrument-mounted.


*\*phone or write for further information or with your own particular problem.*

**J. Goulders & Sons Ltd., Kirkheaton, Huddersfield.** Telephone: Huddersfield 5262-3


# TOWN

## DRILLING MACHINES


Established over 50 years, the TOWN range of radial and vertical drilling machines is noted throughout the world for modern design, reliability and ease of operation.




**MODEL CE2: RADIAL DRILLING, BORING, TAPPING and STUDDING MACHINE.** Four sizes: 5 ft. to 8 ft., 18 speeds: 15-850 r.p.m.; drills 3½ in. from solid in mild steel.



**MODEL AE4: RADIAL DRILLING, BORING, TAPPING and STUDDING MACHINE.** Seven sizes: 3 ft. 6 in. to 8 ft.; drills 3 in. from solid in mild steel.



**MODEL AE2: VERTICAL DRILLING MACHINE (Heavy-duty model).** Two sizes: 36 in. and 42 in.; drills 3½ in. from solid in mild steel.



**MODEL AES: RADIAL DRILLING, TAPPING and STUDDING MACHINE.** 42 in.; drills 1½ in. from solid in mild steel or 1½ in. in cast iron.



**MODELS EG4, and EG8, GIRDER RADIAL DRILLING MACHINES.** Each model in five sizes: 4 ft. to 8 ft., 4 speeds: 160-600 r.p.m. (EG4), 8 speeds: 20-500 r.p.m. (EG8) drills up to 2 in. from solid in mild steel. Also made with single speed.

### OTHER MACHINES IN THE RANGE

are detailed in a folder 'GO TO TOWN' which is available on request. Variations on the standard range can be undertaken, and examples are also illustrated in the folder.

# FRED<sup>K</sup> TOWN & SONS LTD

ESTABLISHED · 1903

HALIFAX · YORKS

PHONE: HALIFAX 60373/4

T.10.



## We offer you time gained— —Not gimmicks...

The beauty of this machine is that exceptional speeds are combined with quick changeovers. It is certainly the fastest press in the world. 1,000 strokes per minute if you wish, but it is an economical proposition for relatively short runs. Here it has a great advantage over single-purpose machines.


What is more, accuracy is truly remarkable—without the aid of pilot pins.

There are no feed rolls and tool 'life' is prolonged.

It is an original design patented by Rhodes.

This press crosses the Atlantic Ocean from east to west.

All the gimmicks in the world can't add up to the know-how we've accumulated and progressively applied since metalworking first started. We've been at it for 136 years.



### **RHODES** ULTRA-SPEED PRESSES

1,000 strokes per min.  
Makes the roll-feed  
dieing press obsolete.


BUILT TO THE **RHODES** STANDARD

## **RHODES** OF WAKEFIELD


JOSEPH RHODES AND SONS LIMITED

BELLE VUE · WAKEFIELD · TELEPHONE 2756 (3 lines)

HRP 2923



*No problem with  
Ina cam followers*




Precision made,  
incorporating  
Ina Needle  
Cage

### **Ina Needle Bearings Ltd**

Head Office and Factory: Dept. P.E.,  
Ina works, Dafen, Llanelli, Carmarthen.  
Telephone: Llanelli 4312/3/4  
Telex: 4816

*INA Bearings are manufactured in Great Britain,  
France and Western Germany*



SEND FOR COPY  
OF THE NEW  
TECHNICAL  
HANDBOOK  
AND NEW  
136 PAGE  
CATALOGUE



# Production UP . . . . . . . . with "ARO-BROOMWADE" Tools

The most modern and progressive manufacturers have proved that these compact, sturdy tools will do more work in less time than other tools.

Greater efficiency, greater output and lower production costs are some of the benefits which accrue from the use of "ARO-BROOMWADE" products.

It will pay you to investigate the versatility of the "ARO-BROOMWADE" range of RELIABLE pneumatic tools.

May we send you full details ?

"ARO-BROOMWADE" equipment is used extensively by Messrs. A. B. Dick & Company of Great Britain Ltd, for the production of the Model 320 American designed Offset Duplicating Machines.



"ARO-BROOMWADE" Type 7430C "Golden Silence" Pneumatic Screwdriver running 7/32 inch metal threads. Torque 30/35 in./lb. Seen in operation securing a ball-race to the side frame of the duplicator.



"ARO-BROOMWADE" Type 7700A pull-cable controlled Pneumatic Hoist loading duplicators into packing cases — an operation calling for very precise inching.



"ARO-BROOMWADE" Type 7500B Silent Screwdriver and Nut-runner. Speed 1800 r.p.m. with adjustable clutch, seen in operation assembling stripper fingers to the bar of the Model 320 Offset Duplicator.

## "BROOMWADE"

AIR COMPRESSORS & PNEUMATIC TOOLS  
YOUR BEST INVESTMENT

BROOM & WADE LTD., P.O. BOX No. 7, HIGH WYCOMBE, BUCKS.  
Telephone: High Wycombe 1630 (10 lines). Telex: 83-127

Save  
**88%** on tools!  
Save  
**96%** on bench time!  
with **CROSLAND**  
BLANK & PIERCE DIES

NO DOUBT ABOUT IT, Crosland dies cut costs as cleanly as materials for these important reasons. They blank and pierce in **one operation**. They are an **amazingly cheap** method of tooling steel, non-ferrous and non-metallic materials. They **save** up to 96% bench time compared with hand methods on short to medium non-repetitive runs. They are **infinitely cheaper** than orthodox tools. Their super-hard steel cutting edges are set in a densified laminated material of high tensile strength and give **clean, even** results. And they're **cheap** to maintain and modify.

*These are facts - Prove them to your Profit!*

Write for fully descriptive literature to :-

**William Crosland Ltd.**

WILLIAM CROSLAND LIMITED, BREDBURY, Nr. STOCKPORT. Telephone : WOODLEY 2621/2




Wadkin Plano-Milling Machine, Type W.T.4, face-milling the cast-iron base of an Avery weighing machine at W. & T. Avery Ltd., Birmingham 40.

## NEW LARGE CAPACITY PLANO-MILLER at considerably less cost!

In many shops there is a demand for a plano-miller of the capacity of the new Wadkin W.T.4. But previously, the high initial cost has deterred many would-be users. Here then is an opportunity to have the advantages and amazing production economies of plano-milling at a price all can afford.

The Wadkin W.T.4 has been specially designed for machining surfaces up to 8' long  $\times$  4' 10" wide to close limits of accuracy, and has a maximum distance of 40" between spindle nose and table. Spindle speeds range from 50 to 500 r.p.m. in six steps. Milling head and table traverse speeds range from 0 to 24" per minute infinitely variable, and 60" per minute fast traverse. This machine is also available with additional heads.

**Wadkin**



# Sixteen Standard Models Available


## the SMART & BROWN SERIES LATHES

Numerous combinations can be obtained with standard attachments.

Direct motor and countershaft drives can be furnished.

### EPICYCLIC GEARBOX

is now available giving a wide range of spindle speeds.



RST TURRET SLIDE



CSP COMPOUND SLIDE



LPH HEADSTOCK



CWP CUT-OFF SLIDE



TUC TAILSTOCK



LRST TURRET SLIDE

ONE OF BRITAIN'S FINE LATHES - Designed for the operator



**Smart & Brown (machine tools) Ltd.**

25 MANCHESTER SQUARE · LONDON · W.1

Telephone: WELbeck 7941-5 Cables: Smartool, Wesdo, London.



MAKERS OF PULTRA MICRO LATHES AND GRINDING MACHINES  
Member of the GAS PURIFICATION AND CHEMICAL GROUP OF COMPANIES



WHEN YOU ARE WANTING NEW

# AIR COMPRESSORS

DO NOT FORGET THAT WE HAVE  
A COMPLETE RANGE TO SUIT ALL DUTIES



Whatever it is you need—large or small capacity—high or low pressure—we can supply the best machine for the purpose, and our fifty years of specialised experience are at your service.



**REAVELL & Co. Ltd.**  
IPSWICH

Telegrams: Reavell, Ipswich Telephone No.: 55121



## GEAR TOOTH ROUNDING and CHAMFERING MACHINES

Automatic operation, High Production Rates on External and Internal Gears, Starter Rings, etc.



Used extensively by all leading gear specialists, automobile, aircraft, machine tool manufacturers, etc. Two models available for work up to 20in. and 10in. diameter. Illustrated data on request.



**ENGINEERING CO. LTD.**  
COVENTRY



PHONE COVENTRY 88641

We also manufacture Rotary Cam and Profile Milling Machines, Short Thread Milling Machines, Multiple Drilling Heads and Machines, Tapping Machines, End Facing and Centring Machines, Special Machine Tools for High Production.

## **SPARK MACHINED from the SOLID**



Illustrating two  
distinct types of electrode.  
(Above) a solid, shaped, electrode,  
and (Right) an electrode  
built up from a number of  
separate units.



# **IDP**

## **SPARCATRON**

IMPREGNATED DIAMOND PRODUCTS LTD · OF GLOUCESTER · ENGLAND

Sole Agents for the United Kingdom · BURTON GRIFFITHS & CO. LTD · KITTS GREEN · BIRMINGHAM 33

# ZEISS

## INVOLUTE GEAR TESTER

With the Involute Tester errors in the basic circle and tooth surface of involute spur gears (external and internal gearing) can be measured. The tooth surface is traversed by a contactor pin describing a practically perfect involute of the specified base circle. Departures from the true shape are indicated to the nearest  $\mu$  (0.00004 in.) on a scale, and the error curve, magnified 1000 $\times$ , is plotted by an electrical recording device.

### SPECIAL FEATURES


- High sensitivity recording system
- Separate master base circles not required
- Maximum measurable gear diameter 17½ in.
- Maximum distance between centres 20½ in.
- Module range 0.7 — 10



Please write for details to:

**C. Z. Scientific Instruments Limited**

12a Golden Square, London, W.1. Telephone: Gerrard 4488



## buy one machine to



**SHEAR  
NIBBLE  
FORM  
CUT LOUVRES  
CIRCLES  
RINGS**

flange, dish, bead and slot in all  
ferrous and non-ferrous sheets

The Trumpf Universal Shearing, Nibbling, Flanging and Forming Machines, Model TAS, will perform these operations on ONE MACHINE WITH THE NECESSARY TOOLS, OR ON SEPARATE MACHINES TOOLED FOR ONE PARTICULAR JOB . . . just right for experimental or batch production. Fast, clean, accurate work, saving much time and the extreme cost of heavy presses and tools.

Fifteen sizes cover a thickness range of up to 0.36 in. with various throat depths, plus three NEW COPY-NIBBLERS for production blanking and piercing.

**Trumpf really means versatility.**

Excellent terms: monthly account, hire purchase, or The FJE Machine Hire Plan

Full details or technical advice for your job from the U.K. agents:

# F.J. Edwards Ltd



EDWARD HOUSE, 359-361 EUSTON RD., LONDON, N.W.1

Telephones: EUston 4681 (7 lines) 3771 (4 lines) Telegrams: Bescotools London NW1


LANDSOWNE HOUSE, 41 WATER ST., BIRMINGHAM, 3

Telephones: CENTral 7606-8

Telegrams: Bescotools Birmingham 3



Seeger Circlips are 360° safe



**AUTOMOTIVE  
ENGINEERING  
LIMITED**

(One of the Sheepbridge Engineering Group)



On the Rolls-Royce approved list



# MASSIVE OR MIDDLEWEIGHT

*... everything flows freely on*



For factory or warehouse. Huge mobile testing equipment, massive trolleys, the lightest storage bin—all are gliding easily from place to place, moved with a minimum of effort. Industry is flowing smoothly, freely, efficiently—thanks to FLEXELLO, the largest manufacturer of castors in Europe. Made to the most rigid standards, to support weights from a few pounds to twenty tons, there's a FLEXELLO castor from our vast range to cater for all requirements.


This castor was specially designed and produced for aluminium production and has a load capacity of from 10 to 12 tons.

For further particulars write for catalogue PR  
FLEXELLO CASTORS & WHEELS LTD. SLOUGH, BUCKS. TEL: SLOUGH 24121


## Flexello

*constant  
quality castors*

'44' SERIES CASTORS:  
A special series of Double Ball Bearing heavy medium duty castors, specially manufactured for export which have now become available for the home market.




DTV




## Magnetic racks

**an economical method of buying  
magnetic workholding by the yard**




Magnetic Tool Racks make the best use of energy provided by expensive permanent magnets. They can be mounted on or below conveyors, formed into workholding jigs and fixtures, used in construction and welding. Magnetic on both faces. Available in three sizes. Ask for detailed literature.


Made by James Neill & Co. (Sheffield) Limited—the originators of this equipment  
Supplies through your usual "Eclipse" Distributor




*Perfection!*



**UNIBLAST**



**C.T.B NOZZLES**



**FOR LONGER LIFE!**

MANUFACTURED BY

IMPREGNATED DIAMOND PRODUCTS LTD • TUFFLEY CRESCENT • GLOUCESTER

DISTRIBUTED BY

UNIVERSAL GRINDING WHEEL COMPANY LIMITED • STAFFORD • TELEPHONE: STAFFORD 381

*may we present*


## THE E.P. 34 A

### AIR-OPERATED MARKING MACHINE

This machine, the latest addition to the PRYOR range of marking equipment, simplifies and speeds up the marking of an extremely wide range of cylindrical and flat components. Air operation ensures exact uniformity of impression and reduces operator fatigue to a minimum. A full range of type holders, and geared roller-die carriers is available. Full details of this machine and of our hand-operated models will be sent on request.

FOR FASTER, SIMPLER, GENERAL PURPOSE MARKING AND GENUINE CUTS IN MARKING COSTS, WRITE FOR FURTHER DETAILS TO:-

**EDWARD PRYOR & SON LIMITED**  
**BROOM STREET • SHEFFIELD • ENGLAND**  
**PHONE: SHEFFIELD 23161 (5 lines) • GRAMS: PRYOR, SHEFFIELD**



### Radio-Frequency—too!!

Over the years more and more companies have entrusted us with their components for FLAME HARDENING and learned its amazing possibilities.

Meantime we have developed a RADIO-FREQUENCY Department and can offer service from Valve Generators up to 125 Kva.

On Starter Rings we have full automation. Yet we know there is still much to learn . . . remarkable possibilities!

**FLAME HARDENERS LIMITED**  
 Shorter Works • Bailey Lane • Sheffield I

Telephone 21627

### PAYING FOR TIME




Time, directly or indirectly, is cost. If records of occupied time are not accurately kept, the firm concerned may well be paying for time it does not get. The systematic analysis of working time is a first step to increased production and lower costs. The GLEDHILL-BROOK Time Recorder controls the use of time; it provides an indisputable record of attendance, time on a job, overtime and other figures essential to accurate costing and the economic employment of labour.

### GLEDHILL-BROOK

Write for full details and illustrated leaflet to:-  
**GLEDHILL-BROOK TIME RECORDERS LTD.,**  
 20 EMPIRE WORKS, HUDDERSFIELD.

*How would you make this part?*




30 PER MIN	30 PER MIN	30 PER MIN	30 PER MIN	30 PER MIN	30 PER MIN	30 PER MIN
BLANK	RAISE	PLANISH	MARK	PIERCE	SIDE PIERCE	SIDE PIERCE

*the fastest way - with*

## **CVA HIGH SPEED DIEING PRESSES**

High speed presses and CVA built progression tools form the most efficient unit for economic press production.



50 TON MODEL

COMPLETE  
120 PER MIN



PILOT CUT-OFF  
MARK & FORM

PILOT &  
SIDECROP

PILOT &  
PIERCE

PIERCE



**DIEING PRESSES**  
10 to 100 tons capacity

**E. H. JONES**

**(MACHINE TOOLS) LIMITED**

GARANTOOLS HOUSE · PORTLAND ROAD · HOVE · SUSSEX  
Telephone: HOVE 47253      Telegrams: Garantools, Portslade

LONDON · BIRMINGHAM · GLASGOW · MANCHESTER · BRISTOL



Olympia - London June 28-July 6  
STAND No's 22 & 321  
GRAND HALL



# Baty



## OPTICAL PROJECTORS



Various types or Standards Room, Inspection Department, Toolroom, Tool Stores and Machine Shops for checking intricate forms and dimensions on tools and workpieces, one off, small runs, and mass production. Highest quality construction, optically and mechanically.


**No. 600 PROJECTOR.** A Reflex Projector with unique features. Magnifications up to X100. Profile and surface projection. Correct helix adjustment for screw threads. Rotatable screen. Highly accurate measuring stage. Operator may sit or stand. Large selection of charts for radii, angles, squares, thread forms, etc. Requires no dark room and little space.

**No. 100 PROJECTOR.** The highly successful low-priced portable projector. Magnifications up to X100. Requires little space.



**No. 200 PROJECTOR.** The most popular general purpose projector. Magnifications up to X100. Fields up to 2 in. diameter. Helix adjustment for screw threads. Large work capacity. Remote focussing.

**No. 300, 400 and 500 PROJECTORS.** Larger versions of the No. 200 with fields up to 6 in. diameter. Remote focussing.



**J. E. BATY & CO. LTD.** Burgess Hill, Sussex


Telephone Burgess Hill 85621

London Office 39 Victoria Street, S.W.1

Telephone Abbey 7382



### Looking in the right direction



# Ratcliffe

## SPRINGS

**F. S. RATCLIFFE (ROCHDALE) LTD.,**

Crawford Spring Works, Norman Road, Rochdale

Phone: Rochdale 40415

'Grams: Recoil, Rochdale

Telex 63176

**Let us  
be your  
machine  
shop!**



**Complete facilities plus  
precision & service second to none**

- Capstan and centre lathe work
- Milling—all types
- Surface and universal grinding
- G-SIP jig boring
- Centreless grinding
- Copy turning


... as well as  
shaping, honing,  
drilling, tool-  
making, etc.  
to meet your  
every need.  
A'D & A'R'B  
Approved

**MARSDEN & SHIERS LTD.**

Davis Road, Chessington, Surrey. Phone: Elmbridge 5333 (3 lines)

This is the thumb  
that starts the machine  
that cuts gears faster  
than any other machine  
in the world

Whose thumb is it? It could be anyone's. The ownership of the thumb is unimportant. It's the ownership of the machine that counts. For the machine is a Hydrax — the world's most advanced gear hobber. Anyone who owns a Hydrax cuts gears at an astonishing speed — automatically — accurately. Hydrax hobbing means multi-spindle production from a single-spindle machine. If you really want to get hobbing, you'll want information about the Hydrax range. We'll be glad to send you literature.



**DAVID BROWN**

THE DAVID BROWN CORPORATION (SALES) LIMITED

MACHINE TOOL DIVISION, BRITANNIA WORKS, SHERBORNE STREET, MANCHESTER 3. TELEPHONE: MANCHESTER BLACKFRIARS 4711

DA/B22

## INDEX TO ADVERTISEMENTS

Please note that all advertisement pages are prefixed with the letter "A"

	Page		Page		Page
A.E.I.-Birlec, Ltd. ...	—	Fletcher Miller, Ltd. ...	A42, A43	Pollard Ball & Roller Bearing Co. Ltd. ...	—
Adcock & Shipley, Ltd. ...	A2	Flexello Castors & Wheels, Ltd. ...	A100	Powell & Co. ...	—
Airmec, Ltd. ...	—	Ford Motor Co. Ltd. ...	—	Power Petroleum Co. Ltd. ...	A29
Allen, Edgar, & Co. Ltd. ...	A16	Gas Council, The ...	—	Precision Grinding, Ltd. ...	—
Archdale, James, & Co. Ltd. ...	A14	Gear Grinding Co. Ltd. ...	A61	Protolite, Ltd. ...	A18
Asquith, William, Ltd. ...	A59	General Electric Co. Ltd. ...	—	Pryor Edward, & Son, Ltd. ...	A102
Associated Electrical Industries, Ltd. ...	—	Gledhill-Brook Time Recorders, Ltd. ...	A102	Pultra, Ltd. ...	—
Atlas Copco (Great Britain), Ltd. ...	A30	Goulder, J., & Sons, Ltd. ...	A90	Purfection Engineering (Coleshill), Ltd. ...	A65
Automotive Engineering, Ltd. ...	A99	Guest, Keen & Nettlefolds (Midlands), Ltd. ...	—	Pye, Ltd. (Process Heating Division) ...	A81
B.S.A. Tools, Ltd. ...	A33	Hale & Hale (Tipton), Ltd. ...	—	Ratcliffe, F. S. (Rochdale), Ltd. ...	A104
Barber & Colman, Ltd. ...	—	Harrison, T. S., & Sons, Ltd. ...	A69	Reavell & Co. Ltd. ...	A96
Baty, J. E., & Co. Ltd. ...	A104	Heenan & Froude, Ltd. ...	A67	Regent Oil Co. Ltd. ...	—
Baume & Co. Ltd. ...	—	Herbert, Alfred, Ltd. ...	A6	Rhodes, Joseph, & Sons, Ltd. ...	A92
Benton & Stone, Ltd. ...	A5	Hey Engineering Co. Ltd. ...	A96	Rockwell Machine Tool Co. Ltd. ...	A10
Birmingham Aluminium Casting (1903) Co. Ltd. ...	—	Hordern, Mason & Edwards, Ltd. ...	—	Rowland, F. E., & Co. Ltd. ...	A37
Birmingham Tool & Gauge Co. Ltd. ...	A8	Horstmann Gear Co. Ltd., The ...	—	Rubert & Co. Ltd. ...	—
Bishop, Eaves, & Sons, Ltd. ...	A3	Hüller, Karl, Ltd. ...	A3	Rubery Owen Co. Ltd. ...	—
Black & Decker, Ltd. ...	—	Hymatic Engineering Co. Ltd., The ...	A20	Russell, S., & Son, Ltd. ...	A88
Bliss, E. W. (England), Ltd. ...	A19	Ilford, Ltd. ...	A26	Ryder, Thos., & Son, Ltd. ...	A40, A41
Block & Anderson, Ltd. ...	—	Impregnated Diamond Products, Ltd. ...	A76, A97, A101	Salter, G., & Co. Ltd. ...	A68
Bound Brook Bearings, Ltd. ...	A12	Ina Needle Bearings, Ltd. ...	A92	Schrader's, A., & Son ...	—
British Aero Components, Ltd. ...	—	Ingersoll-Rand Co. Ltd. ...	A87	Selson Machine Tool Co. Ltd. ...	—
British Industrial Eng. Co. (Staffs.), Ltd. ...	—	Ingham, Robert, Clark & Co. ...	A49	Sheffield Twist Drill & Steel Co. Ltd. ...	—
British MonoRail, Ltd. ...	—	International Computers and Tabulators, Ltd. ...	A45	Shell-Mex & B.P., Ltd. ...	A46, A47
British Steel Founders' Association	A57	Isopad, Ltd. ...	A86	Smart & Brown (Machine Tools), Ltd. ...	A95
British Timken; Division of The Timken Roller Bearing Co. ...	—	Jacobs Manufacturing Co. Ltd., The ...	A51	Smith, John (Keighley), Ltd. ...	—
Brockhouse, J., & Co. Ltd. ...	—	Jones, E. H. (Machine Tools), Ltd. ...	A103	Snow & Co. Ltd. ...	—
Broom & Wade, Ltd. ...	A93	Kearns, H. W., & Co. Ltd. ...	A24, A25	Speed Tools, Ltd. ...	A86
Brown, David, Corpn. (Sales), Ltd., The ...	A105	King, Geo. W., Ltd. ...	A79	Stein Atkinson Vickers Hydraulics, Ltd. ...	—
Buck & Hickman, Ltd. ...	A38, A39	Kitchen & Wade, Ltd. ...	A73	Stone, J. B., Co. Ltd. ...	—
Bullows, Alfred, & Sons, Ltd. ...	A22	Landis Lund, Ltd. ...	A66	Sunbeam Anti-Corrosives, Ltd. ...	A72
Burton Griffiths & Co. Ltd. ...	A33	Lang, John, & Sons, Ltd. ...	—	Super Oil Seals & Gaskets, Ltd. ...	A90
Butler Machine Tool Co. Ltd., The ...	—	Ley's Malleable Castings Co. Ltd. ...	—	Swift, Geo., & Sons, Ltd. ...	—
Calor Gas (Distributing) Co. Ltd. ...	—	Lincoln Electric Co. Ltd., The ...	—	Sykes Machine Tool Co. Ltd., The ...	A83
Canning, W., & Co. Ltd. ...	A31	Lloyd, Richard, Ltd. ...	A62	Sykes, W. E., Ltd. ...	A71
Catmur Machine Tool Corpn., Ltd. ...	A55	Lockheed Precision Products, Ltd. ...	—	Talbot Tool Co. Ltd., The ...	—
Churchill, Charles, & Co. Ltd. ...	A1	Lockheed Hydraulic Brake Co. Ltd. ...	A84	Teddington Industrial Equipment, Ltd. ...	—
Churchill Machine Tool Co. Ltd. ...	—	Macready's Metal Co. Ltd. ...	A36	Telehoist, Ltd. ...	—
Ciba (A.R.L.), Ltd. ...	A75	Markland Scowcroft, Ltd. ...	A13	Terry, Herbert, & Sons, Ltd. ...	—
Cincinnati Milling Machines, Ltd. ...	A9	Marsden & Shiers, Ltd. ...	A104	Tilghman's, Ltd. ...	—
Cohen, Geo., Sons, & Co. Ltd. ...	—	Martonair, Ltd. ...	—	Town, Frederick, & Sons, Ltd. ...	A91
Concentric Manufacturing Co. Ltd. ...	A78	Maxam Power, Ltd. ...	—	United Dominions Trust (Commercial), Ltd. ...	—
Consolidated Pneumatic Tool Co. Ltd. ...	A51	Measurement, Ltd. ...	—	Universal Tools, Ltd. ...	—
Cooper & Co. (B'ham), Ltd. ...	—	Midgley & Sutcliffe, Ltd. ...	A44	Vacu-Blast, Ltd. ...	A88
Coventry Climax Engines, Ltd. ...	—	Midland Pneumatic, Ltd. ...	—	Van Moppes, L. M., & Sons (Diamond Tools), Ltd. ...	A64
Crawford Collets, Ltd. ...	A80	Milnes, Henry, Ltd. ...	—	Varatio-Strateline Gears, Ltd. ...	—
Crompton Parkinson, Ltd. (Instruments) ...	—	Mobil Oil Co. Ltd. ...	A50	Vaughan Associates, Ltd. ...	A77
Crompton Parkinson (Stud Welding), Ltd. ...	—	Monks & Crane, Ltd. ...	—	Vaughan, Edgar, & Co. Ltd. ...	—
Crosland, William, Ltd. ...	A94	Morris, B. O., Ltd. ...	—	Vickers-Armstrongs (Engineers), Ltd. ...	A23
Crowthorn Engineering Co. Ltd. ...	A74	National Industrial Fuel Efficiency Service ...	—	Wadkin, Ltd. ...	A94
Davis, Stuart, Ltd. ...	A21	Neill, James, & Co. (Sheffield), Ltd. ...	A100	Wakefield-Dick Industrial Oils, Ltd. ...	—
Dawson Bros., Ltd. ...	—	Newall, A. P., & Co. Ltd. ...	—	Ward, H. W., & Co. Ltd. ...	A56
Dean Smith & Grace, Ltd. ...	A4	Newall Engineering Co. Ltd. ...	—	Ward, Thos. W., Ltd. ...	—
Denham's Engineering Co. Ltd. ...	A34, A35	Newall Group Sales, Ltd. ...	A52, A53	Wayne-Kerr Laboratories, Ltd. ...	—
Dowding & Doll, Ltd. ...	A82	Newton, Chambers & Co. Ltd. ...	A89	Weatherley Oilgear, Ltd. ...	A44
Drummond-Asquith, Ltd. ...	A66	Norton Grinding Wheel Co. Ltd. ...	—	Webster & Bennett, Ltd. ...	A7
Drummond Bros., Ltd. ...	A58	Norwood Steel Equipment, Ltd. ...	—	Welsh Metal Industries, Ltd. ...	A32
E.N.V. Engineering Co. Ltd. ...	—	Optical Measuring Tools, Ltd. ...	—	West, Allen, & Co. Ltd. ...	—
Edwards, F. J., Ltd. ...	A98	Ormerod Shapers, Ltd. ...	—	Whiffen & Sons, Ltd. ...	—
Electrical Development Association	—	Osborn, Samuel, & Co. Ltd. ...	—	Wickman, Ltd. ...	A48
Electric Resistance Furnace Co. Ltd. ...	A6	Park Gate Iron & Steel Co. Ltd. ...	—	Wiggin, Henry, & Co. Ltd. ...	A85
Elliott, B. (Machinery), Ltd. ...	—	Parkinson, J., & Son (Shipley), Ltd. ...	A54	Wild-Barfield Electrical Furnaces, Ltd. ...	—
English Electric Co. Ltd., The ...	A17	Payne Products International, Ltd. ...	—	Wilkins & Mitchell, Ltd. ...	A15
English Numbering Machines, Ltd. ...	A70	Peak Engineering Co. Ltd. ...	—	Woodhouse & Mitchell ...	—
English Steel Tool Corpn., Ltd. ...	—	Pearson Panke, Ltd. ...	—	Woodside Die Sinking Co. ...	A27
Exors. of James Mills, Ltd. ...	A11			Wright Electric Motors (Halifax), Ltd. ...	A28
Firth, Thos., & Brown, John, Ltd. ...	—			Zeiss, Carl, Jena ...	A36, A98
Flame Hardeners, Ltd. ...	A102				

All communications regarding advertisements should be addressed to the Advertising Managers,  
T. G. Scott & Son, Ltd., 1 Clement's Inn, London, W.C.2. Telephone: HOLborn 4743.  
Printed by Maxwell, Love & Co. Ltd., 309-317 Borough High Street, London, S.E.1.

80

29

18

02

65

81

04

96

92

10

37

88

41

68

47

95

86

72

90

83

71

91

88

64

77

23

94

56

44

A7

32

40

85

15

27

28


98







# On with a Norton Wheel— *up with Production!*



This Norton wheel, 20" x 2" x 8" A60-M5VG, is being set up—set up for cylindrical grinding of gear blank shafts. On many occasions the cool cutting action and fast stock removal of Norton G Bond wheels has increased production in British Industry—not only on cylindrical, but also on centreless, internal and surface grinding operations. On vertical spindle surfacing machines, too, the coolness of cut and easy self-dressing action of Norton G Bond segments have achieved noticeable advantages.

In the Norton range of wheels—over 100,000 sizes, shapes and specifications—there is one which is exactly right for your job. Let your Norton or Alfred Herbert representative help you select it; and if you want it for precision grinding on production work, whether the wheel is G Bond, BE Bond or one of the other vitrified bonds from which you can choose, it may well be 'off-the-shelf' delivery.

*Get through more work with Norton Abrasives*



**NORTON GRINDING WHEEL COMPANY LIMITED**

Welwyn Garden City · Herts · Telephone: Welwyn Garden 3484 (15 lines)


Enquiries also to **ALFRED HERBERT, LIMITED, COVENTRY** · Telephone: Coventry 89221

NORTON and BEHR-MANNING factories also in Argentina, Australia, Brazil, Canada, France, Germany, Italy, N. Ireland, South Africa and U.S.A.

\* Regd. Trade Mark of Norton Grinding Wheel Co. Ltd.

NGW. G.162

# Coventry Climax



Use the room at the top



## LIFT THE STACKING CEILING

Most stacking ceiling stop at 18 ft., but this new Coventry Climax "UNIVERSAL" Fork Lift Truck fitted with our latest extra high lift mast is shown in the can storage warehouse of the Metal Box Company stacking a 2-pallet 8 ft. deep load on top of a stack already almost 20 ft. high. This is a development leading to big new economies for those with room to stack high.

For the latest in  
FORK TRUCK HANDLING  
consult . . .

*Coventry Climax*



THE  
FERODO TROPHY  
awarded to  
Coventry Climax  
for the years  
outstanding  
commonwealth  
contribution to  
motor racing



COVENTRY CLIMAX ENGINES LTD., (DEPT. P.E.), COVENTRY

